**Accessory pathway** 

Paradoxical delay in accessory pathway conduction during long R-P' tachycardia after interpolated ventricular premature complexes, 1223

Acquired immune deficiency syndrome Cardiac aspergillosis in acquired immune

Cardiac aspergillosis in acquired immune deficiency syndrome, 1239 Cryptococcal myocarditis in acquired immune deficiency syndrome, 1240

Adenosine

Comparative electrophysiologic effects of adenosine triphosphate and adenosine in the canine heart: influence of atropine, propranolol, vagotomy, dipyridamole and aminophylline, 571

Adenosine triphosphate

Comparative electrophysiologic effects of adenosine triphosphate and adenosine in the canine heart: influence of atropine, propranolol, vagotomy, dipyridamole and aminophylline, 571

Aging

Effects of training on systolic time intervals at rest and during isometric exercise in men and women 61 to 67 years old. 797

AJC 25 Years Ago

The AJC in April 1960, 1115
The AJC in February 1960, 616
The AJC in January 1960, 244
The AJC in June 1960, 1661
The AJC in March 1960, 867, 868
The AJC in May 1960, 1449

Almalina

Electrophysiologic and antiarrhythmic actions of bepridil: comparison with verapamil and ajmaline for atrioventricular reentrant tachycardia, 1513

Albumin

Albumin-induced changes in the electrocardiographic QRS complex, 1530

Alcohol

Acute effects of alcohol on left ventricular function in healthy subjects at rest and during upright exercise, 164

Ambulatory monitoring
See also Holter monitoring

Blood pressure and heart rate responses during 24-hour ambulatory monitoring and exercise in men with diabetes mellitus, 801

Aminophylline

Comparative electrophysiologic effects of adenosine triphosphate and adenosine in the canine heart: influence of atropine, propranolol, vagotomy, dipyridamole and aminophylline, 571

Amiodarone

Acute hemodynamic and antiischemic effects of intravenous amiodarone, 639 Cardiac arrest and sudden death in

Cardiac arrest and sudden death in patients treated with amiodarone for sustained ventricular tachycardia or ventricular fibrillation: risk stratification based on clinical variables, 372

Intravenous and oral loading versus oral loading alone with amiodarone for chronic refractory ventricular arrhythmias, 89

Multicenter low-dose amiodarone trial for "severe" ventricular arrhythmias (LE), 822 Results of late programmed electrical stimulation and long-term electrophysiologic effects of amiodarone "herapy in patients with refractory ventricular tachycardia, 375

Study of Wolff-Parkinson-White syndrome by transesophageal pacing and assessment of long-term amiodarone

therapy, 852

Suppression of arrhythmias within hours after a single oral dose of amiodarone and relation to plasma and myocardial concentrations, 696

Usefulness of electrophysiologic testing in evaluation of amiodarone therapy for sustained ventricular tachyarrhythmias associated with coronary heart disease, 367

Value of Holter monitoring in identifying risk for sustained ventricular arrhythmia recurrence on amiodarone, 709

Amoxicillin

Home treatment of infective endocarditis with oral amoxicillin, 1231

Amyloidosis

Echocardiographic features of amyloid ischemic heart disease, 606 Selective binding of nifedipine to amyloid

fibrils, 1646

Worsening of congestive heart failure in amyloid heart disease treated by calcium channel-blocking agents, 1645

Aneurysm

Accuracy of left ventricular ejection fraction using the nuclear stethoscope in left ventricular aneurysm, 177

Aortic aneurysm after patch aortoplasty for coarctation in childhood, 612

Association of false tendons with left ventricular aneurysm, 1425

Calcified right ventricular outflow tract aneurysm after repair of tetralogy of Fallot, 611

Contractile properties of the left ventricle with aneurysm, 338

Prediction of improvement in left ventricular function after ventricular aneurysmectomy using Fourier phase and amplitude analysis of radionuclide cardiac blood pool scans, 1308

Prolonged electrical systole and QT > QS<sub>2</sub> secondary to coronary artery disease, 915

Trauma-induced pseudoaneurysm of the right ventricle: diagnosis by twodimensional echocardiography, 1658

Traumatic dissecting coronary arterial aneurysm with subsequent complete healing, 1424

Angina pectoris

All that sticks is not a band-aid (LE), 1119
Angina pectoris before and during acute
myocardial infarction: relation to degree
of physical activity, 1255

Calcium antagonists for acute ischemic heart disease, 116B

Chest pain and "normal" coronary arteries—role of small coronary arteries. 50B

Clinical and hemodynamic evaluation of propranolol in combination with verapamil, nifedipine and diltiazem in exertional angina pectoris: a placebocontrolled, double-blind, randomized, crossover study, 680 Cocaine-induced angina pectoris and acute myocardial infarction in patients younger than 40 years, 847

Combination propranolol and bepridil therapy in stable angina pectoris, 43C Combination therapy with calcium-channel blockers and beta blockers for chronic

stable angina pectoris, 69B Comparative efficacy of 200, 300 and 400 mg of bepridil for chronic stable angina

pectoris, 36C
Comparison of antianginal efficacy of nifedipine and isosorbide dinitrate in chronic stable angina: a long-term, randomized, double-blind, crossover study, 9E

Comparison of preoperative, operative and postoperative variables in asymptomatic or minimally symptomatic patients to severely symptomatic patients three years after coronary artery bypass grafting: analysis of 423 patients, 362

Coronary artery luminal diameter in aortic stenosis, 450

Dynamic coronary obstruction as a cause of angina pectoris: implications regarding therapy, 61B

Early positive exercise test and extensive coronary disease: effect of antianginal therapy, 267

Echocardiographic versus hemodynamic monitoring during attacks of variant angina pectoris, 1319

Effect of coffee on exercise-induced angina pectoris due to coronary artery disease in habitual coffee drinkers, 277

Effect of intracoronary nitroglycerin on myocardial blood flow and distribution in pacing-induced angina pectoris: quantitative assessment by singlephoton emission tomography, 1270

Effects of verapamil in preventing early postinfarction angina and reinfarction, 900

Evaluation of bepridil for the treatment of angina pectoris: evidence for preservation of left ventricular function, 30C

Exercise-induced intermittent angina and ST-segment depression, 1427

Hemodynamic actions of bepridil during treatment of stable angina pectoris, 55C

Improved accuracy of the exercise electrocardiogram: identification of three-vessel coronary disease in stable angina pectoris by analysis of peak rate-related changes in ST segments, 271

Initial coronary air embolus in the differential diagnosis of coronary artery spasm, 657

Intracoronary thrombolysis 3 to 13 days after acute myocardial infarction for postinfarction angina pectoris, 1453

Left main coronary artery spasm: angiographic demonstration during spontaneous angina, 585

Long-term efficacy of bepridii in patients with chronic stable angina pectoris: results of a multicenter, placebocontrolled study of extended bepridii use, 50C Prevention of diminished activity of glyceryl trinitrate by use of an aerosol

Prognosis with chest pain and normal thallium-201 exercise scintigrams, 920

Progranolol-verapamil versus propranololnifedipine in severe angina pectoris of effort: a randomized, double-blind, crossover study, 281

Relation of angina pectoris to coronary artery disease in aortic valve stenosis,

Relation of antianginal efficacy of nifedipine to degree of coronary arterial narrowing and to presence of coronary collateral vesuels, 26

Safety of acute calcium antagonist withdrawal: studies in patients with unstable angina withdrawn from nifedipine, 27E

nglography

Acute cardiac rupture and tamponade: angiographic appearance, 588

Acute effects of alcohol on left ventricular function in healthy subjects at rest and during upright exercise, 164

Acute myocardial infarction treated with intracoronary streptokinase: a report of the Society for Cardiac Angiography,

Angiographic anatomy of hearts with one ventricular chamber: the true single ventricie, 1363

Anomalous origin of the left main coronary artery from the right anterior aortic sinus: angiographic definition of anomalous course, 770

Characterization of ventricular fibrillation during coronary angiography (LE), 249 Comparison of two-dimensional

echocardiographic and angiographic findings in arrhythmogenic right ventricular dysplasia, 1506

Coronary angioplasty: clinical and angiographic follow-up, 673 Correlation of saphenous vein bypass graft angiograms with histologic

changes at necropsy, 952 Left main coronary artery spasm: angiographic demonstration during spontaneous angina, 585

Left ventricular responses to upright isometric handgrip and deadlift in men with coronary artery disease, 1298

Method for estimating right ventricular volume by planes applicable to crosssectional echocardiography: correlation with angiographic formulas, 1584

Mucocutaneous lymph node syndrome: clinical, hemodynamic and angiographic features of coronary obstructive disease, 662

Nonpenetrating traumatic ventricular septal defect: two-dimensional echocardiographic and angiographic findings, 1242

Prognostic significance of progression of coronary artery disease, 941

Right coronary angiography during left anterior descending angioplasty: collateral visualization as a guide to balloon positioning, 845

Single coronary artery from the right sinus, 865

Validation in dogs of a rapid digital angiographic technique to measure relative coronary blood flow during routine cardiac catheterization, 188

Value of radionuclide angiography for predicting specific cardiac events after acute myocardial infarction, 318

Angioplasty

Morphologic changes induced by dilation of the pulmonary valve anulus with overlarge balloons in normal newborn lambs, 210

Right coronary angiography during left anterior descending angioplasty: collateral visualization as a guide to balloon positioning, 845

Successful dilatation of a stenotic Blalock-Taussig anastomosis by percutaneous transluminal balloon angioplasty, 861

Angioplasty, percutaneous transluminal coronary

See also Angioplasty

Acute pericarditis after percutaneous transluminal coronary angioplasty, 843 Angioplasty for dilatation of complex

coronary artery bifurcation stenoses,

Assessment of hemodynamic significance of isolated stenoses of the left anterior descending coronary artery using thallium-201 myocardial scintigraphy,

Clinical, angiographic, hemodynamic, perfusional and functional changes after one-vessel left anterior descending coronary angioplasty, 347

Coronary angioplasty: clinical and angiographic follow-up, 673

Coronary arterial occlusion three months after successful thrombolysis and angioplasty at the same site, 580

Coronary artery collateral visualization during acute coronary occlusion, 1216 Early detection of restenosis after

successful percutaneous transluminal coronary angioplasty by exercise-redistribution thallium scintigraphy, 357

Percutaneous transluminal angioplasty of left internal mammary artery grafts,

Percutaneous transluminal coronary angioplasty after intracoronary streptokinase in evolving acute myocardial infarction, 48

Percutaneous transluminal coronary angioplasty in acute myocardial infarction without prior thrombolytic therapy, 842

Relation of coronary arterial occlusion pressure during percutaneous transiuminal coronary angioplasty to presence to collaterals, 1264

Simultaneous percutaneous transluminal coronary angioplasty and transcatheter embolization of latrogenic aortocoronary vein fistula, 578

Usefulness of transstenotic coronary pressure gradient measurements during diagnostic catheterization, 910

Angiotensin

See also Renin-angiotension system Cardiovascular effects and regional blood flow distribution associated with angiotensin converting enzyme inhibition (captopril) in essential hypertension, 1023

Effect of vasodilators on survival in chronic congestive heart failure, 1110

See also Canine studies Calcium-channel blocking agents for

gastrointestinal disorders, 210B Coronary artery spasm after abrupt withdrawal of nitroglycerin in rabbits, 1066

Effect of ibuprofen on the healing phase of experimental myocardial infarction in the rat, 1609

Effect of intact endothelium and against platelet-induced coronary artery spasm in isolated rabbit hearts, 1596

Estimation of mechanical stresses on closed cusps of porcine bioprosthetic valves: effects of stiffening, focal calcium and focal thinning, 1091

Improved internal defibrillation with twin pulse sequential energy delivery to different lead orientations in pigs, 821

Microvascular spasm as a cause of cardiomyopathies and the calciumblocking agent verapamil as potential primary therapy, 179B

Medification of experimental atherosclerosis by calcium-channel blockers, 165B

Morphologic changes induced by dilation of the pulmonary valve anulus with overlarge balloons in normal newborn lambs, 210

Transcatheter closure of patent ductus arteriosus in piglets, 826

Use of nifedipine to decrease ischemicreperfusion injury in the surgical setting, 125B

Antiarrhythmic therapy

See also Arrhythmias

Antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with coronary artery disease as assessed by electrophysiologic studies,

Ectopic ventricular tachycardia sensitive to calcium antagonists in acute myocardial infarction in dogs, 1085

Electrophysiologic and antiarrhythmic properties of bepridil, 59C

Flecainide: electrophysiologic and antiarrhythmic properties in refractory ventricular tachycardia, 956

Anticoagulant drugs

Usefulness of high-dose anticoagulants in preventing left ventricular thrombus in acute myocardial infarction, 1491

**Antihypertensive therapy** 

Baseline rest electrocardiographic abnormalities, antihypertensive treatment, and mortality in the Multiple Risk Factor Intervention Trial, 1

Anulosortic ectasia

Magnetic resonance imaging in aortic valve, ascending aortic and isthmic aortic disease, 1243

Aorta

See also Aortic valve Aortic aneurysm after patch aortoplasty for coarctation in childhood, 612

Effects of age on ventricular-vascular coupling, 1179

Operative repair of coarctation of the aorta in infancy: results with and without ventricular septal defect, 1555

Origin of the right from the left main coronary artery (single coronary ostium in aorta), 609

Aortic arch

Abnormal position of the brachiocephalic

Parasternal cross-sectional echocardiographic determination of aortic arch situs: a new approach, 1236

Aortic dissection

Aortic dissection in more than one family member, 236

Aortic flow

Reproducibility of stand-alone continuouswave Doppler recordings of aortic flow velocity across bioprosthetic valves, 1197

Aortic impedance

Effects of age on ventricular-vascular coupling, 1179

Acrtico-left ventricular tunnel

Aortico-left ventricular tunnel arising from the left aortic sinus, 1657

**Aortic regurgitation** 

Aortic regurgitation due to aortic valve prolapse, 1435

Combined first-pass and equilibrium radionuclide ventriculography and comparison with left ventricular/right ventricular stroke count ratio in mitral and aortic regurgitation, 1048

Effects of upright and supine position on cardiac rest and exercise response in aortic regurgitation, 428

Electrocardiographic observations in clinically isolated, pure, chronic, severe aortic regurgitation; analysis of 30 necropsy patients aged 19 to 65 years, 432

Magnetic resonance imaging in aortic valve, ascending aortic and isthmic aortic disease, 1243

Myxoid degeneration of the aortic valve and isolated severe aortic regurgitation, 439

Pattern of left ventricular diastolic filling in chronic aortic regurgitation: a gated blood pool assessment, 127

The king of hearts: analysis of 23 patients with hearts weighing 1,000 grams or more, 485

**Aortic stenosis** 

Case-control analysis of risk factors for presence of aortic stenosis in adults (age 50 years or older), 744

Coronary artery luminal diameter in aortic stenosis, 450

Hemodynamic determinants of exerciseinduced ST-segment depression in children with valvar aortic stenosis. 1133

Identification of photoproducts liberated by in vitro argon laser irradiation of atherosclerotic plaque, calcified cardiac valves and myocardium, 1192

Measurement of severity of aortic stenosis experimentally produced in dogs without inserting a catheter into the left ventricle, 1097

Percutaneous balloon valvuloplasty for aortic valve stenosis in infancy, 1655

Relation of angina pectoris to coronary artery disease in aortic valve stenosis,

Value of multiple echocardiographic views in the evaluation of aortic stenosis in adults by continuous-wave Doppler, 445

Aprilic valve

Aortic regurgitation due to aortic valve prolapse, 1435

Detailed anatomy of the normally functioning aortic valve in hearts of normal and increased weight, 454

Echocardiographic demonstration of satellite lesions in aortic valvular endocarditis, 1433

Hemolytic anemia secondary to erosion of a silastic band into the lumen of the pulmonary trunk, 1438

Influence of the aortic component of the second heart sound on left ventricular maximal negative dP/dt in the dog, 205

Magnetic resonance imaging in aortic valve, ascending aortic and isthmic aortic disease, 1243

Measurement of severity of aortic stenosis experimentally produced in dogs

without inserting a catheter into the left ventricle, 1097

Myxoid degeneration of the aortic valve and isolated severe aortic regurgitation. 439

Occlusion of Björk-Shiley aortic valve prosthesis by hypertrophied ventricular septum (LE), 1119

Relation of angina pectoris to coronary artery disease in aortic valve stenosis, 1063

Straddling atrioventricular valve: twodimensional echocardiographic diagnosis, classification and surgical implications, 505

Aortocoronary vein fistula

Simultaneous percutaneous transluminal coronary angioplasty and transcatheter embolization of latrogenic aortocoronary vein fistula, 578

Aortoplasty

Aortic aneurysm after patch aortoplasty for coarctation in childhood, 612

**Apical trabecular component** 

Hypoplasia of the apical trabecular component of the morphologically right ventricle, 862

Apogratein 8

Familial aggregation and early expression of hyperapobetalipoproteinemia, 291 Arginine vasopressin

Neurohumoral mechanisms involved in congestive heart failure, 15A

Arrhythmias

See also Ventricular arrhythmias Arrhythmias induced during termination of supraventricular tachycardia, 412

Arrhythmias in ischemic and nonischemic dilated cardiomyopathy: prediction of mortality by ambulatory electrocardiography, 146

Complex arrhythmias in mitral regurgitation with and without mitral valve prolapse: contrast to arrhythmias in mitral valve prolapse without mitral regurgitation, 1545

Digoxin and the susceptibility of the canine heart to countershock-induced arrhythmia, 1070

Effect of diltiazem on renal clearance and serum concentration of digoxin in patients with cardiac disease, 1393

Effect of peripheral thyroid hormone metabolism on cardiac arrhythmias, 849

Influence of magnesium ion on human ventricular defibrillation after aortocoronary bypass surgery, 61

Intravenous quinidine: relations among concentration, tachyarrhythmia suppression and electrophysiologic actions with inducible sustained ventricular tachycardia, 92

Postvagal tachycardia, 995

Prophylactic external pacing during cardioversion of atrial tachyarrhythmias, 1632

Signal-averaged electrocardiographic late potentials in patients with ventricular fibrillation or ventricular tachycardia: correlation with clinical arrhythmia and electrophysiologic study, 1350

Slow inward current and cardiac arrhythmias, 89B

Suppression of arrhythmias within hours after a single oral dose of amiodarone and relation to plasma and myocardial concentrations, 696

Systemic hypertension, diuretic drugs, arrhythmias and death, 221

Arterlography

Detecting and excluding significant left main coronary artery narrowing by echocardiography, 937

Holter recording during treadmill testing in assessing myocardial ischemic changes, 1200

Ventricular fibrillation during coronary arteriography (LE), 248

Arterioscierosis

Aspirin or dipyridamole individually prevent lipid accumulation in primate vein bypass grafts, 556

Arteriovenous fistula

Arteriovenous fistula: a rare complication of arterial puncture for cardiac catheterization, 1445

Aspirin or dipyridamole individually prevent lipid accumulation in primate vein bypass grafts, 556

Selective inhibition of thromboxanerelated platelet function by low-dose aspirin in patients after myocardial infarction, 589

Calcium-channel blockers in prophylaxis and treatment of asthma, 202B

Cardiorespiratory alterations consequent to endurance exercise training during chronic beta-adrenergic blockade with atenolol and propranolol, 142D

Clearance-based oral drug interaction between verapamil and metoprolol and comparison with atenolol, 1628

Hemodynamic effects of nifedipine given alone and in combination with atenolol in patients with impaired left ventricular function, 15E

Atheroscierosis

See also Coronary artery disease Correlation of saphenous vein bypass graft angiograms with histologic changes at necropsy, 952

Dynamic coronary obstruction as a cause of angina pectoris: implications regarding therapy, 61B

Lipoprotein and apolipoprotein levels in angiographically defined coronary atherosclerosis, 1459

Modification of experimental atherosclerosis by calcium-channel blockers, 165B

Selective absorption of ultraviolet laser energy by human atherosclerotic plaque treated with tetracycline, 1293

Atrial fibrillation

Effect of the calcium antagonist diltiazem on atrioventricular conduction in chronic atrial fibrillation, 98 Long-term results of open mitral valve

reconstruction for mitral stenosis, 731 Atrial fluiter

M-mode echocardiography for diagnosis of atrial flutter (LE), 621

Atrial myxoma

A new echocardiographic classification of left atrial myxoma, 614

Detection of atrial myxoma by magnetic resonance imaging, 242

Atrial premature complex

Macroreentry within the His-Purkinje system initiated by atrial premature complex, 594

Atrial septal defect

Hemolytic anemia secondary to erosion of a silastic band into the lumen of the pulmonary trunk, 1438

Patent ductus arteriosus, atrial septal defect and branch pulmonary artery stenosis: a possible new syndrome, 859

Pre- and postoperative electrophysiologic assessment of children with secundum atrial septal defect, 519

Transatrial septal velocity measurement by Doppler echocardiography in atrial septal defect: correlation with Qp:Qs ratio, 1162

Usefulness of echocardiographic assessment of right ventricular and pulmonary trunk size for estimating magnitude of left-to-right shunt in children with atrial septal defect, 1571

Atrial segtal motion

Correlation of paradoxical atrial septal motion and an interatrial pressure gradient in severe tricuspid regurgitation, 1431

Atrial shunts

Two-dimensional echocardiographic localization of residual atrial shunts after the Senning procedure, 1238

Atrial stimulation

Atrial vulnerability in the immature canine heart, 1402

Premature atrial stimulation during regular atrial pacing: a new approach to study of the sinus node (LE), 1120

Atrioventricular block

Deglutition syncope and atrioventricular block selectively induced by hot food and liquid, 613

Effect of bradycardia on dispersion or ventricular refractoriness, 1009

Significance of ventricular pauses of three seconds or more detected on twentyfour-hour Holter recordings, 1005

Site of conduction delay and electrophysiologic significance of firstdegree atrioventricular block in children with heart disease, 1323

Verapamil-induced retrograde conduction block in a concealed atrioventricular bypass tract, 1222

Atrioventricular conduction

Electrophysiologic and anatomic changes in the atrioventricular junction of dogs after direct-current shocks through tissue fixation catheters, 194

Alrioventricular node

Wenckebach periodicity with apparent 1:2 conduction over the atrioventricular node: the problem of interpretation, 1429

Atrioventricular pathways

Surgical treatment of accessory atrioventricular pathways and symptomatic tachycardia in children and young adults, 1509

Transvenous catheter ablation of the accessory atrioventricular pathway in the permanent form of junctional reciprocating tachycardia, 1639

Atrioventricular septal defect

Evaluation of atrioventricular septal defect by magnetic resonance imaging, 1158 Mitral valve cleft without cardiac septal defect causing severe mitral

regurgitation but allowing long survival,

Atropine

Comparative electrophysiologic effects of adenosine triphosphate and adenosine in the canine heart: influence of atropine, propranolol, vagotomy, dipyridamole and aminophylline, 571

Autopsy

Coronary risk factors and their pathway of action through coronary raised lesions,

coronary stenoses and coronary death: multivariate statistical analysis of an autopsy series: The Oslo Study, 40

**Balloon angioplasty** 

Detection of platelet deposition at the site of peripheral balloon angioplasty using indium-111 platelet scintigraphy, 495 Percutaneous balloon valvuloplasty for

Percutaneous balloon valvuloplasty for aortic valve stenosis in infancy, 1655 Thrombosis complicating balloon

angioplasty of left pulmonary artery stenosis after Fontan's procedure: successful treatment with intravenous streptokinase, 610

Bayes' theorem

Some unanswered problems with probability analysis: possible impact on exercise thallium test use, 240

Bazett's formula

More on Bazett's formula (LE), 619

Beckwith syndrome

Focal cardiomyopathy and ectopic atrial tachycardia in Beckwith syndrome, 1234

Bepridil

Combination propranolol and bepridil therapy in stable angina pectoris, 43C Comparative efficacy of 200, 300 and 400 mg of bepridil for chronic stable angina pectoris, 36C

Comparative electrophysiologic profiles of calcium antagonists with particular reference to bepridil, 14C

Electrophysiologic and antiarrhythmic actions of bepridil: comparison with verapamil and almaline for atrioventricular reentrant tachycardia, 1513

Electrophysiologic and antiarrhythmic properties of bepridil, 59C Electrophysiologic, hemodynamic and

Electrophysiologic, hemodynamic and metabolic effects of intravenous bepridit hydrochloride, 1589

Evaluation of bepridil for the treatment of angina pectoris: evidence for preservation of left ventricular function, 30C

Hemodynamic actions of bepridil during treatment of stable angina pectoris, 55C.

Hemodynamic assessment of intravenous bepridil hydrochloride for coronary heart disease, 25C

Hemodynamic effects of intravenous bepridli in patients with normal left ventricular function, 20C

Long-term efficacy of bepridil in patients with chronic stable angina pectoris: results of a multicenter, placebocontrolled study of extended bepridil use, 50C

Pharmacokinetics and metabolism of bepridil, 8C

Beta-adrenergic blockade

Acute electrophysiologic, hemodynamic and left ventricular effects of nifedipine and beta-blocker interactions. Maintenance of global and regional left ventricular wall motion, 21E

Acute response to submaximal and maximal exercise consequent to betaadrenergic blockade: implications for the prescription of exercise, 135D

Addition of nifedipine to maximal betablocker-nitrate therapy: effects on exercise capacity and global left ventricular performance at rest and during exercise, 3E

Addition of nifedipine to maximal nitrate and beta-adrenoreceptor blocker therapy in coronary artery disease, 1363

A randomized trial of low-dose betablockade therapy for idiopathic dilated cardiomyopathy, 471

Beta blockade in the compensation for bed-rest cardiovascular deconditioning: physiologic and pharmacologic observations, 114D

Beta blockers and exercise: physiological and biochemical definitions and new concepts, 29D

Can patients with coronary artery disease receiving beta-blockers obtain a training effect, 155D

Cardiorespiratory alterations consequent to endurance exercise training during chronic beta-adrenergic blockade with atenolol and propranolol, 142D

Chairman's summary, 1290

Choice of selective versus nonselective beta blockers: implications for exercise training, 162D

Circulatory response to beta-adrenergic blockade at rest and during exercise, 87D

Clinical and hemodynamic evaluation of propranolol in combination with verapamil, nifedipine and diltiazem in exertional angina pectoris: a placebocontrolled, double-blind, randomized, crossover study, 680

Clinical implications of the hemodynamic effects of beta blockade, 125D

Combination therapy with calcium-channel blockers and beta blockers for chronic stable angina pectoris, 69B

Coronary hemodynamic and metabolic effects of nifedipine in patients with coronary artery disease treated with beta-blocking drugs, 33

Effect of beta-adrenergic blockade on biochemical and metabolic response to exercise, 95D

Effect of beta-adrenergic blockade on the results of exercise testing related to the extent of coronary artery disease, 258

Effect of beta<sub>1</sub>-selective and nonselective beta blockade on blood pressure relative to physical performance in men with systemic hypertension, 79D

Effect of selective and nonselective betaadrenoceptor blockade on thermoregulation during prolonged exercise in heat, 74D

Effects and adverse effects of autonomic blockade in physical exercise, 132D

Effects of cardioselective and nonselective beta-adrenergic blockade on the performance on highly trained runners, 149D

Exercise training during chronic beta blockade in cardiovascular disease, 1100

Exercise training during long-term betablockade treatment in healthy subjects, 101D

Intravenous beta blockade in acute myocardial infarction (LE), 622

Large vessel coronary vasospasm: diagnosis, natural history and treatment, 41B

Metabolic adaptations to exercise: a review related to potential  $\beta$ -adrenoceptor antagonist effects, 48D

Rationale for beta-adrenergic blocking drugs in cardiomyopathy, 120D

Role of receptor mechanisms in the adaptive response to habitual exercise, BBD Workshop I: developing the exercise prescription for patients on chronic beta blockade, 167D

Workshop III: pharmacologic differences among beta blockers: implications for exercise training, 170D

Workshop II: modification of exercise training adaptations by chronic beta blockade, 169D

Intermittent ventricular bigeminy as an expression of modulated parasystole. 1634

# loprostheses

See also Valve prostheses

Estimation of mechanical stresses on closed cusps of porcine bioprosthetic valves: effects of stiffening, focal calcium and focal thinning, 1091

Fatal bioprosthetic regurgitation immediately after mitral and tricuspid valve replacements with lonescu-Shiley bioprostheses, 590

Reproducibility of stand-alone continuouswave Doppler recordings of aortic flow velocity across bioprosthetic valves,

Bioprosthetic regurgitation Fatal bioprosthetic regurgitation immediately after mitral and tricuspid valve replacements with lonescu-Shiley bioprostheses, 590

Björk-Shiley prosthesis

Occlusion of Björk-Shiley aortic valve prosthesis by hypertrophied ventricular septum (LE), 1119

Strut fracture and disk embolization of a Björk-Shiley mitral valve prosthesis, 597

# Bialock-Taussig shunt

Recanalization of a Blalock-Taussig anastomosis eight years after repair of tetralogy of Fallot, 860

Successful dilatation of a stenotic Blalock-Taussig anastomosis by percutaneous transluminal balloon angioplasty, 861

# Blood flow

Cardiac metabolism and coronary hemodynamics before and after bypass surgery for anomalous origin of the left main coronary artery from the pulmonary trunk, 864

Cardiovascular effects and regional blood flow distribution associated with angiotensin converting enzyme inhibition (captopril) in essential hypertension, 1023

Coronary and systemic hernodynamic effects of nicardipine, 652

Coronary hemodynamic and metabolic effects of nifedipine in patients with coronary artery disease treated with beta-blocking drugs, 33

Dynamic intracavitary left atrial echoes in mitral stenosis, 603

Effect of intracoronary nitroglycerin on myocardial blood flow and distribution in pacing-induced angina pectoris: quantitative assessment by single photon emission tomography, 1270

Maximal hand blood flow in hypertensive and normal subjects, 418

Multifactorial determinants of reduced coronary flow reserve after dipyridamole in dilated cardiomyopathy, 748

On pulmonary vascular resistance: the need for more precise definition, 217 Validation in dogs of a rapid digital angiographic technique to measure

retative coronary blood flow during routine cardiac catheterization, 188

### Blood media

A comparative study of laser beam characteristics in blood and saline media, 1389

# Blood pressure

See also Hypertension

Blood pressure and heart rate responses during 24-hour ambulatory monitoring and exercise in men with diabetes mellitus, 801

Effect of beta<sub>1</sub>-selective and nonselective beta blockade on blood pressure relative to physical performance in men with systemic hypertension, 79D

Effect of enalapril at rest, during tilt, static and dynamic exercise in systemic hypertension, 1534

Enhanced 24-hour norepinephrine and renin secretion in young patients with essential hypertension: relation with the circadian pattern of arterial blood pressure, 112

Recording and analysis of circadian blood pressure patterns (LE), 1119

# Brachlocephalic vein

Abnormal position of the brachiocephalic vein. 234

### Bradycardia

Do all pacemakers need both antibradycardia and antitachycardia pacing features? 593

Effect of bradycardia on dispersion of ventricular refractoriness, 1009

Prophylactic external pacing during cardioversion of atrial tachyarrhythmias, 1632

### Bretvlium

Bretylium: relations between plasma concentrations and pharmacologic actions in high-frequency ventricular arrhythmias, 395

Mechanism on the effect of bretylium on the ventricular fibrillation threshold in dogs, 1396

# Bundle branch block

Clinical-electrocardiographic correlates of newly acquired left bundle branch block: the Framingham Study, 1332

Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of left bundle branch block: an echocardiographic study, 103

Thallium-201 exercise scintigraphy and left bundle branch block, 224

Value of preexisting bundle branch block in the electrocardiographic differentiation of supraventricular from ventricular origin of wide QRS tachycardia, 717

# Calcium

Estimation of mechanical stresses on closed cusps of porcine bioprosthetic valves: effects of stiffening, focal calcium and focal thinning, 1091

Calcium antagonists

Basic cellular mechanisms of action of the calcium-channel blockers, 2B Calcium antagonists for acute ischemic

heart disease, 116B

Calcium-channel blockers: effects on cerebral blood flow and potential uses for acute stroke, 144B

Calcium-channel blockers in prophylaxis and treatment of asthma, 202B

Calcium-channel blockers in the treatment of migraine, 139B Calcium-channel blocking agents for

gastrointestinal disorders, 210B

Calcium-entry blockers, vascular smooth muscle and systemic hypertension, 17B

Calcium-entry blocking agents in the treatment of systemic hypertension, 1025

Clinical and hemodynamic evaluation of propranolol in combination with verapamil, nifediplne and diltiazem in exertional angina pectoris: a placebocontrolled, double-blind, randomized, crossover study, 680

Combination therapy with calcium-channel blockers and beta blockers for chronic stable angina pectoris, 69B

Comparative effects of calcium-channel blocking agents on left ventricular function during acute ischemia in dogs with and without congestive heart failure, 10B

Comparative electrophysiologic profiles of calcium antagonists with particular reference to bepridil, 14C

Coronary and systemic hemodynamic effects of nicardipine, 652

Dynamic coronary obstruction as a cause of angina pectoris: implications regarding therapy, 61B

Effect of the calcium antagonist diltiazem on atrioventricular conduction in chronic atrial fibrillation, 98

Effects of calcium-channel blockers on myocardial preservation during experimental acute myocardial infarction, 107B

Effects of calcium-channel blocking agents on left ventricular diastolic function in hypertrophic cardiomyopathy and in coronary artery disease, 172B

Electrophysiologic, hemodynamic and metabolic effects of intravenous bepridil hydrochloride, 1589

Functional differences in blood vessels determined from studies with calciumchannel blockers: functional changes in forearm resistance vessels of men with primary hypertension, 24B

Influence of calcium-channel blockers on platelet function and arachidonic acid metabolism, 158B

Microvascular spasm as a cause of cardiomyopathies and the calciumblocking agent verapamil as potential primary therapy, 179B

Modification of experimental atherosclerosis by calcium-channel blockers, 165B

Pharmacokinetics of calcium-entry blockers, 30B

Pharmacology of calcium antagonists, 3C Raynaud's phenomenon: pathophysiclogic features and treatment with calciumchannel blockers, 154B

Role of calcium antagonists in cerebral arterial spasm, 149B

Safety of acute calcium antagonist withdrawal: studies in patients with unstable angina withdrawn from nifedipine, 27E

Second-generation calcium antagonists: search for greater selectivity and versatility, 214B

Sublingual nifedipine: acute effects in severe chronic congestive heart failure secondary to idiopathic dilated cardiomyopathy, 1359

Therapeutic application of calciumchannel antagonists for pulmonary hypertension, 196B

Use of calcium antagonists in ventricular dysfunction, 81B

amyloid heart disease treated by calcium channel-blocking agents, 1645

### Canine studies

Atrial vulnerability in the immature canine heart, 1402

Comparative effects of calcium-channel blocking agents on left ventricular function during acute ischemia in dogs with and without congestive heart failure, 108

Development of an endocardial-epicardial gradient of activation rate during electrically induced, sustained ventricular fibrillation in dogs, 813

Digoxin and the susceptibility of the canine heart to countershock-induced arrhythmia, 1070

Ectopic ventricular tachycardia sensitive to calcium antagonists in acute myocardial infarction in dogs, 1085

Effect of various regimens of chronic and acute nicotine exposure on myocardial infarct size in the dog, 1407

Effects of calcium-channel blockers on myocardial preservation during experimental acute myocardial infarction, 1078

Effects of transient increased afterload during experimentally induced myocardial infarction in dogs, 566

Electrophysiologic and anatomic changes in the atrioventricular junction of dogs after direct-current shocks through tissue fixation catheters, 194

Electrophysiologic effects of flecainide acetaie and its major metabolites in the canine heart, 807

Endocardial activation mapping and endocardial pace-mapping using a balloon apparatus, 1076

End-systolic left ventricular pressuredimension shift during acute relief of volume overload in the conscious dog, 1102

Influence of the aortic component of the second heart sound on left ventricular maximal negative dP/dt in the dog, 205

Measurement of severity of aortic stenosis experimentally produced in dogs without inserting a catheter into the left ventricle, 1097

Mechanical "cough" cardiopulmonary resuscitation during cardiac arrest in dogs, 199

Mechanism on the effect of bretylium on the ventricular fibrillation threshold in dogs, 1396

Myocardial infarct size threshold for twodimensional echocardiographic detection: sensitivity of systolic wall thickening and endocardial motion abnormalities in small versus large infarcts, 551

Relation between the transmural extent of acute myocardial infarction and associated myocardial contractility two weeks after infarction, 1412

Role of calcium antagonists in cerebral arterial spasm, 149B

Sinus rhythm mapping in healed experimental myocardial infarction: contrasting activation patterns for inducing ventricular tachycardia versus fibrillation, 1601

Use of nifedipine to decrease ischemicreperfusion injury in the surgical setting, 1258 Validation in dogs of a rapid digital angiographic technique to measure relative coronary blood flow during routine cardiac catheterization, 188

Captopril

Cardiovascular effects and regional blood flow distribution associated with angiotensin converting enzyme inhibition (captopril) in essential hypertension, 1023

Cardiac arrest

Cardiac arrest and sudden death in patients treated with amiodarone for sustained ventricular tachycardia or ventricular fibrillation: risk stratification based on clinical variables, 372

Mechanical "cough" cardiopulmonary resuscitation during cardiac arrest in dogs, 199

Cardiac aspergillosis

Cardiac aspergillosis in acquired immune deficiency syndrome, 1239

### Cardiac catheterization

Arteriovenous fistula: a rare complication of arterial puncture for cardiac catheterization, 1445

Congenital absence of the left portion of parietal pericardium demonstrated by nuclear magnetic resonance imaging, 1439

Initial coronary air embolus in the differential diagnosis of coronary artery spasm, 657

Left atrial-pulmonary artery wedge pressure relation: effect of elevated pulmonary vascular resistance, 856

Nonpenetrating traumatic ventricular septal defect: two-dimensional echocardiographic and angiographic findings, 1242

Prolonged electrical systole and QT > QS<sub>2</sub> secondary to coronary artery disease, 915

Radiation exposure and protection in cardiac catheterization laboratories, 171

Usefulness of transstenotic coronary pressure gradient measurements during diagnostic catheterization, 910

Validation in dogs of a rapid digital angiographic technique to measure relative coronary blood flow during routine cardiac catheterization, 188

Cardiac rehabilitation

Medically directed at-home rehabilitation soon after clinically uncomplicated acute myocardial infarction: a new model for patient care, 251

# Cardiac rupture

Acute cardiac rupture and tamponade: angiographic appearance, 588

# Cardiac sounds

Relation of intensity of cardiac sounds to age, 1383

# Cardiac tamponade

Acute cardiac rupture and tamponade: angiographic appearance, 588

# Cardiomegal

The king of hearts: analysis of 23 patients with hearts weighing 1,000 grams or more, 485

# Cardiomyopathy

A randomized trial of low-dose betablockade therapy for idiopathic dilated cardiomyopathy, 471

Arrhythmias in ischemic and nonischemic dilated cardiomyopathy: prediction of mortality by ambulatory electrocardiography, 146

Familial aggregation of idiopathic dilated cardiomyopathy, 1232 Findings on endomyocardial biopsy in infants and children with dilated cardiomyopathy, 143

Focal cardiomyopathy and ectopic atrial tachycardia in Beckwith syndrome, 1234

Left ventricular volume and ejection fraction response to exercise in chronic congestive heart failure: difference between dilated cardiomyopathy and previous myocardial infarction, 1027

Microvascular spasm as a cause of cardiomyopathies and the calciumblocking agent verapamil as potential primary therapy, 1798

Multifactorial determinants of reduced coronary flow reserve after dipyridamole in dilated cardiomyopathy, 748

Quantitation of lymphocyte subsets by immunofluorescence flow cytometry in idiopathic dilated cardiomyopathy, 1550

Rationale for beta-adrenergic blocking drugs in cardiomyopathy, 1200

Sublingual nifedipine: acute effects in severe chronic congestive heart failure secondary to idiopathic dilated cardiomyopathy, 1359

T-lymphocyte subsets in idiopathic dilated cardiomyopathy, 755

Value and limitations of radionuclide angiography in determining the cause of reduced left ventricular ejection fraction: comparison of idiopathic dilated cardiomyopathy and coronary artery disease, 541

Worsening of congestive heart failure in amyloid heart disease treated by calcium channel-blocking agents, 1645

Cardiopulmonary bypass

Development of an endocardial-epicardial gradient of activation rate during electrically induced, sustained ventricular fibrillation in dogs, 813

Use of nifedipine to decrease ischemicreperfusion injury in the surgical setting, 1258

# Cardiopulmonary resuscitation

Mechanical "cough" cardiopulmonary resuscitation during cardiac arrest in dogs, 199

# Carotid sinus

Carotid sinus hypersensitivity: beneficial effects of dual-chamber pacing (LE), 620

# Catecholamines

Acute effects of alcohol on left ventricular function in healthy subjects at rest and during upright exercise, 164

Bretylium: relations between plasma concentrations and pharmacologic actions in high-frequency ventricular arrhythmias, 395

Neurohumoral mechanisms involved in congestive heart failure, 15A

# Catheter

Acute right ventricular infarction resulting from intracardiac infusion of hyperosmotic hyperalimentation solutions, 1659

Catheter ablation of incessant ventricular tachycardia refractory to external cardioversions, 1637

Catheter atrioventricular junction ablation for recurrent supraventricular tachycardia with nodoventricular fibers, 1227

Electrophysiologic and anatomic changes in the atrioventricular junction of dogs after direct-current shocks through tissue fixation catheters, 194 Measurement of severity of aortic stenosis experimentally produced in dogs without inserting a catheter into the left ventricle, 1097

Right coronary angiography during left anterior descending angioplasty: collateral visualization as a guide to balloon positioning, 845

Transcatheter closure of patent ductus arteriosus in piglets, 826

Transvenous catheter ablation of the accessory atrioventricular pathway in the permanent form of junctional reciprocating tachycardia, 1639

# Cerebral arteries

Calcium-channel blockers: effects on cerebral blood flow and potential uses for acute stroke, 1448

Role of calcium antagonists in cerebral arterial spasm, 1498

### Children

Anatomically corrected malposition of the great arteries: diagnostic difficulties and surgical repair of associated lesions, 1367

Aortic aneurysm after patch aortoplasty for coarctation in childhood, 612

Exercise testing in children with Wolff-Parkinson-White syndrome, 1001

Findings on endomyocardial biopsy in infants and children with dilated cardiomyopathy, 143

Interpretation of excessive serum concentrations of digoxin in children, 1210

Mitral and tricuspid valve anular diameter in normal children determined by twodimensional echocardiography, 787

Pre- and postoperative electrophysiologic assessment of children with secundum atrial septal defect, 519

Site of conduction delay and electrophysiologic significance of firstdegree atrioventricular block in children with heart disease, 1323

Surgical treatment of accessory atrioventricular pathways and symptomatic tachycardia in children and young adults, 1509

Usefulness of echocardiographic assessment of right ventricular and pulmonary trunk size for estimating magnitude of left-to-right shunt in children with atrial septal defect, 1571

Ventricular tachycardia in children without heart disease, 1328

# Cholesterol

Case-control analysis of risk factors for presence of aortic stenosis in adults (age 50 years or older), 744

Coffee, tea and cholesterol, 577
Effects of combination cholestyramine-

Effects of combination cholestyramineneomycin treatment on plasma lipoprotein concentrations in type II hyperlipoproteinemia, 1282

Lipoprotein and apolipoprotein levels in angiographically defined coronary atherosclerosis, 1459

# Cholestyramine

Effects of combination cholestyramineneomycin treatment on plasma lipoprotein concentrations in type II hyperlipoproteinemia, 1282

# Chordae tendineae

Mitral valve prolapse and ruptured chordae tendineae, 138

# Cigarette smoking

Case-control analysis of risk factors for presence of aortic stenosis in adults (age 50 years or older), 744 Effect of various regimens of chronic and acute nicotine exposure on myocardial infarct size in the dog. 1407

Importance of total life consumption of cigarettes as a risk factor for coronary artery disease, 669

# Circadian patterns

Enhanced 24-hour norepinephrine and renin secretion in young patients with essential hypertension: relation with the circadian pattern of arterial blood pressure, 112

Recording and analysis of circadian blood pressure patterns (LE), 1119

### Coarctation

Operative repair of coarctation of the aorta in infancy: results with and without ventricular septal defect, 1555

### Cocaine

Cocaine-induced angina pectoris and acute myocardial infarction in patients younger than 40 years, 847

### Coffee

Coffee, tea and cholesterol, 577
Effect of coffee on exercise-induced angina pectoris due to coronary artery disease in habitual coffee drinkers, 277

# Cold pressor test

Cold-induced immersion injury: a potential hazard of the cold pressor test, 585

# Collateral circulation

Collateral circulation in coronary artery disease, 58

# Computer methods

Evaluation of a QRS scoring system for estimating myocardial infarct size, 1485 Exercise electrocardiogram and coronary heart disease mortality in the Multiple Risk Factor Intervention Trial, 16

The degree to which myocardial infarct site and size determine the electrocardiographic axis, 1247

# Conduction

Catheter atrioventricular junction ablation for recurrent supraventricular tachycardia with nodoventricular fibers, 1227

Clinical-electrocardiographic correlates of newly acquired left bundle branch block: the Framingham Study, 1332

Effect of the calcium antagonist diltiazem on atrioventricular conduction in chronic atrial fibrillation, 98

Effects of hyperkalemia on the electrocardiogram of patients receiving digitalis, 968

Effects of noncaptured stimuli during rapid right ventricular pacing: does concealed conduction occur in the human ventricle? 226

Paradoxical delay in accessory pathway conduction during long R-P' tachycardia after interpolated ventricular premature complexes, 1223

Site of conduction delay and electrophysiologic significance of firstdegree atrioventricular block in children with heart disease, 1323

Verapamil-induced retrograde conduction block in a concealed atrioventricular bypass tract, 1222

Wenckebach periodicity with apparent 1:2 conduction over the atrioventricular node: the problem of interpretation, 1429

# Congenital heart disease

Accuracy of two-dimensional echocardiography in the diagnosis of congenital heart disease, 514 Anatomically corrected malposition of the great arteries: diagnostic difficulties and surgical repair of associated lesions, 1367

Aortico-left ventricular tunnel arising from the left aortic sinus, 1657

Assessment of hemodynamic status in the intensive care unit immediately after closure of ventricular septal defect, 526

Mitral and tricuspid valve anutar diameter in normal children determined by twodimensional echocardiography, 787

Noninvasive detection of anomalous origin of the left main coronary artery from the pulmonary trunk by pulsed Doppler echocardiography, 608

Parasternal cross-sectional echocardiographic determination of aortic arch situs: a new approach, 1236

Site of conduction delay and electrophysiologic significance of firstdegree atrioventricular block in children with heart disease, 1323

Small left atrium and change in contour of the ventricular septum in total anomalous pulmonary venous connection: a morphometric analysis of 22 infant hearts, 777

Successful dilatation of a stenotic Bialock-Taussig anastomosis by percutaneous transluminal balloon angioplasty, 861

Upper limb malformations associated with concenital heart disease, 1576

Value of image enhancement and injection of contrast mer'ium for right ventricular volume fermination by two-dimensional echocardiography in congenital heart disease, 152

# Congestive heart failure

Acute dose range study of milrinone in congestive heart failure, 726

Acute hemodynamic effect of a vascular antagonist of vasopressin in patients with congestive heart failure, 1043

Clinical and hemodynamic experience with enalapril in congestive heart failure, 36A

Comparative effects of calcium-channel blocking agents on left ventricular function during acute ischemia in dogs with and without congestive heart failure, 10B

Correlates and prognostic implication of exercise capacity in chronic congestive heart failure, 1037

Diastolic congestive heart failure (LE), 1664

Effect of vasodilators on survival in chronic congestive heart failure, 1110

Electrocardiogram, clinical findings and chest x-ray in persons aged 85 years or older, 1175

Epidemiology of congestive heart failure, 3A

Hydralazine in the management of chronic congestive heart failure (LE), 1664

Immediate converting-enzyme inhibition with intravenous enalapril in chronic congestive heart failure, 122

Intact systolic left ventricular function in clinical congestive heart failure, 1032

Left ventricular volume and ejection fraction response to exercise in chronic congestive heart failure: difference between dilated cardiomyopathy and previous myocardial infarction, 1027

Neurohumoral mechanisms involved in congestive heart failure, 15A

New positive inotropic drugs for the treatment of congestive heart failure, 41A

Pathophysiology of congestive heart failure, 9A

Potential for altering the natural history of congestive heart failure: need for large clinical trials, 45A

Relation of body habitus to the severity of mitral stenosis in women, 857

Response of plasma vasopressin to ethanol in congestive heart failure, 1354

RO13-6438, a new inotrope-vasodilator: systemic and coronary hemodynamic effects in congestive heart failure, 1539

Role of vasodilators in the treatment of congestive heart failure, 32A

Sublingual nifedipine: acute effects in severe chronic congestive heart failure secondary to idiopathic dilated cardiomyopathy, 1359

Vascular hemodynamic impedance in congestive heart failure, 423

Worsening of congestive heart failure in amyloid heart disease treated by calcium channel-blocking agents, 1645

Contractility

Effects of loading conditions and contractile state (methoxamine and dobutamine) on left ventricular early diastolic function in normal subjects, 790

Improved myocardial contractility with glucose-insulin-potassium infusion during pacing in coronary artery disease, 932

Physiologic assessment of the inotropic, wasodilator and afterload reducing effects of milrinone in subjects without cardiac disease, 1204

Relation between the transmural extent of acute myocardial infarction and associated myocardial contractility two weeks after infarction, 1412

Contrast media

Value of image enhancement and injection of contrast medium for right ventricular volume determination by two-dimensional echocardiography in congenital heart disease, 152

Coronary anatomy

Evaluation of coronary anatomy using high-speed volumetric computed tomographic scanning, 582

Coronary arieries

Anomalous origin of the left main coronary artery from the right sinus of Valsalva, 765

Anomalous origin of the left main coronary artery from the right anterior aortic sinus: angiographic definition of anomalous course, 770

Cardiac metabolism and coronary hemodynamics before and after bypase surgery for anomalous origin of the left main coronary artery from the pulmonary trunk, 864

Chest pain and "normal" coronary arteries—role of small coronary arteries, 50B

Coronary artery collateral visualization during acute coronary occlusion, 1216 Coronary artery luminal diameter in aortic stencels, 450

Coronary Artery Surgery Study (LE), 249 Dynamic coronary obstruction as a cause of angina pectoris: implications regarding therapy, 61B

Importance of coronary collaterals for restoration of left ventricular function after intracoronary thrombolysis, 1259

Noninvasive detection of anomalous origin of the left main coronary artery from the pulmonary trunk by pulsed Doppler schocardiography, 608 Origin of the right coronary artery from the pulmonary trunk: diagnosis by twodimensional echocardiography, 232

Origin of the right from the left main coronary artery (single coronary ostium in aorta), 609

Percutaneous transluminal angiopiasty of left internal mammary artery grafts, 1215

Relation of antianginal efficacy of nifedipine to degree of coronary arterial narrowing and to presence of coronary collateral vessels, 26

Relation of coronary arterial occlusion pressure during percutaneous transluminal coronary angioplasty to presence to collaterals, 1264

Single coronary artery from the right sinus, 865

Survival after acute myocardial infarction associated with total obstruction of left main coronary artery, 1423

Traumatic dissecting coronary arterial ansurysm with subsequent complete healing, 1424

Cerenary artery bypass See also Surgery

Aspirin or dipyridamole individually prevent lipid accumulation in primate

vein bypass grafts, 556
Comparison of preoperative, operative and postoperative variables in asymptomatic or minimally symptomatic patients to severely symptomatic patients three years after coronary artery bypass grafting: analysis of 423 patients, 362

Correlation of saphenous vein bypass graft angiograms with histologic changes at necropsy, 952

Early exercise training in patients older than age 65 years compared with that in younger patients after acute myocardial infarction or coronary artery bypass grafting, 263

Illogical use of saphenous veins for aortocoronary bypass grafting, 596 Influence of magnesium ion on human

ventricular defibrillation after aortocoronary bypass surgery, 61 Remnant sapherious veins after aortocoronary bypass grafting: analysis

aortocoronary bypass grafting: analysis of 3,394 centimeters of unused vein from 402 patients, 65 Simultaneous percutaneous transluminal

Simultaneous percutaneous transluminal coronary angioplasty and transcatheter embolization of latrogenic aortocoronary vein fistula, 578

Ventricular arrhythmias induced by dynamic and static exercise in relation to coronary artery bypass grafting, 948

Coronary artery disease

Addition of nifedipine to maximal nitrate
and beta-adrenoreceptor blocker
therapy in coronary artery disease,
1303

Analysis of phase-angle histograms from equilibrium radionuclide studies: correlation with semiquantitative grading of wall motion, 535

Anomalous origin of the left main coronary artery from the right sinus of Valsalva, 765

Antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with coronary artery disease as assessed by electrophysiologic studies, 1494

Baseline rest electrocardiographic abnormalities, antihypertensive treatment, and mortality in the Multiple Risk Factor Intervention Trial, 1

Can patients with coronary artery disease receiving beta-blockers obtain a training effect, 155D

Collateral circulation in coronary artery disease, 58

Coronary angioplasty: clinical and angiographic follow-up, 673 Coronary artery disease in hypertrophic cardiomyopathy, 1437

Coronary hemodynamic and metabolic effects of nifedipine in patients with coronary artery disease treated with beta-blocking drugs, 33

Coronary risk factors and their pathway of action through coronary raised lesions, coronary stenoses and coronary death: multivariate statistical enalysis of an autopsy series: The Oslo Study, 40

Detecting and excluding significant left main coronary artery narrowing by echocardiography, 937

Early positive exercise test and extensive coronary disease: effect of antianginal therapy, 267

Effect of beta-adrenergic blockade on the results of exercise testing related to the extent of coronary artery disease, 258

Effect of coffee on exercise-induced angina pectoris due to coronary artery disease in habitual coffee drinkers, 277

Effect of diltiazem on renal clearance and serum concentration of digoxin in patients with cardiac disease, 1393

Effect of electrical activation site on left ventricular performance in ventricular tachycardia patients with coronary heart disease, 84

Effects of calcium-channel blocking agents on left ventricular diastolic function in hypertrophic cardiomyopathy and in coronary artery disease, 172B

Electrocardiogram, clinical findings and chest x-ray in persons aged 85 years or older, 1175

Exercise and the primary prevention of cardiovascular disease, 10D

Exercise electrocardiogram and coronary heart disease mortality in the Multiple Risk Factor Intervention Trial, 16

Hemodynamic assessment of intravenous bepridil hydrochloride for coronary heart disease, 25C

Hemodynamic benefits of synchronized 1:1 atrial pacing during sustained ventricular tachycardia with severely depressed ventricular function in coronary heart disease, 990

Identification of photoproducts liberated by in vitro argon laser irradiation of atherosclerotic plaque, calcified cardiac valves and myocardium, 1192

Importance of total life consumption of cigarettes as a risk factor for coronary artery disease, 669

Improved accuracy of the exercise electrocardiogram: identification of three-vessel coronary disease in stable angina pectoris by analysis of peak rate-related changes in ST segments, 271

Improved myocardial contractility with glucose-insulin-potassium infusion during pacing in coronary artery disease, 932

Increased thallium lung uptake after exercise in isolated left anterior descending coronary artery disease, TARG

- Left ventricular responses to upright isometric handgrip and deadlift in men with coronary artery disease, 1298
- Lipoprotein and apolipoprotein levels in angiographically defined coronary atherosclerosis, 1459
- Mucocutaneous lymph node syndrome: clinical, hemodynamic and angiographic features of coronary obstructive disease, 662
- Paradoxical deterioration of left ventricular asynergy after administration of nitroglycerin, 677
- Positive exercise thallium-201 test responses in patients with less than 50 % maximal coronary stenosis: angiographic and clinical predictors, 54
- Potential limitations of quantitative thallium scanning, 215
- Prognostic significance of precordial STsegment depression during inferior acute myocardial infarction, 325
- Prognostic significance of progression of coronary artery disease, 941
- Prolonged electrical systole and QT > QS<sub>2</sub> secondary to coronary artery disease, 915
- Relation of angina pectoris to coronary artery disease in aortic valve stenosis, 1063
- Relation of coronary artery disease and left ventricular systolic dysfunction to left ventricular end-diastolic pressure after left ventriculography, 1622
- Relation of late potentials to site of origin of ventricular tachycardia associated with coronary heart disease, 985
- Right ventricular infarction with electrocardiographic anterior left ventricular infarction and thrombosis of the left anterior descending coronary artery, 1220
- Symptomatic coronary artery disease in patients aged 21 to 30 years, 631
- Value and limitations of radionuclide angiography in determining the cause of reduced left ventricular ejection fraction: comparison of idiopathic dilated cardiomyopathy and coronary artery disease, 541
- Value of arm exercise testing in detecting coronary artery disease, 37
- Coronary artery fistula
- Coronary artery fistula: a pulsed Doppler/ two-dimensional echocardiographic study, 1652
- Coronary artery spasm
  - See also Prinzmetal's angina Chest pain and "normal" coronary arteries—role of small coronary arteries, 50B
- Coronary artery spasm after abrupt withdrawal of nitroglycerin in rabbits, 1066
- Coronary artery spasm in hypothyroidism, 223
- Effect of intact endothelium and against platelet-induced coronary artery spasm in isolated rabbit hearts, 1596
- Initial coronary air embolus in the differential diagnosis of coronary artery spasm, 657
- Large vessel coronary vasospasm: diagnosis, natural history and treatment, 41B
- Left main coronary artery spasm: angiographic demonstration during spontaneous angina, 585
- Cerenary occlusion
  - Coronary arterial occlusion three months after successful thrombolysis and angioplasty at the same site, 580

- Coronary artery collateral visualization during acute coronary occlusion, 1216 Limitations of fluorocarbons in reducing
- myocardial infarct size, 830 Occluding clot in the left main coronary artery with survival long enough to develop massive left ventricular wall necrosis, 1218
- Relation of coronary arterial occlusion pressure during percutaneous transluminal coronary angioplasty to presence to collaterals, 1264
- Coronary reperfusion
  - Relation between the transmural extent of acute myocardial infarction and associated myocardial contractility two weeks after infarction, 1412
- Coronary sinus
  - Hemodynamic and metabolic effects of diltitazem during coronary sinus pacing with particular reference to left ventricular ejection fraction, 286
  - Multifactorial determinants of reduced coronary flow reserve after dipyridamole in dilated cardiomyopathy, 748
- Creatine kinase
  - Diagnostic and prognostic significance of minimally elevated creatine kinase MB in suspected acute myocardial infarction, 1478
  - Electrocardiographic, enzymatic and scintigraphic criteria of acute myocardial infarction as determined from study of 726 patients (a MILIS study), 1463
- Death, sudden
  - Analysis of risk factors for sudden death after acute myocardial infarction (LE), 621
  - Aortic dissection in more than one family member, 236
  - Cardiac arrest and sudden death in patients treated with amiodarone for sustained ventricular tachycardia or ventricular fibrillation: risk stratification based on clinical variables, 372
  - Flecainide: long-term treatment using a reduced dosing schedule, 79
  - Out-of-hospital sudden coronary death: rest and exercise radionuclide left ventricular function in survivors, 645
  - Usefulness of electrophysiologic testing in evaluation of amiodarone therapy for sustained ventricular tachyarrhythmias associated with coronary heart disease, 367
- Delibrillation
  - Improved internal defibrillation with twin pulse sequential energy delivery to different lead orientations in pigs, 821
- Deglutition syncope
- Deglutition syncope and atrioventricular block selectively induced by hot food and liquid, 613
- Diabetes mellitus
  - Blood pressure and heart rate responses during 24-hour ambulatory monitoring and exercise in men with diabetes mellitus, 801
  - Case-control analysis of risk factors for presence of aortic stenosis in adults (age 50 years or older), 744
- Size of acute myocardial infarcts in patients with diabetes mellitus, 1629
- Diastolic time during recovery from upright exercise in persons without heart disease, 168
- Effects of loading conditions and contractile state (methoxamine and dobutamine) on left ventricular early

- diastolic function in normal subjects,
- Pattern of left ventricular diastolic filling in chronic aortic regurgitation: a gated blood pool assessment, 127
- Digitalis
- Effect of digitalis treatment on survival after acute myocardial infl. ction, 623
- Effects of hyperkalemia on the electrocardiogram of patients receiving digitalis, 968
- Digoxin
- Digoxin and nifedipine, 31E Digoxin and the susceptibility of the canine heart to countershock-induced arrhythmia, 1070
- Effect of digitalis treatment on survival after acute myocardial infarction, 623
- Effect of diltiazem on renal clearance and serum concentration of digoxin in patients with cardiac disease, 1393
- Interpretation of excessive serum concentrations of digoxin in children, 1210

# Dilliazen

- Calcium antagonists for acute ischemic heart disease, 116B
- Calcium-channel blocking agents for gastrointestinal disorders, 210B
- Clinical and hemodynamic evaluation of propranolol in combination with verapamil, nifedipine and dittlazem in exertional angina pectoris: a placebocontrolled, double-blind, randomized, crossover study, 680
- Combination therapy with calcium-channel blockers and betc blockers for chronic stable angina pectoris, 69B
- Effect of diltiazem on renal clearance and serum concentration of digoxin in patients with cardiac disease, 1393
- Effect of the calcium antagonist diftiazem on atrioventricular conduction in
- chronic atrial fibrillation, 98
  Hemodynamic and metabolic effects of dilitiazem during coronary sinus pacing with particular reference to left ventricular ejection fraction, 286
- Influence of calcium-channel blockers on platelet function and arachidonic acid metabolism, 158B
- Modification of experimental atherosclerosis by calcium-channel blockers, 1658
- Raynaud's phenomenon: pathophysiologic features and treatment with calciumchannel blockers, 154B
- Second-generation calcium antagonists: search for greater selectivity and versatility, 214B
- Use of calcium antagonists in ventricular dysfunction, 81B
- Dipyridamole
  - Aspirin or dipyridamole individually prevent lipid accumulation in primate vein bypass grafts, 556
- Comparative electrophysiologic effects of adenosine triphosphate and adenosine in the canine heart: influence of atropine, propranolol, vagotomy, dipyridamole and aminophylline, 571
- Multifactorial determinants of reduced coronary flow reserve after dipyridamole in dilated cardiomyopathy, 748.
- Diuretic therapy
- Systemic hypertension, diuretic drugs, arrhythmias and death, 221

# Dobutamine

Effects of loading conditions and contractile state (methoxamine and dobutamine) on left ventricular early diastolic function in normal subjects,

ppler ultrasound See also Echocardiography

- Coronary artery fistula: a pulsed Doppler/ two-dimensional echocardiographic study, 1652
- Doppler detection of acquired ventricular septal defect, 586
- Frequency of mitral valve dysfunction from mitral anular calcium as detected by Doppler echocardiography, 133
- nvasive detection of anomalous origin of the left main coronary artery from the pulmonary trunk by pulsed Doppler echocardiography, 608
- Prosthetic mitral regurgitation detected by Doppler echocardiography, 229
- Reproducibility of stand-alone continuous wave Doppler recordings of aortic flow velocity across bioprosthetic valves, 1197
- Reversible right ventricular outflow tract compression by immunoblastic sarcoma, 239
- Transatrial septal velocity measurement by Doppler echocardiography in atrial septal defect: correlation with Qp:Qs ratio, 1162
- Tricuspid regurgitation during pregnancy: two-dimensional and pulsed Doppler echocardiographic observations, 1059
- Usefulness of Doppler echocardiography in detecting tricuspid valve stenosis,
- Value of multiple echocardiographic views in the evaluation of aortic stenosis in adults by continuous-wave Doppler, 445

### ble-inlet ventricle

- Straddling atrioventricular valve: twodimensional echocardiographic diagnosis, classification and surgical implications, 505
- Variable morphology of ventricular septal defect in double inlet left ventricle, 1560

# Double-outlet right ventricle

Straddling atrioventricular valve: twodimensional echocardiographic diagnosis, classification and surgical implications, 505

- Influence of the aortic component of the second heart sound on left ventricular maximal negative dP/dt in the dog, 205
- Comparison of two-dimensional echocardiographic and angiographic findings in arrhythmogenic right ventricular dysplasia, 1506

- Echecardiography
  See also M-mode echocardiography, twodimensional echocardiography
  - Abnormal position of the brachiocephalic vein, 234
- A new echocardiographic classification of left atrial myxoma, 614 Echocardiographic demonstration of
- satellite lesions in aortic valvular endocarditis, 1433
- Echocardiographic features of amyloid ischemic heart disease, 606 Echocardiographic findings before and
- after liver transplantation, 1373 Echocardiographic versus hemodynamic monitoring during attacks of variant
- angina pectoris, 1319 Effect of weight loss on cardiac chamber size, wall thickness and left ventricular function in morbid obesity, 783 Electrocardiographic diagnosis of left

- ventricular hypertrophy in the presence of left bundle branch block: an echocardiographic study, 103
- Frequency of mitral valve dysfunction from mitral anular calcium as detected by Doppler echocardiography, 133
- Method for estimating right ventricular volume by planes applicable to crosssectional echocardiography: correlation with angiographic formulas, 1584
- Usefulness of echocardiographic assessment of right ventricular and pulmonary trunk size for estimating magnitude of left-to-right shunt in children with atrial septal defect, 1571
- Ventricular tachycardia in children without heart disease, 1328

Nifedipine-induced periorbital edema, 1445

# **Ejection fraction**

- Accuracy of left ventricular ejection fraction using the nuclear stethoscope in left ventricular aneurysm, 177
- Hemodynamic and metabolic effects of diltiazem during coronary sinus pacing with particular reference to left ventricular ejection fraction, 286
- Left ventricular volume and ejection fraction response to exercise in chronic congestive heart failure: difference between dilated cardiomyopathy and previous myocardial infarction, 1027
- Out-of-hospital sudden coronary death: rest and exercise radionuclide left ventricular function in survivors, 645
- Pattern of left ventricular diastolic filling in chronic aortic regurgitation: a gated blood pool assessment, 127
- Two-dimensional echocardiographic estimation of right ventricular area change and ejection fraction in infants with systemic right ventricle (transposition of the great arteries or hypoplastic left heart syndrome), 1153
- Value and limitations of radionuclide angiography in determining the cause of reduced left ventricular ejection fraction: comparison of idiopathic dilated cardiomyopathy and coronary artery disease, 541

# **Elderly patients**

- Early exercise training in patients older than age 65 years compared with that in younger patients after acute myocardial infarction or coronary artery bypass grafting, 263
- Electrocardiogram, clinical findings and chest x-ray in persons aged 85 years or older, 1175

# **Electrical activation**

- Effect of electrical activation site on left ventricular performance in ventricular tachycardia patients with coronary heart disease, 84
- Late, fractionated potentials, 1614 Slow inward current and cardiac arrhythmias, 89B

# **Electrical stimulation**

- Arrhythmias induced during termination of supraventricular tachycardia, 412
- Comparison in the same patient of two programmed ventricular stimulation protocols to induce ventricular tachycardia, 380
- Continuous electrical activity during sustained monomorphic ventricular tachycardia. Observations on its dynamic behavior during the arrhythmia,
- Day-to-day reproducibility of responses to right ventricular programmed electrical

- stimulation: implications for serial drug testing, 689
- Digoxin and the susceptibility of the canine heart to countershock-induced arrhythmia, 1070
- Fiecainide: long-term treatment using a reduced dosing schedule, 79
- Improved internal defibrillation with twin pulse sequential energy delivery to different lead orientations in pigs, 821
- Late potentials in normal subjects and in patients with ventricular tachycardia unrelated to myocardial infarction, 384
- Results of late programmed electrical stimulation and long-term electrophysiologic effects of amiodarone therapy in patients with
- refractory ventricular tachycardia, 375 Ventricular arrhythmia induced by programmed ventricular stimulation after acute myocardial infarction, 391

- Electrocardiography
  Albumin-induced changes in the electrocardiographic QRS complex. 1530
  - Arrhythmias in ischemic and nonischemic dilated cardiomyopathy: prediction of mortality by ambulatory electrocardiography, 146
  - Baseline rest electrocardiographic abnormalities, antihypertensive treatment, and mortality in the Multiple Risk Factor Intervention Trial, 1
  - Clinical-electrocardiographic correlates of newly acquired left bundle branch block: the Framingham Study, 1332
  - Complex arrhythmias in mitral regurgitation with and without mitral valve prolapse: contrast to arrhythmias in mitral valve prolapse without mitral regurgitation, 1545
  - Different recovery process of ST depression on postexercise electrocardiograms in women in standing and supine positions, 1474
- Effects of hyperkalemia on the electrocardiogram of patients receiving digitalis, 968
- Electrocardiogram, clinical findings and chest x-ray in persons aged 85 years or older, 1175
- Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of left bundle branch block: an echocardiographic study, 103
- Electrocardiographic, enzymatic and scintigraphic criteria of acute myocardial infarction as determined from study of 726 patients (a MILIS study), 1463
- Electrocardiographic observations in clinically isolated, pure, chronic, severe aortic regurgitation: analysis of 30 necropsy patients aged 19 to 65 years,
- Exercise electrocardiogram and coronary heart disease mortality in the Multiple Risk Factor Intervention Trial, 16
- Importance of the terminal portion of the QRS in the electrocardiographic diagnosis of inferior myocardial Infarction, 896
- Improved accuracy of the exercise electrocardiogram: identification of three-vessel coronary disease in stable angina pectoris by analysis of peak rate-related changes in ST segments,
- Quantification of differences in frequency content of signal-averaged electrocardiograms in patients with

compared to those without sustained ventricular tachycardia, 1500

Relation of electrocardiographic R-wave amplitude to changes in left ventricular chamber size and position in normal subjects, 1168

Sensitivity of electrocardiographic criteria for left ventricular hypertrophy according to type of cardiac disease. 545

Signal-averaged electrocardiographic late potentials in patients with ventricular fibrillation or ventricular tachycardia: correlation with clinical arrhythmia and electrophysiologic study, 1350

The degree to which myocardial infarct site and size determine the electrocardiographic axis, 1247

Value of preexisting bundle branch block in the electrocardiographic differentiation of supraventricular from ventricular origin of wide QRS tachycardia, 717

Ventricular tachycardia in children without heart disease, 1328

Electrophysiology

Acute electrophysiologic, hemodynamic and left ventricular effects of nifedipine and beta-blocker interactions Maintenance of global and regional left ventricular wall motion, 21E

Antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with coronary artery disease as assessed by electrophysiologic studies, 1494

Comparative electrophysiologic profiles of calcium antagonists with particular reference to bepridil, 14C

Day-to-day reproducibility of responses to right ventricular programmed electrical stimulation: implications for serial drug testing, 689

Effects of noncaptured stimuli during rapid right ventricular pacing: does concealed conduction occur in the human ventricle? 226

Electrophysiologic and anatomic changes in the atrioventricular junction of dogs after direct-current shocks through tissue fixation ca heters, 194

Electrophysiologic and antiarrhythmic actions of bepridil: comparison with verapamil and aimaline for atrioventricular reentrant tachycardia. 1513

Electrophysiologic and antiarrhythmic properties of bepridil, 59C

Electrophysiologic effects of flecainide acetate and its major metabolites in the canine heart, 807

Electrophysiologic evaluation and follow-up characteristics of patients with recurrent unexplained syncope and presyncope, 703

Electrophysiologic, hemodynamic and metabolic effects of intravenous bepridil hydrochloride, 1589

Flecainide: electrophysiologic and antiarrhythmic properties in refractory ventricular tachycardia, 956

Intravenous quinidine: relations among concentration, tachyarrhythmia suppression and electrophysiologic actions with inducible sustained ventricular tachycardia, 92

Pre- and postoperative electrophysiologic assessment of children with secundum atrial septal defect, 519

Prospective reimbursement for state-ofthe-art medical practice: the case for invasive electrophysiologic evaluation, 963

Results of late programmed electrical stimulation and long-term electrophysiologic effects of amiodarone therapy in patients with refractory ventricular tachycardia, 375

Signal-averaged electrocardiographic late potentials in patients with ventricular fibrill, ion or ventricular tachycardia: correlation with clinical arrhythmia and electrophysiologic study, 1350

Slow inward current and cardiac arrhythmias, 89B

Usefulness of electrophysiologic testing in evaluation of amiodarone therapy for sustained ventricular tachyarrhythmias associated with coronary heart disease, 367

Initial coronary air embolus in the differential diagnosis of coronary artery spasm, 657

Simultaneous percutaneous transluminal coronary angioplasty and transcatheter embolization of latrogenic aortocoronary vein fistula, 578

Strut fracture and disk embolization of a Björk-Shiley mitral valve prosthesis, 597

# Enalapril

Clinical and hemodynamic experience with enalapril in congestive heart failure, 38A

Effect of enalapril at rest, during tilt, static and dynamic exercise in systemic hypertension, 1534

Immediate converting-enzyme inhibition with intravenous enalapril in chronic congestive heart failure, 122 Endocardial cushion defect

Two-dimensional echocardiography in detection of endocardial cushion defect in families, 1649

# Endocarditis

Echocardiographic demonstration of satellite lesions in aortic valvular endocarditis, 1433

Home treatment of infective endocarditis with oral amoxicillin, 1231

# cardlum

Development of an endocardial-epicardial gradient of activation rate during electrically induced, sustained ventricular fibrillation in dogs, 813

Endomyocardium

Findings on endomyocardial biopsy in infants and children with dilated cardiomyopathy, 143

# othollum

Effect of intact endothelium and against platelet-induced coronary artery spasm in isolated rabbit hearts, 1596

# **Epidemiologic studies**

Coffee, tea and cholesterol, 577 Epidemiology of congestive heart failure.

Evaluation of a QRS scoring system for estimating myocardial infarct size, 1485 Familial aggregation of idiopathic dilated cardiomyopathy, 1232

Effects of intravenous infusion of esmolol and propranolol on biventricular performance at rest and during exercise as assessed by quantitative radionuclide angiography, 1287

Response of plasma vasopressin to ethanol in congestive heart failure, 1354

### Exercise

See also Exercise testing

Acute effects of alcohol on left ventricular function in healthy subjects at rest and during upright exercise, 164

Acute response to submaximal and maximal exercise consequent to betaadrenergic blockade: implications for the prescription of exercise, 135D

Adaptability of the pulmonary system to changing metabolic requirements, 59D

Addition of nifedipine to maximal beta blocker-nitrate therapy: effects on exercise capacity and global left ventricular performance at rest and during exercise, 3E

Angina pectoris before and during acute myocardial infarction: relation to degree of physical activity, 1255

Beta blockers and exercise: physiological and biochemical definitions and new concepts, 29D

Blood pressure and heart rate responses during 24-hour ambulatory monitoring and exercise in men with diabetes mellitus, 801

Calcium-channel blockers in prophylaxis and treatment of asthma, 202B

Cardiorespiratory alterations consequent to endurance exercise training during chronic beta-adrenergic blockade with atenolol and propranolol, 142D

Cardiovascular control during exercise: central and reflex neural mechanisms. 340

Cardiovascular responses to early exercise in inferior wall ST acute myocardial infarction, 1277 Chairman's summary, 1290

Choice of selective versus nonselective beta blockers: implications for exercise training, 162D

Circulatory response to beta-adrenergic blockade at rest and during exercise,

Clinical, angiographic, hemodynamic, perfusional and functional changes after one-vessel left anterior descending coronary angioplasty, 347

Correlates and prognostic implication of exercise capacity in chronic congestive heart failure, 1037

Diastolic time during recovery from upright exercise in persons without heart disease, 168

Different recovery process of ST depression on postexercise electrocardiograms in women in standing and supine positions, 1474

Early detection of restenosis after successful percutaneous transluminal coronary angioplasty by exercise redistribution thallium scintigraphy, 357

Early exercise training in patients older than age 65 years compared with that in younger patients after acute myocardial infarction or coronary artery hypass grafting, 263

Effect of beta-adrenergic blockade on biochemical and metabolic response to exercise, 95D

Effect of coffee on exercise-induced angina pectoris due to coronary artery disease in habitual coffee drinkers, 277

Effect of enalapril at rest, during tilt, static and dynamic exercise in systemic hypertension, 1534

Effect of selective and nonselective betaadrenoceptor blockade on thermoregulation during prolonged exercise in heat, 74D

Effects and adverse effects of autonomic blockade in physical exercise, 132D

Effects of cardioselective and nonselective beta-adrenergic blockade on the performance on highly trained runners, 149D

Effects of training on systolic time intervals at rest and during isometric exercise in men and women 61 to 67 years old, 797

Effects of upright and supine position on cardiac rest and exercise response in aortic regurgitation, 428

Exercise and the primary prevention of cardiovascular disease, 10D

Exercise electrocardiogram and coronary heart disease mortality in the Multiple Risk Factor Intervention Trial, 16

Exercise-induced intermittent angina and ST-segment depression, 1427

Exercise training during chronic beta blockade in cardiovascular disease. 1100

Exercise training during long-term betablockade treatment in healthy subjects,

Hemodynamic adaptations to exercise, 42D

Hemodynamic determinants of exerciseinduced ST-segment depression in children with valvar acrtic stenosis, 1133

Improved accuracy of the exercise electrocardiogram: identification of three-vessel coronary disease in stable angina pectoris by analysis of peak rate-related changes in ST segments, 271

Increased thallium lung uptake after exercise in isolated left anterior descending coronary artery disease,

5

Left ventricular volume and ejection fraction response to exercise in chronic congestive heart failure: difference between dilated cardiomyopathy and previous myocardial infarction, 1027

Medically directed at-home rehabilitation soon after clinically uncomplicated acute myocardial infarction: a new model for patient care, 251

Metabolic adaptations to exercise: a review related to potential  $\beta$ -adrenoceptor antagonist effects, 48D Out-of-hospital sudden coronary death: rest and exercise radionuclide left

ventricular function in survivors, 645 Physical activity and health: need to define the required stimulus, 4D

Positive exercise thallium-201 test responses in patients with less than 50% maximal coronary stenosis: angiographic and clinical predictors, 54

Prognosis with chest pain and normal thallium-201 exercise scintigrams, 920 Radionuclide assessment of ventricular contraction at rest and during exercise

following the Fontan procedure for either tricuspid atresia or single ventricle, 1127

Response of the right ventricle to exercise in isolated mitral stenosis, 1054 Role of physical activity as a secondary

intervention for healed myocardial infarction, 21D

Role of receptor mechanisms in the adaptive response to habitual exercise. 68D

Thallium-201 exercise scintigraphy and left bundle branch block, 224 Ventricular arrhythmias induced by dynamic and static exercise in relation

to coronary artery bypass grafting, 948 Workshop I: developing the exercise prescription for patients on chronic beta blockade, 167D

Workshop III: pharmacologic differences among beta blockers: implications for exercise training, 1700

Workshop II: modification of exercise training adaptations by chronic beta blockade, 169D

Exercise testing

Cardiopulmonary exercise testing for evaluation of chronic cardiac failure,

Early positive exercise test and extensive coronary disease: effect of antianginal therapy, 267

Effect of beta-adrenergic blockade on the results of exercise testing related to the extent of coronary artery disease, 258

Effects of intravenous infusion of esmolol and propranolol on biventricula performance at rest and during exercise as assessed by quantitative radionuclide angiography, 1287

Exercise testing in children with Wolff-Parkinson-White syndrome, 1001

Exercise testing to enhance wives' confidence in their husbands' cardiac capability soon after clinically uncomplicated acute myocardial infarction, 635

Holter recording during treadmill testing in assessing myocardial ischemic changes, 1200

Left ventricular responses to upright isometric handgrip and deadlift in men with coronary artery disease, 1298

Potential limitations of quantitative thallium scanning, 215

Prediction of mortality during the first year after acute myocardial infarction from clinical variables and stress test at hospital discharge, 1313

Septal Q wave in exercise testing: evaluation by single-photon emission computed tomography, 905

Some unanswered problems with probability analysis: possible impact on exercise thallium test use, 240

"Submaximal" predischarge exercise testing after acute myocardial infarction: who needs it? 499 Use of calcium-channel blocking drugs in

hypertrophic cardiomyopathy, 185B Value of arm exercise testing in detecting

coronary artery disease, 37 Value of radionuclide angiography for predicting specific cardiac events after acute myocardial infarction, 318

Ventricular tachycardia in children without heart disease, 1328

Extrasystole

Intermittent ventricular bigeminy as an expression of modulated parasystole, 1634

Association of false tendons with left ventricular aneurysm, 1425

Family history

Familial aggregation and early expression of hyperapobetalipoproteinemia, 291

Electrophysiologic effects of flecainide acetate and its major metabolites in the canine heart, 807

Flecainide: electrophysiologic and antiarrhythmic properties in refractory ventricular tachycardia, 956

Flecainide-induced aggravation of ventricular arrhythmias, 1643 Flecainide: long-term treatment using a reduced dosing schedule, 79

Flow cytometry

Quantitation of lymphocyte subsets by immunofluorescence flow cytometry in idiopathic dilated cardiomyopathy, 1550

Fluorocarbons

Limitations of fluorocarbons in reducing myocardial infarct size, 830

Fontan procedure

Radionuclide assessment of ventricular contraction at rest and during exercise following the Fontan procedure for either tricuspid atresia or single ventricle, 1127

Thrombosis complicating balloon angioplasty of left pulmonary artery stenosis after Fontan's procedure: successful treatment with intravenous streptokinase, 610

Fourier transforms

Quantification of differences in frequency content of signal-averaged electrocardiograms in patients with compared to those without sustained ventricular tachycardia, 1500

The Framingham Study

Clinical-electrocardiographic correlates of newly acquired left bundle branch block: the Framingham Study, 1332

From the Editor

A suggestion to lighten the load of manuscript reviewing, 247 Brief reports in the AJC in 1984, 870 Enticing real and potential cardiovascular

researchers away from research, 503 I still prefer Ventricular Premature Complex, 1117

The AJC editorial board meeting-1985, 1451

The "hot eye" and the "cold eye ', 1663

Gastrointestinal disorders

Calcium-channel blocking agents for gastrointestinal disorders, 210B

etic factors

Familial aggregation of idiopathic dilated cardiomyopathy, 1232

Improved myocardial contractility with glucose-insulin-potassium infusion during pacing in coronary artery disease, 932

Glyceryl trinitrate Isosorbide dinitrate and glyceryl trinitrate: demonstration of cross tolerance in the capacitance vessels, 927

Prevention of diminished activity of glyceryl trinitrate by use of an aerosol

Concomitant pulsus and U-wave alternans after head trauma, 851

Heart rate

Blood pressure and heart rate responses during 24-hour ambulatory monitoring and exercise in men with diabetes mellitus, 801

Cardiovascular responses to early exercise in inferior wall ST acute myocardial infarction, 1277

Diastolic time during recovery from upright exercise in persons without

heart disease, 168 Rate-dependent effects of procainamide on His-Purkinje conduction in man,

odynamics

Acute dose range study of milrinone in congestive heart failure, 726

Acute electrophysiologic, hemodynamicand left ventricular effects of nifedipine and beta-blocker interactions Maintenance of global and regional left ventricular wall motion, 21E

Acute hemodynamic and antiischemic effects of intravenous amiodarone, 639 Acute hemodynamic effect of a vascular antagonist of vasopressin in patients with congestive heart failure, 1043

Assessment of hemodynamic significance of isolated stenoses of the left anterior descending coronary artery using thallium-201 myocardial scintigraphy, 542

Cardiac metabolism and coronary hemodynamics before and after bypass surgery for anomalous origin of the left main coronary aftery from the pulmonary trunk, 864

Cardiopulmonary exercise testing for evaluation of chronic cardiac failure, 22A

Cardiovascular offects and regional blood flow distribution associated with angiotensin converting enzyme inhibition (captopril) in essential hypertension, 1023

Chest pain and "normal" coronary arteries-role of small coronary arteries, 50B

Clinical and hemodynamic experience with enalapril in congestive heart failure, 36A

Clinical implications of the hemodynamic effects of beta blockade, 125D

Coronary and systemic hemodynamic effects of nicardipine, 652

Correlates and prognostic implication of exercise capacity in chronic congestive heart failure, 1037

Echocardiographic versus hemodynamic monitoring during attacks of variant angina pectoris, 1319

Effects of upright and supine position on cardiac rest and exercise response in aortic regurgitation, 428

Electrophysiologic, hemodynamic and metabolic effects of intravenous bepridil hydrochloride, 1589

Hemodynamic actions of bepridil during treatment of stable angina pectoris, 55C

Hemodynamic adaptations to exercise, 42D

Hemodynamic and metabolic effects of diltiazem during coronary sinus pacing with particular reference to left ventricular ejection fraction, 286

Hemodynamic assessment of intravenous bepridil hydrochloride for coronary heart disease, 25C

Hemodynamic benefits of synchronized 1:1 atrial pacing during sustained ventricular tachycardia with severely depressed ventricular function in coronary heart disease, 990

Hemodynamic determinants of exercise induced ST-segment depression in children with valvar aortic stenosis, 1133

Hemodynamic effects of intravenous bepridil in patients with normal left ventricular function, 20C

Hemodynamic effects of nifedipine given alone and in combination with atenolol in patients with impaired left ventricular function, 15E

Immediate hemodynamic effects of urapidil in patients with essential hypertension, 722

Magnitude and implications of spontaneous hemodynamic variability in primary pulmonary hypertension, 159

Mechanical "cough" cardiopulmonary resuscitation during cardiac arrest in dogs, 199

Mucocutaneous lymph node syndrome: clinical, hemodynamic and angiographic features of coronary obstructive disease, 662

Physiologic assessment of the inotropic, vasodilator and afterload reducing effects of milrinone in subjects without cardiac disease, 1204

Relation of body habitus to the severity of mitral stenosis in women, 857

Response of the right ventricle to exercise in isolated mitral stenosis, 1054

RO13-6438, a new inotrope-vasodilator: systemic and coronary hemodynamic effects in congestive heart failure, 1539 Vascular hemodynamic impedance in

congestive heart failure, 423

Hemolytic anemia

Hernolytic anemia secondary to erosion of a silastic band into the lumen of the pulmonary trunk, 1438

Usefulness of high-dose anticoagulants in preventing left ventricular thrombus in acute myocardial infarction, 1491

His-Purkinje system

Macroreentry within the His-Purkinje system initiated by atrial premature complex, 594

Rate-dependent effects of procainamide on His-Purkinje conduction in man, 1525

Holter monitoring

Holter recording during treadmill testing in assessing myocardial ischemic changes, 1200

Significance of ventricular pauses of three seconds or more detected on twentyfour-hour Holter recordings, 1005

Value of Holter monitoring in identifying risk for sustained ventricular arrhythmia recurrence on amiodarone, 709

**HV** Interval

Rate-dependent effects of procainamide on His-Purkinje conduction in man, 1525

Hydralazine

Hydralazine in the management of chronic congestive heart failure (LE), 1664

Magnitude and implications of spontaneous hemodynamic variability in primary pulmonary hypertension, 159

Serial measurements of systolic time intervals during treatment with hydrochlorothiazide alone and combined with other antihypertensive agents, 107

Hydrochlorothiazide

Serial measurements of systolic time intervals during treatment with hydrochlorothiazide alone and combined with other antihypertensive agents, 107

Hyperallmentation

Acute right ventricular infarction resulting from intracardiac infusion of hyperosmotic hyperalimentation solutions, 1659

Hyperapobetalipoproteinemia Familial aggregation and early expression of hyperapobetalipoproteinemia, 291

Hyperkalemia

Effects of hyperkalemia on the electrocardiogram of patients receiving digitalis, 968

Hyperilpoproteinemia

Effects of combination cholestyramineneomycin treatment on plasma lipoprotein concentrations in type II hyperlipoproteinemia, 1282

Hypertension

See also Blood pressure Baseline rest electrocardiographic abnormalities, antihypertensive treatment, and mortality in the Multiple Risk Factor Intervention Trial, 1

Calcium-entry blockers, vascular smooth muscle and systemic hypertension, 17B Calcium-entry blocking agents in the

treatment of systemic hypertension,

Cardiovascular effects and regional blood

flow distribution associated with angiotensin converting enzyme inhibition (captopril) in essential hypertension, 1023

Case-control analysis of risk factors for presence of aortic stenosis in adults (age 50 years or older), 744

Effect of enalapril at rest, during tilt, static and dynamic exercise in systemic hypertension, 1534

Effects of transient increased afterload during experimentally induced myocardial infarction in dogs, 566

Enhanced 24-hour norepinephrine and renin secretion in young patients with essential hypertension: relation with the circadian pattern of arterial blood pressure, 112

immediate hemodynamic effects of urapidil in patients with essential hypertension, 722

Initial and long-term effects of prazosin on sympathetic vasopressor responses in essential hypertension, 1015

Maximal hand blood flow in hypertensive and normal subjects, 418

Myxoid degeneration of the aortic valve and isolated severe aortic regurgitation,

Role of prostaglandins in the renal handling of a salt load in essential hypertension, 116

Sleep apnea syndrome and essential hypertension, 1019

Systemic hypertension, diuretic drugs, arrhythmias and death, 221

Hypertrophic cardiomyopathy

Asymmetry 'n hypertrophic cardiomyopathy: the septal to free wall thickness ratio revisited, 835

Coronary artery disease in hypertrophic cardiomyopathy, 1437 Effects of calcium-channel blocking

agents on left ventricular diastolic function in hypertrophic cardiomyopathy and in coronary artery disease, 172B

Magnetic resonance imaging in hypertrophic cardiomyopathy, 1121

Tissue characterization by magnetic resonance imaging in hypertrophic cardiomyopathy, 230

Use of calcium-channel blocking drugs in hypertrophic cardiomyopathy, 185B

Hypertrophy
Aortico-left ventricular tunnel arising from the left aortic sinus, 1657

Effect of weight loss on cardiac chamber size, wall thickness and left ventricular function in morbid obesity, 783

Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of left bundle branch block; an echocardiographic study, 103

Sensitivity of electrocardiographic criteria for left ventricular hypertrophy according to type of cardiac disease. 545

Hypoplasia of the apical trabecular component of the morphologically right ventricle, 862

Initial and long-term effects of prazosin on sympathetic vasopressor responses in essential hypertension, 1015

Hypothyroidism

Coronary artery spasm in hypothyroidism, 223

Calcium-channel blockers in the treatment of migraine, 139B

Effect of ibuprofen on the healing phase of experimental myocardial infarction in the rat 1609

Ventricular septal rupture during ibuprafen therapy for pericarditis after acute myocardial infarction, 1631

Quantitation of lymphocyte subsets by immunofluorescence flow cytometry in idiopathic dilated cardiomyopathy, 1550

T-lymphocyte subsets in idiopathic dilated cardiomyopathy, 755

m-111

Detection of platelet deposition at the site of peripheral balloon angioplasty using indium-111 platelet scintigraphy, 495

Aortico-left ventricular tunnel arising from the left aortic sinus, 1657

Complete transposition of the great arteries: visualization of left and right outflow tract obstruction by oblique subcostal two-dimensional echocardiography, 1140

Findings on endomyocardial biopsy in infants and children with dilated cardiomyopathy, 143

Noninvasive detection of anomalous origin of the left main coronary artery from the pulmonary trunk by pulsed Doppler echocardiography, 608

Operative repair of coarctation of the aorta in infancy: results with and without ventricular septal defect, 1555

Parasternal cross-sectional echocardiographic determination of aortic arch situs: a new approach, 1236 Percutaneous balloon valvuloplasty for

aortic valve stenosis in infancy, 1655 Small left atrium and change in contour of the ventricular septum in total anomalous pulmonary venous

connection: a morphometric analysis of 22 infant hearts, 777

Two-dimensional echocardiographic estimation of right ventricular area change and ejection fraction in infants

with systemic right ventricle (transposition of the great arteries or hypoplastic left heart syndrome), 1153 infacct size

Limitations of fluorocarbons in reducing myocardial infarct size, 830

Myocardial infarct size threshold for twodimensional echocardiographic detection: sensitivity of systolic wall thickening and endocardial motion abnormalities in small versus large infarcts, 551

tropic drugs

Acute dose range study of milrinone in congestive heart failure, 726

improved myocardial contractility with glucose-insulin-potassium infusion during pacing in coronary artery disease, 932 scu-Shiley bioprosthesis

Fatal bioprosthetic regurgitation immediately after mitral and tricuspid valve replacements with lonescu-Shiley bioprostheses, 590

Calcium-channel blockers: effects on cerebral blood flow and potential uses for acute stroke, 144B

Calcium-channel blockers in the treatment of migraine, 139B

Different recovery process of ST depression on postexercise electrocardiograms in women in standing and supine positions, 1474

Echocardiographic versus hemodynamic monitoring during attacks of variant angina pectoris, 1319

increased thallium lung uptake after exercise in isolated left anterior descending coronary artery disease,

Large vessel coronary vasospasm: diagnosis, natural history and treatment,

Use of nifedipine to decrease ischemicreperfusion injury in the surgical setting, 125R

Vasodilator synchronized retroperfusion: quantitative assessment of flowfunction relation in acutely ischemic canine myocardium, 1417

Concealment of manifest, and exposure of concealed, ventricular parasystole produced by isoproterenol, 1344

orbide dinitrate

Comparison of antianginal efficacy of nifedipine and isosorbide dinitrate in chronic stable angina: a long-term, randomized, double-blind, crossover study, 9E

Isosorbide dinitrate and glyceryl trinitrate: demonstration of cross tolerance in the capacitance vessels, 927

Isosorbide dinitrate sublingual therapy for inferior myocardial infarction: randomized trial to assess infarct size limitation, 330

Jatene procedure

Comparison of ventricular function after Senning and Jatene procedures for complete transposition of the great arteries, 530

Kawasaki disease

Mucocutaneous lymph node syndrome: clinical, hemodynamic and angiographic features of coronary obstructive disease, 662

Lacers

A comparative study of laser beam characteristics in blood and saline media, 1389

identification of photoproducts liberated by in vitro argon laser irradiation of atherosclerotic plaque, calcified cardiac valves and myocardium, 1192

Selective absorption of ultraviolet laser energy by human atherosclerotic plaque treated with tetracycline, 1293

Left atrial echoes

Dynamic intracavitary left atrial echoes in mitral stenosis, 603

Left ventricular dimension

End-systolic left ventricular pressuredimension shift during acute relief of volume overload in the conscious dog, 1102

Left ventricular function

Accuracy of left ventricular ejection fraction using the nuclear stethoscope in left ventricular aneurysm, 177

Acute effects of alcohol on left ventricular function in healthy subjects at rest and during upright exercise, 164

Acute electrophysiologic, hemodynamic and left ventricular effects of nifedipine and beta-blocker interactions Maintenance of global and regional left ventricular wall motion, 21E

Addition of nifedipine to maximal betablocker-nitrate therapy: effects on exercise capacity and global left ventricular performance at rest and during exercise, 3E

Comparative effects of calcium-channel blocking agents on left ventricular function during acute ischemia in dogs with and without congestive heart failure, 10B

Continuous positive airway pressure by face mask in acute cardiogenic pulmonary edema, 296

Contractile properties of the left ventricle with aneurysm, 338

Effect of electrical activation site on left ventricular performance in ventricular tachycardia patients with coronary heart disease, 84

Effect of weight loss on cardiac chamber size, wall thickness and left ventricular function in morbid obesity, 783 Effects of age on ventricular-vascular

coupling, 1179

Effects of calcium-channel blocking agents on left ventricular diastolic function in hypertrophic cardiomyopathy and in coronary artery disease, 172B

Effects of intravenous infusion of esmolol and progranolol on biventricular performance at rest and during exercise as assessed by quantitative radionuclide angiography, 1287

Effects of loading conditions and contractile state (methoxamine and dobutamine) on left ventricular early diastolic function in normal subjects, 790

Effects of training on systolic time intervals at rest and during isometric exercise in men and women 61 to 67 years old, 797

Factors that determine the direction and magnitude of precordial ST-segment deviations during inferior wall acute myocardial infarction, 883

Hemodynamic and metabolic effects of diltiazem during coronary sinus pacing with particular reference to left ventricular ejection fraction, 286

Hemodynamic effects of nifedipine given alone and in combination with atenolol in patients with impaired left ventricular function, 15E

importance of coronary collaterals for restoration of left ventricular function after intracoronary thrombolysis, 1259

Influence of the aortic component of the second heart sound on left ventricular maximal negative dP/dt in the dog, 205

Intact systolic left ventricular function in clinical congestive heart failure, 1032

intracoronary thrombolytic therapy in acute myocardial infarction: a

- prospective, randomized, controlled trial, 301
- Intravenous versus intracoronary streptokinase in acute myocardial infarction, 309
- in vivo assessment of left ventricular wall and chamber dynamics during transient myocardial ischemia using cine computed tomography, 560
- Left ventricular responses to upright isometric handgrip and deadlift in men with coronary artery disease, 1298
- Out-of-hospital sudden coronary death: rest and exercise radionuclide left ventricular function in survivors, 645
- Paradoxical deterioration of left ventricular asynergy after administration of nitroglycerin, 677
- Pattern of left ventricular diastolic filling in chronic aortic regurgitation: a gated blood pool assessment, 127
- Prediction of improvement in left ventricular function after ventricular aneurysmectomy using Fourier phase and amplitude analysis of radionuclide cardiac blood pool scans, 1308
- Relation of coronary artery disease and left ventricular systolic dysfunction to left ventricular end-diastolic pressure after left ventriculography, 1622
- Relation of mitral valve prolapse to left ventricular size in Marfan's syndrome, 739
- RO13-6438, a new inotrope-vasodilator: systemic and coronary hemodynamic effects in congestive heart failure, 1539
- Sublingual nifedipine: acute effects in severe chronic congestive heart failure secondary to idiopathic dilated cardiomyopathy, 1359

# Left ventricular size

Relation of electrocardiographic R-wave amplitude to changes in left ventricular chamber size and position in normal subjects, 1168

# Left ventricular volume

- Left ventricular volume and ejection fraction response to exercise in chronic congestive heart failure: difference between dilated cardiomyopathy and previous myocardial infarction, 1027
- Left ventricular volume determination using single-photon emission computed tomography, 1185

# Letters to the Editor

- All that sticks is not a band-aid, 1119 Analysis of risk factors for sudden death after acute myocardial infarction, 621 Carotid sinus hypersensitivity: beneficial
- effects of dual-chamber pacing, 620 Characterization of ventricular fibrillation
- during coronary angiography, 249 Chest thump acceleration of ventricular tachycardia, 249
- Coronary Artery Surgery Study, 249 Diastolic congestive heart failure, 1664
- Hydralazine in the management of chronic congestive heart failure, 1664 Intravenous beta blockade in acute
- myocardial infarction, 622 Medical student research awards in cardiovascular science: the Stanley J. Sarnoff endowment, 1246
- M-mode echocardiography for diagnosis of atrial flutter, 621
- More on Bazett's formula, 619 Multicenter low-dose amiodarone trial for "severe" ventricular arrhythmias, 622
- Occlusion of Björk-Shiley aortic valve prosthesis by hypertrophied ventricular septum, 1119
- Occlusion time and inflation pressure in

- pulmonary valvuloplasty, 619
- Premature atrial stimulation during regular atrial pacing: a new approach to study of the sinus node, 1120
- Prevention of diminished activity of glyceryl trinitrate by use of an aerosol, 620
- Recording and analysis of circadian blood pressure patterns, 1119
- Scientific data-reproduction of original work: thoughts for academics and other scriveners, 1119
- Transdermal nitroglycerin disc efficacy data: two years too late, 618
- Transdermal nitroglycerin preparations,
- Ventricular fibrillation during coronary arteriography, 248

Polymorphous ventricular tachycardia provoked by lidocaine, 592

### Limb malformations

Upper limb malformations associated with congenital heart disease, 1576

Echocardiographic findings before and after liver transplantation, 1373

### Lorcainide

Chronic lorcainide therapy for symptomatic premature ventricular complexes: efficacy, pharmacokinetics and evidence for norlorcainide antiarrhythmic effect, 72

# Lymphocyte

Quantitation of lymphocyte subsets by immunofluorescence flow cytometry in idiopathic dilated cardiomyopathy, 1550

Influence of magnesium ion on human ventricular defibrillation after aortocoronary bypass surgery, 61

# Magnetic resonance imaging

- Detection of atrial myxoma by magnetic resonance imaging, 242
- Evaluation of atrioventricular septal defect by magnetic resonance imaging, 1158
- Magnetic resonance imaging in aortic valve, ascending aortic and isthmic aortic disease, 1243
- Magnetic resonance imaging in hypertrophic cardiomyopathy, 1121
- Magnetic resonance imaging of constrictive pericardial disease, 480 Normal cardiac dimensions by magnetic
- resonance imaging, 1440 Tissue characterization by magnetic resonance imaging in hypertrophic
- cardiomyopathy, 230

# Mahaim fibers

Catheter atrioventricular junction ablation for recurrent supraventricular tachycardia with nodoventricular fibers, 1227

# Malposition of the great arteries

Anatomically corrected malposition of the great arteries: diagnostic difficulties and surgical repair of associated lesions, 1367

# Mapping

- Catheter mapping during sinus rhythm: relation of local electrogram duration to ventricular tachycardia cycle length, 713
- Continuous electrical activity during sustained monomorphic ventricular tachycardia. Observations on its dynamic behavior during the arrhythmia, 402
- Endocardial activation mapping and endocardial pace-mapping using a balloon apparatus, 1076

- Relation of late potentials to site of origin of ventricular tachycardia associate with coronary heart disease, 985
- Sinus rhythm mapping in healed experimental myocardial infarction: contrasting activation patterns for inducing ventricular tachycardia versus fibrillation, 1601
- Suhendocardial resection for sustained ventricular tachycardia in the early period after acute myocardial infarction, 980
- Ventricular activation in normal sinus rhythm: abnormalities with recurrent sustained tachycardia and a history of myocardial infarction, 974

# Mapping, endocardial

Local abnormalities of right ventricular depolarization after repair of tetralogy of Fallot: a basis for ventricular arrhythmia, 522

### Marfan's syndrome

Relation of mitral valve prolapse to left ventricular size in Marfan's syndrome,

eningococcal pericarditis Constrictive pericarditis as a late complication of meningococcal pericarditis, 1442

- Acute hemodynamic and antiischemic effects of intravenous amiodarone, 639 Adaptability of the pulmonary system to
- changing metabolic requirements, 59D Cardiac metabolism and coronary hemodynamics before and after bypass
- surgery for anomalous origin of the left main coronary artery from the pulmonary trunk, 864
- Effect of beta-adrenergic blockade on biochemical and metabolic response to exercise, 95D
- Effect of peripheral thyroid hormone metabolism on cardiac arrhythmias. 849
- Metabolic adaptations to exercise: a review related to potential  $\beta$ -adrenoceptor antagonist effects, 48D
- Pharmacokinetics and metabolism of bepridil, 8C

Electrophysiologic effects of flecainide acetate and its major metabolites in the canine heart, 807

# ethemoglobinemia

Association of methemoglobinemia and intravenous nitroglycerin administration, 181

# Methoxamine

Effects of loading conditions and contractile state (methoxamine and dobutamine) on left ventricular early diastolic function in normal subjects, 790

# Metoproloi

- A randomized trial of low-dose betablockade therapy for idiopathic dilated cardiomyopathy, 471
- Clearance-based oral drug interaction between verapamil and metoprolol and comparison with atenolol, 1628

# Migraine

Calcium-channel blockers in the treatment of migraine, 139B

- Acute dose range study of milrinone in congestive heart failure, 726
- Physiologic assessment of the inotropic, vasodilator and afterload reducing effects of milrinone in subjects without cardiac disease, 1204

itral anular calcification

Frequency of mitral valve dysfunction from mitral anular calcium as detected by Doppler echocardiography, 133

Mitral regurgitation
Combined first-pass and equilibrium radionuclide ventriculography and comparison with left ventricular/right ventricular stroke count ratio in mitral and aortic regurgitation, 1048 Complex arrhythmias in mitral

regurgitation with and without mitral valve prolapse: contrast to arrhythmias in mitral valve prolapse without mitral regurgitation, 1545

Frequency of mitral valve dysfunction from mitral anular calcium as detected by Doppler echocardiography, 133

Mitral valve cleft without cardiac septal defect causing severe mitral regurgitation but allowing long survival, 1229

Prosthetic mitral regurgitation detected by Doppler echocardiography, 229

Results of valve reconstruction for mitral regurgitation secondary to mitral valve prolapse, 735

The king of hearts: analysis of 23 patients with hearts weighing 1,000 grams or more, 485

Trauma-induced pseudoaneurysm of the right ventricle: diagnosis by twodimensional echocardiography, 1658

Mitral stenosis

Dynamic intracavitary left atrial echoes in mitral stenosis, 603

Echophonocardiographic estimates of pulmonary artery wedge pressure in mitral stenosis, 462

Frequency of mitral valve dysfunction from mitral anular calcium as detected by Doppler echocardiography, 133

Long-term results of open mitral valve reconstruction for mitral stenosis, 731 Relation of body habitus to the severity of mitral stenosis in women, 857

Response of the right ventricle to exercise in isolated mitral stenosis, 1054

tral valvo

Billowing, floppy, prolapsed or flail mitral valves? 501

Fatal bioprosthetic regurgitation immediately after mitral and tricuspid valve replacements with lonescu-Shiley bioprostheses, 590

Frequency of mitral valve dysfunction from mitral anular calcium as detected by Doppler echocardiography, 133

Long-term results of open mitral valve reconstruction for mitral stenosis, 731

Mitral and tricuspid valve anular diameter in normal children determined by twodimensional echocardiography, 787

Mitral valve cleft without cardiac septal defect causing severe mitral regurgitation but allowing long survival, 1229

Itral valve prolapse

Billowing, floppy, prolapsed or flail mitral valves? 501

Complex arrhythmias in mitral regurgitation with and without mitral valve prolapse: contrast to arrhythmias in mitral valve prolapse without mitral regurgitation, 1545

From irritable heart to mitral valve prolapse: British Army medical reports, 1860 to 1870, 1107

Mitral valve prolapse and ruptured chordae tendineae, 138

Relation of mitral valve prolapse to left ventricular size in Marfan's syndrome, 739

Results of valve reconstruction for mitral regurgitation secondary to mitral valve prolapse, 735

ode echocardiography

Asymmetry in hypertrophic cardiomyopathy: the septal to free wall thickness ratio revisited, 835

Dynamic Intracavitary left atrial echoes in mitral stenosis, 603

Echophonocardiographic estimates of pulmonary artery wedge pressure in mitral stenosis, 462

Frequency of pericardial effusion as determined by M-mode echocardiography in acute myocardial infarction, 335

M-mode echocardiography for diagnosis of atrial flutter (LE), 621

hologic studies

Morphology of ventricular septal defect in complete transposition of the great arteries, 1566

Variable morphology of ventricular septal defect in double inlet left ventricle. 1560

Prediction of mortality during the first year after acute myocardial infarction from clinical variables and stress test at hospital discharge, 1313

Size of acute myocardial infarcts in patients with diabetes mellitus, 1629

ple Risk Factor Intervention Trial Baseline rest electrocardiographic abnormalities, antihypertensive treatment, and mortality in the Multiple Risk Factor Intervention Trial, 1

Exercise electrocardiogram and coronary heart disease mortality in the Multiple Risk Factor Intervention Trial, 16

ustard procedure
Two-dimensional echocardiographic localization of residual atrial shunts after the Senning procedure, 1238

Myocardial infarction

Acute myocardial infarction treated with intracoronary streptokinase: a report of the Society for Cardiac Angiography,

Analysis of risk factors for sudden death after acute myocardial infarction (LE),

Angina pectoris before and during acute myocardial infarction: relation to degree of physical activity, 1255

Cardiovascular responses to early exercise in inferior wall ST acute myocardial infarction, 1277

Cocaine-induced angina pectoris and acute myocardial infarction in patients younger than 40 years, 847

Cold-induced immersion injury: a potential hazard of the cold pressor test, 585

Coronary artery reperfusion in acute myocardial infarction: assessment by pre- and postintervention thallium-201 myocardial perfusion imaging, 889

Diagnostic and prognostic significance of minimally elevated creatine kinase MB in suspected acute myocardial infarction, 1478

Early exercise training in patients older than age 65 years compared with that in younger patients after acute myocardial infarction or coronary artery bypass grafting, 263

Ectopic ventricular tachycardia sensitive to calcium antagonists in acute myocardial infarction in dogs, 1085

Effect of digitalis treatment on survival after acute myocardial infarction, 623

Effect of ibuprofen on the healing phase of experimental myocardial infarction in the rat, 1609

Effect of various regimens of chronic and acute nicotine exposure on myocardial infarct size in the dog, 1407

Effects of calcium-channel blockers on myocardial preservation during experimental acute myocardial infarction, 107B

Effects of transient increased afterload during experimentally induced myocardial infarction in dogs, 566

Effects of verapamil in preventing early postinfarction angina and reinfarction,

Electrocardiographic, enzymatic and scintigraphic criteria of acute myocardial infarction as determined from study of 726 patients (a MILIS study), 1463

Evaluation of a QRS scoring system for estimating myocardial infarct size, 1485

Exercise testing to enhance wives' confidence in their husbands' cardiac capability soon after clinically uncomplicated acute myocardial infarction, 635

Factors that determine the direction and magnitude of precordial ST-segment deviations during inferior wall acute myocardial infarction, 883

Follow-up after coronary arterial reperfusion with intravenous streptokinase in relation to residual myocardial infarct artery narrowings.

Frequency of pericardial effusion as determined by M-mode echocardiography in acute myocardial Infarction, 335

Importance of the terminal portion of the QRS in the electrocardiographic diagnosis of inferior myocardial infarction, 896

Intracoronary prostacyclin in evolving acute myocardial infarction, 1625

Intracoronary thrombolysis 3 to 13 days after acute myocardial infarction for postinfarction angina pectoris, 1453

Intracoronary thrombolytic therapy in acute myocardial infarction: a prospective, randomized, controlled trial, 301

intravenous beta blockade in acute myocardial infarction (LE), 622

Intravenous urokinase in acute myocardial infarction, 878

Intravenous versus intracoronary streptokinase in acute myocardial infarction, 309

Isosorbide dinitrate sublingual therapy for inferior myocardial infarction: randomized trial to assess infarct size limitation, 330

Late potentials in normal subjects and in patients with ventricular tachycardia unrelated to myocardial infarction, 384

Left ventricular volume and ejection fraction response to exercise in chronic congestive heart failure: difference between dilated cardiomyopathy and previous myocardial infarction, 1027

Medically directed at-home rehabilitation soon after clinically uncomplicated

acute myocardial infarction: a new model for patient care, 251

Myocardial infarct size threshold for twodimensional echocardiographic detection: sensitivity of systolic wall thickening and endocardial motion abnormalities in small versus large infarcts, 551

Occluding clot in the left main coronary artery with survival long enough to develop massive left ventricular wall necrosis, 1218

Percutaneous transluminal coronary angioplasty after intracoronary streptokinase in evolving acute myocardial infarction, 48

Percutaneous transluminal coronary angioplasty in acute myocardial infarction without prior thrombolytic therapy, 842

Prediction of mortality during the first year after acute myocardial infarction from clinical variables and stress test at hospital discharge, 1313

Prognostic significance of precordial STsegment depression during inferior acute myocardial infarction, 325 Palation between the transport extent of

Relation between the transmural extent of acute myocardial infarction and associated myocardial contractility two weeks after infarction, 1412

Right ventricular infarction with electrocardiographic anterior left ventricular infarction and thrombosis of the left anterior descending coronary artery, 1220

Role of physical activity as a secondary intervention for healed myocardial infarction, 21D

Selective inhibition of thromboxanerelated platelet function by low-dose aspirin in patients after myocardial infarction, 589

Sinus rhythm mapping in healed experimental myocardial infarction: contrasting activation patterns for inducing ventricular tachycardia versus fibrillation, 1601

Size of acute myocardial infarcts in patients with diabetes mellitus, 1629

Subendocardial resection for sustained ventricular tachycardia in the early period after acute myocardial infarction, 980

"Submaximal" predischarge exercise testing after acute myocardial infarction: who needs it? 499

Survival after acute myocardial infarction associated with total obstruction of left main coronary artery, 1423

The degree to which myocardial infarct site and size determine the electrocardiographic axis, 1247

Traumatic dissecting coronary arterial aneurysm with subsequent complete healing, 1424

Usefulness of high-dose anticoagulants in preventing left ventricular thrombus in acute myocardial infarction, 1491

Value of radionuclide angiography for predicting specific cardiac events after acute myocardial infarction, 318

Ventricular activation in normal sinus rhythm: abnormalities with recurrent sustained tachycardia and a history of myocardial infarction, 974

Ventricular arrhythmia induced by programmed ventricular stimulation after acute myocardial infarction, 391 Ventricular septal rupture during ibuprofen therapy for pericarditis after acute myocardial infarction, 1631

Myocardial ischemia See also ischemia

Acute hemodynamic and antilschemic effects of intravenous amiodarone, 639

Holter recording during treadmill testing in assessing myocardial ischemic changes, 1200

In vivo assessment of left ventricular wall and chamber dynamics during transient myocardial ischemia using cine computed tomography, 560

Limitations of fluorocarbons in reducing myocardial infarct size, 830

Myocardial ischemia during intravenous nicardipine administration, 844

Myocardial perfusion

Clinical, angiographic, hemodynamic, perfusional and functional changes after one-vessel left anterior descending coronary angioplasty, 347

Myocarditis

Cryptococcal myocarditis in acquired immune deficiency syndrome, 1240 Findings on endomyocardial biopsy in infants and children with dilated cardiomyopathy, 143

Myocardium

Identification of photoproducts liberated by in vitro argon laser irradiation of atherosclerotic plaque, calcified cardiac valves and myocardium, 1192

Tissue characterization by magnetic resonance imaging in hypertrophic cardiomyopathy, 230

Vasodilator synchronized retroperfusion: quantitative assessment of flowfunction relation in acutely ischemic canine myocardium, 1417

N-acetyl procainamide

Polymorphic ventricular tachycardia and ventricular fibrillation due to N-acetyl procainamide, 227

Necropsy

Correlation of saphenous vein bypass graft angiograms with histologic changes at necropsy, 952

Detailed anatomy of the normally functioning aortic valve in hearts of normal and increased weight, 454

Electrocardiographic observations in clinically isolated, pure, chronic, severe aortic regurgitation: analysis of 30 necropsy patients aged 19 to 65 years, 432

The king of hearts: analysis of 23 patients with hearts weighing 1,000 grams or more, 485

ecrosis

Occluding clot in the left main coronary artery with survival long enough to develop massive left ventricular wall necrosis, 1218

Needles in the heart

Two-dimensional echocardiographic demonstration of multiple needles in the heart, 1245

Neomycin

Effects of combination cholestyramineneomycin treatment on plasma lipoprotein concentrations in type II hyperlipoproteinemia, 1282

Nicardipine

Coronary and systemic hemodynamic effects of nicardipine, 652

Myocardial ischemia during intravenous nicardipine administration, 844

### Nicotine

Effect of various regimens of chronic and acute nicotine exposure on myocardial infarct size in the dog, 1407

difedipine

Acute electrophysiologic, hemodynamic and left ventricular effects of nifedipine and beta-blocker interactions. Maintenance of global and regional left ventricular wall motion, 21E

Addition of nifedipine to maximal betablocker-nitrate therapy: effects on exercise capacity and global left ventricular performance at rest and during exercise, 3E

Addition of nifedipine to maximal nitrate and beta-adrenoreceptor blocker therapy in coronary artery disease, 1303

Calcium antagonists for acute ischemic heart disease, 116B

Calcium-channel blockers in prophylaxis and treatment of asthma, 202B

Calcium-channel blocking agents for gastrointestinal disorders, 210B

Clinical and hemodynamic evaluation of propranolol in combination with verapamil, nifedipine and diltiazem in exertional angina pectoris: a placebocontrolled, double-blind, randomized, crossover study, 680

Combination therapy with calcium-channel blockers and beta blockers for chronic stable angina pectoris, 698

Comparison of antianginal efficacy of nifedipine and isosorbide dinitrate in chronic stable angina: a long-term, randomized, double-blind, crossover study, 9E

Coronary hemodynamic and metabolic effects of nifedipine in patients with coronary artery disease treated with beta-blocking drugs, 33

Digoxin and nifedipine, 31E

Effects of calcium-channel blocking agents on left ventricular diastolic function in hypertrophic cardiomyopathy and in coronary artery disease, 172B

Hemodynamic effects of nifedipine given alone and in combination with atenoiol in patients with impaired left ventricular function. 15E

Influence of calcium-channel blockers on platelet function and arachidonic acid metabolism, 158B

Magnitude and implications of spontaneous hemodynamic variability in primary pulmonary hypertension, 159

Modification of experimental atheroscierosis by calcium-channel blockers, 165B

Nifedipine-induced periorbital edema, 1445

Propranoiol-verapamil versus propranoiolnifedipine in severe angina pectoris of effort: a randomized, double-blind, crossover study, 281

Raynaud's phenomenon: pathophysiologic features and treatment with calciumchannel blockers, 154B

Relation of antianginal efficacy of nifedipine to degree of coronary arterial narrowing and to presence of coronary collateral vessels, 26

Role of calcium antagonists in cerebral arterial spasm, 149B

Safety of acute calcium antagonist withdrawal: studies in patients with

unstable angina withdrawn from nifedipine, 27E

Second-generation calcium antagonists: search for greater selectivity and versatility, 214B Selective binding of nifedipine to armyloid

fibrils, 1646

Sublingual nifedipine: acute effects in severe chronic congestive heart failure secondary to idiopathic dilated cardiomyopathy, 1359

Therapeutic application of calciumchannel antagonists for pulmonary hypertension, 196B

Use of calcium antagonists in ventricular dysfunction, 81B Use of calcium-channel blocking drugs in

hypertrophic cardiomyopathy, 185B Use of nifedipine to decrease ischemicreperfusion injury in the surgical setting, 195B.

### Nimodipine

Calcium-channel blockers: effects on cerebral blood flow and potential uses for acute stroke, 144B

Role of calcium antagonists in cerebral arterial spasm, 149B

### Nitrates

Addition of nifedipine to maximal betablocker-nitrate therapy: effects on exercise capacity and global left ventricular performance at rest and during exercise, 3E

Addition of nifedipine to maximal nitrate and beta-adrenoreceptor blocker therapy in coronary artery disease, 1303

Association of methemoglobinemia and intravenous nitroglycerin administration, 181

Isosorbide dinitrate and glyceryl trinitrate: demonstration of cross tolerance in the capacitance vessels, 927

# Nitroglycerin

All that sticks is not a band-aid (LE), 1119 Association of methemoglobinemia and intravenous nitroglycerin administration, 181

Coronary artery spasm after abrupt withdrawal of nitroglycerin in rabbits, 1066

Effect of intracoronary nitroglycerin on myocardial blood flow and distribution in pacing-induced angina pectoris: quantitative assessment by singlephoton emission tomography, 1270

Evaluation of the clinical significance of nitroglycerin adsorption, 1623 Incomplete and delayed bioavailability of

sublingual nitroglycerin, 184 Isosorbide dinitrate and glyceryl trinitrate:

demonstration of cross tolerance in the capacitance vessels, 927 Paradoxical deterioration of left ventricular

Paradoxical deterioration of left ventricular asynergy after administration of nitroglycerin, 677

Transdermal nitroglycerin disc efficacy data: two years too late (LE), 618 Transdermal nitroglycerin preparations (LE), 618

Vasodilator synchronized retroperfusion: quantitative assessment of flowfunction relation in acutely ischemic canine myocardium, 1417

# Noreginephrine

Enhanced 24-hour norepinephrine and renin secretion in young patients with essential hypertension; relation with the creadian pattern of arterial blood pressure. 112

### Norlorcalnide

Chronic lorcainide therapy for symptomatic premature ventricular complexes: efficacy, pharmacokinetics and evidence for nortorcainide antiarrhythmic effect, 72

### Nuclear medicine

Accuracy of left ventricular ejection fraction using the nuclear stethoscope in left ventricular aneurysm, 177

Tissue characterization by magnetic resonance imaging in hypertrophic cardiomyopathy, 230

### Obesity

Effect of weight loss on cardiac chamber size, wall thickness and left ventricular function in morbid obesity, 783

# The Oslo Study

Coronary risk factors and their pathway of action through coronary raised lesions, coronary stenoses and coronary death: multivariate statistical analysis of an autopsy series: The Oslo Study, 40

### Oxprenok

Serial measurements of systolic time intervals during treatment with hydrochlorothiazide alone and combined with other antihypertensive agents, 107

### Oxygen

Cardiopulmonary exercise testing for evaluation of chronic cardiac failure, 22A

RO13-6438, a new inotrope-vasodilator: systemic and coronary hemodynamic effects in congestive heart failure. 1539

### Pacemakers

Do all pacemakers need both antibradycardia and antitachycardia pacing features? 593

Shock late after implantation of a permanent transvenous cardiac pacemaker, 1241

# Pacing

Arrhythmias induced during termination of supraventricular tachycardia, 412

Cardiac metabolism and coronary hemodynamics before and after bypass surgery for anomalous origin of the left main coronary artery from the pulmonary trunk, 864

Carotid sinus hypersensitivity: beneficial effects of dual-chamber pacing (LE), 620

Effect of intracoronary nitroglycerin on myocardial blood flow and distribution in pacing-induced angina pectoris: quantitative assessment by singlephoton emission tomography, 1270

Effect of site of pacing on dispersion of refractoriness, 1339

Effects of noncaptured stimuli during rapid right ventricular pacing: does concealed conduction occur in the human ventricile? 226

Hemodynamic benefits of synchronized 1:1 atrial pacing during sustained ventricular tachycardia with severely depressed ventricular function in coronary heart disease, 990

Improved myocardial contractility with glucose-insulin-potassium infusion during pacing in coronary artery disease, 932

Premature atrial stimulation during regular atrial pacing: a new approach to study of the sinus node (LE), 1120 Prophylactic external pacing during cardioversion of atrial tachyarrhythmias, 1632

Significance of ventricular pauses of three seconds or more detected on twentyfour-hour Holter recordings, 1005

Study of Wolff-Parkinson-White syndrome by transesophageal pacing and assessment of long-term amiodarone therapy, 852

# Parasystole

Concealment of manifest, and exposure of concealed, ventricular parasystole produced by isoproterenol, 1344

Intermittent ventricular bigeminy as an expression of modulated parasystole, 1834

# Patent ductus arteriosus

Patent ductus arteriosus, atrial septal defect and branch pulmonary artery stenosis: a possible now syndrome, 859 Transcatheter closure of patent ductus arteriosus in piglets, 826

### Pericardial effusion

Frequency of pericardial effusion as determined by M-mode echocardiography in acute myocardial infarction, 335

# Pericardiocentesis

Two-dimensional echocardiographically guided pericardiocentesis: experience in 117 consecutive patients, 476

# Pericarditis

Acute pericarditis after percutaneous transluminal coronary angioplasty, 843 Constrictive pericarditis as a late

complication of meningococcal pericarditis, 1442

Frequency of pericardial effusion as determined by M-mode echocardiography in acute myocardial infarction, 335

Magnetic resonance imaging of constrictive pericardial disease, 480 Right ventricular outflow obstruction caused by constrictive pericardial disease, 1447

Ventricular septal rupture during ibuprofen therapy for pericarditis after acute myocardial infarction, 1631

# Pericardium

Congenital absence of the left portion of parietal pericardium demonstrated by nuclear magnetic resonance imaging, 1439

Constrictive pericarditis as a late complication of meningococcal pericarditis, 1442

# harmacodynamics

Intravenous and oral loading versus oral loading alone with amiodarone for chronic refractory ventricular arrhythmias, 89

Use of calcium antagonists in ventricular dysfunction, 81B

# Pharmacokinetics |

Bretylium: relations between plasma concentrations and pharmacologic actions in high-frequency ventricular arrhythmias, 395

Chronic lorcainide therapy for symptomatic premature ventricular complexes: efficacy, pharmacokinetics and evidence for norlorcainide antiarrhythmic effect, 72

Clearance-based oral drug interaction between verapamil and metoprolol and comparison with atenolol, 1628

Incomplete and delayed bioavailability of sublingual nitroglycerin, 184 Pharmacokinetics and metabolism of bepridil, 8C Pharmacokinetics of calcium-entry blockers, 30B

Beta blockade in the compensation for bed-rest cardiovascular deconditioning: physiologic and pharmacologic observations, 114D

Calcium antagonists for acute ischemic heart disease, 116B

Calcium-channel blockers: effects on cerebral blood flow and potential uses for acute stroke, 144B

Calcium-channel blocking agents for gastrointestinal disorders, 210B

Pharmacology of calcium antagonists, 3C Second-generation calcium antagonists: search for greater selectivity and versatility, 214B

Workshop III: pharmacologic differences among beta blockers: implications for exercise training, 170D

ocardiography

Echophonocardiographic estimates of pulmonary artery wedge pressure in mitral stenosis, 462

Influence of the aortic component of the second heart sound on left ventricula maximal negative dP/dt in the dog, 205 Relation of intensity of cardiac sounds to

age, 1383

Aspirin or dipyridamole individually prevent lipid accumulation in primate vein bypass grafts, 556

Detection of platelet deposition at the site of peripheral balloon angioplasty using indium-111 platelet scintigraphy, 495

Effect of intact endothelium and against platelet-induced coronary artery spasm in isolated rabbit hearts, 1596

Influence of calcium-channel blockers on platelet function and arachidonic acid metabolism, 158B

Selective inhibition of thromboxanerelated platelet function by low-dose aspirin in patients after myocardial infarction, 589

Plethysmography Maximal hand blood flow in hypertensive and normal subjects, 418

Positive airway pressure

Continuous positive airway pressure by face mask in acute cardiogenic pulmonary edema, 296

Postvagal tachycardia

Postvagal tachycardia, 995

Improved myocardial contractility with glucose-insulin-potassium infusion during pacing in coronary artery disease, 932

Potentials

Late, fractionated potentials, 1614 Prazos

Initial and long-term effects of prazosin on sympathetic vasopressor responses in essential hypertension, 1015

Serial measurements of systolic time intervals during treatment with hydrochlorothiazide alone and combined with other antihypertensive agents, 107

Tricuspid regurgitation during pregnancy: two-dimensional and pulsed Doppler echocardiographic observations, 1059

sure-contour analysis

Vascular hemodynamic impedance in congestive heart failure, 423

Prinzmetal's angina Echocardiographic versus hemodynamic monitoring during attacks of variant angina pectoris, 1319

Correlates and prognostic implication of exercise capacity in chronic congestive heart failure, 1037

Diagnostic and prognostic significance of minimally elevated creatine kinase MB in suspected acute myocardial infarction, 1478

Prognosis with chest pain and normal thallium-201 exercise scintigrams, 920

Prognostic significance of precordial STsegment depression during inferior acute myocardial infarction, 325

Prognostic significance of progression of coronary artery disease, 941

Upper limb malformations associated with congenital heart disease, 1576

Efficacy of propafenone compared with quinidine in chronic ventricular arrhythmias, 1520

Propranoloi

Beta blockade in the compensation for bed-rest cardiovascular deconditioning: physiologic and pharmacologic observations, 114D

Cardiorespiratory alterations consequent to endurance exercise training during chronic beta-adrenergic blockade with atenolol and propranolol, 142D

Clinical and hemodynamic evaluation of propranolol in combination with verapamil, nifedipine and diltiazem in exertional angina pectoris: a placebocontrolled, double-blind, randomized, crossover study, 680

Combination propranolol and bepridil therapy in stable angina pectoris, 43C

Comparative electrophysiologic effects of adenosine triphosphate and adenosine in the canine heart: influence of atropine, propranoiol, vagotomy, dipyridamole and aminophylline, 571

Coronary hemodynamic and metabolic effects of nifedipine in patients with coronary artery disease treated with beta-blocking drugs, 33

Effects of intravenous infusion of esmolol and propranolol on biventricular performance at rest and during exercise as assessed by quantitative radionuclide angiography, 1287 Positive exercise thallium-201 test

responses in patients with less than 50% maximal coronary stenosis: angiographic and clinical predictors, 54

Propranolol-verapamil versus propranololnifedipine in severe angina pectoris of effort: a randomized, double-blind, crossover study, 281

Serial measurements of systolic time intervals during treatment with hydrochlorothiazide alone and combined with other antihypertensive agents, 107

Prostacyclin

Intracoronary prostacyclin in evolving acute myocardial infarction, 1625

Prostaglandins

Role of prostaglandins in the renal handling of a salt load in essential hypertension, 116

**Pulmonary arteries** 

Direct reconstruction of pulmonary artery arborization anomaly and intracardiac

repair of pulmonary atresia with ventricular septal defect, 1647

Left atrial-pulmonary artery wedge pressure relation: effect of elevated pulmonary vascular resistance, 856

On pulmonary vascular resistance: the need for more precise definition, 217 Patent ductus arteriosus, atrial sental

defect and branch pulmonary artery stenosis: a possible new syndrome, 859 Thrombosis complicating balloon

angioplasty of left pulmonary artery stenosis after Fontan's procedure: successful treatment with intravenous streptokinase, 610

onary atresia

Direct reconstruction of pulmonary artery arborization anomaly and intracardiac repair of pulmonary atresia with ventricular septal defect, 1647

onary edema

Continuous positive airway pressure by face mask in acute cardiogenic pulmonary edema, 296

onary hypertension

Magnitude and implications of spontaneous hemodynamic variability in primary pulmonary hypertension, 159

Therapeutic application of calciumchannel antagonists for pulmonary hypertension, 196B

onary pressure

Echophonocardiographic estimates of pulmonary artery wedge pressure in mitral stenosis, 462

Pulmonary resistance

Left atrial-pulmonary artery wedge pressure relation: effect of elevated pulmonary vascular resistance, 856 On pulmonary vascular resistance: the need for more precise definition, 217

onary system

Adaptability of the pulmonary system to changing metabolic requirements, 59D

Pulmonary trunk

Usefulness of echocardiographic assessment of right ventricular and pulmonary trunk size for estimating magnitude of left-to-right shunt in children with atrial septal defect, 1571 onary valve

Morphologic changes induced by dilation of the pulmonary valve anulus with overlarge balloons in normal newborn lambs, 210

**Pulsus alternans** 

Concomitant pulsus and U-wave alternans after head trauma, 851

**Op:Qs** ratio

Transatrial septal velocity measurement by Doppler echocardiography in atrial septal defect: correlation with Qp:Qs ratio, 1162

QRS axis

Clinical-electrocardiographic correlates of newly acquired left bundle branch block: the Framingham Study, 1332 The degree to which myocardial infarct

site and size determine the electrocardiographic axis, 1247

QRS complex Albumin-induced changes in the electrocardiographic QRS complex, 1530

Diagnostic potential for verapamil in wide QRS complex tachycardia, 1428

Electrocardiographic observations in clinically isolated, pure, chronic, severe aortic regurgitation: analysis of 30

Importance of the terminal portion of the QRS in the electrocardiographic diagnosis of inferior myocardial infarction, 896

Late, fractionated potentials, 1614
The king of hearts: analysis of 23 patients with hearts weighing 1,000 grams or more, 485

Value of preexisting bundle branch block in the electrocardiographic differentiation of supraventricular from ventricular origin of wide QRS tachycardia, 717

**QRS** scoring

Evaluation of a QRS scoring system for estimating myocardial infarct size, 1485 Isosorbide dinitrate sublingual therapy for inferior myocardial infarction: randomized trial to assess infarct size limitation, 330

QT interval

More on Bazett's formula (LE), 619 QT/QS<sub>2</sub>

Prolonged electrical systole and QT > QS<sub>2</sub> secondary to coronary artery disease, 915

Quinidine

Efficacy of propatenone compared with quinidine in chronic ventricular arrhythmias, 1520

Intravenous quinidine: relations among concentration, tachyarrhythmia suppression and electrophysiologic actions with inducible sustained ventricular tachycardia, 92

Q wave

Septal Q wave in exercise testing: evaluation by single-photon emission computed tomography, 905

Radiation exposure

Radiation exposure and protection in cardiac catheterization laboratories, 171

Radionuclide imaging

Analysis of phase-angle histograms from equilibrium radionuclide studies; correlation with semiquantitative grading of wall motion, 535

Combined first-pass and equilibrium radionuclide ventriculography and comparison with left ventricular/right ventricular stroke count ratio in mitral and aortic regurgitation, 1048

Congenital absence of the left portion of parietal pericardium demonstrated by nuclear magnetic resonance imaging, 1439

Effects of intravenous infusion of esmolol and propranolol on biventricular performance at rest and during exercise as assessed by quantitative radionuclide angiography, 1287

Increased thallium lung uptake after exercise in isolated left anterior descending coronary artery disease, 1469

Out-of-hospital sudden coronary death: rest and exercise radionuclide left ventricular function in survivors, 645

Prediction of improvement in left ventricular function after ventricular aneurysmectomy using Fourier phase and amplitude analysis of radionuclide cardiac blood pool scans, 1308

Radionuclide assessment of ventricular contraction at rest and during exercise following the Fontan procedure for either tricuspid atresia or single ventricle, 1127

Value and limitations of radionuclide angiography in determining the cause of reduced left ventricular ejection fraction: comparison of idiopathic dilated cardiomyopathy and coronary artery disease, 541

Raynaud's phenomenon

Raynaud's phenomenon: pathophysiologic features and treatment with calciumchannel blockers, 154B

Renal function

Role of prostaglandins in the renal handling of a salt load in essential hypertension, 116

Renin

Enhanced 24-hour norepinephrine and renin secretion in young patients with essential hypertension: relation with the circadian pattern of arterial blood pressure, 112

Neurohumoral mechanisms involved in congestive heart failure, 15A

Renin-angiotensin system

Effect of enalapril at rest, during tilt, static and dynamic exercise in systemic hypertension, 1534

Immediate converting-enzyme inhibition with intravenous enalapril in chronic congestive heart failure, 122

Renin-angiotensin systems

Clinical and hemodynamic experience with enalapril in congestive heart failure, 36A

Repertusion

Coronary artery reperfusion in acute myocardial infarction: assessment by pre- and postintervention thallium-201 myocardial perfusion imaging, 889

Follow-up after coronary arterial reperfusion with intravenous streptokinase in relation to residual myocardial infarct artery narrowings, 313 Intracoronary thrombolysis 3 to 13 days

after acute myocardial infarction for postinfarction angina pectoris, 1453 Limitations of fluorocarbons in reducing

myocardial infarct size, 830 Use of nifedipine to decrease ischemicreperfusion injury in the surgical setting, 1958.

Respiratory symptoms

Continuous positive airway pressure by face mask in acute cardiogenic pulmonary edema, 296

Retroperfusion

Vasodilator synchronized retroperfusion: quantitative assessment of flowfunction relation in acutely ischemic canine myocardium, 1417

Rhabdomyoma

Echocardiographic incidence of cardiac rhabdomyoma in tuberous sclerosis, 1379

Right ventricular dimension

Usefulness of echocardiographic assessment of right ventricular and pulmonary trunk size for estimating magnitude of left-to-right shunt in children with atrial septal defect, 1571

Right ventricular function

Hypoplasia of the apical trabecular component of the morphologically right ventricle, 862

Response of the right ventricle to exercise in isolated mitral stenosis, 1054

Reversible right ventricular outflow tract compression by immunoblastic sarcoma, 239

Right ventricular outflow obstruction caused by constrictive pericardial disease, 1447

Trauma-induced pseudoaneurysm of the right ventricle: diagnosis by twodimensional echocardiography, 1658 Two-dimensional echocardiographic estimation of right ventricular area change and ejection fraction in infants with systemic right ventricle (transposition of the great arteries or hypoplastic left heart syndrome). 1153

hypoplastic left heart syndrome), 1153 Value of image enhancement and injection of contrast medium for right ventricular volume determination by two-dimensional echocardiography in congenital heart disease, 152

Right ventricular infarction

Acute right ventricular infarction resulting from intracardiac infusion of hyperosmotic hyperalimentation solutions, 1659

Right ventricular volume

Method for estimating right ventricular volume by planes applicable to crosssectional echocardiography: correlation with angiographic formulas, 1584

Risk factors

Analysis of risk factors for sudden death after acute myocardial infarction (LE), 621

Case-control analysis of risk factors for presonce of aortic stenosis in adults (age 50 years or older), 744

(age 50 years or older), 744 Coffee, tea and cholesterol, 577

Coronary risk factors and their pathway of action through coronary raised lesions, coronary stenoses and coronary death: multivariate statistical analysis of an autopsy series: The Oslo Study, 40

Evaluation of coronary anatomy using high-speed volumetric computed tomographic scanning, 582

Familial aggregation and early expression of hyperapobetalipoproteinemia, 291

Importance of total life consumption of cigarettes as a risk factor for coronary artery disease, 669

Symptomatic coronary artery disease in patients aged 21 to 30 years, 631 Systemic hypertension, diuretic drugs,

arrhythmias and death, 221

HU13-6431

RO13-6438, a new inotrope-vasodilator: systemic and coronary hemodynamic effects in congestive heart failure, 1539

R way

Relation of electrocardiographic R-wave amplitude to changes in left ventricular chamber size and position in normal subjects, 1168

Saline media

A comparative study of laser beam characteristics in blood and saline media, 1389

Saphenous vein

Correlation of saphenous vein bypass graft angiograms with histologic changes at necropsy, 952 Illogical use of saphenous veins for

aortocoronary bypass grafting, 596 Percutaneous transluminal angioplasty of left internal mammary artery grafts,

left internal mammary artery grafts, 1215 Remnant saphenous veins after

nermant saprenous veins after aortocoronary bypass grafting: analysis of 3,394 centimeters of unused vein from 402 patients, 65

Scintigraphy

Assessment of hemodynamic significance of isolated stenoses of the left anterior descending coronary artery using thailium-201 myocardial scintigraphy, 342

Clinical, angiographic, hernodynamic, perfusional and functional changes after one-vessel left anterior descending coronary angioplasty, 347 Coronary artery reperfusion in acute myocardial infarction: assessment by pre- and postintervention thallium-201 myocardial perfusion imaging, 889 Detection of platelet deposition at the site

Detection of platelet deposition at the site of peripheral balloon angioplasty using indium-111 platelet scintigraphy, 495

Early detection of restenosis after successful percutaneous transluminal coronary angioplasty by exerciseredistribution thallium scintigraphy, 357

Electrocardiographic, enzymatic and scintigraphic criteria of acute myocardial infarction as determined from study of 726 patients (a MILIS study), 1463

Pattern of left ventricular diastolic filling in chronic aortic regurgitation: a gated blood pool assessment, 127

blood pool assessment, 127 Prognosis with chest pain and normal thallium-201 exercise scintigrams, 920

Septal Q wave in exercise testing: evaluation by single-photon emission computed tomography, 905

Thallium-201 exercise scintigraphy and left bundle branch block, 224

Senning procedure

Comparison of ventricular function after Senning and Jatene procedures for complete transposition of the great arteries, 530

Two-dimensional echocardiographic localization of residual atrial shunts after the Senning procedure, 1238

Shock

Shock late after implantation of a permanent transvenous cardiac pacemaker, 1241

Single ventricle

Angiographic anatomy of hearts with one ventricular chamber: the true single ventricle, 1363

Sinus node

Postvagal tachycardia, 995

Pre- and postoperative electrophysiologic assessment of children with secundum atrial septal defect, 519

Premature atrial stimulation during regular atrial pacing: a new approach to study of the sinus node (LE), 1120

Significance of ventricular pauses of three seconds or more detected on twenty-four-hour Holter recordings, 1005

Sinus of Valsalva

Anomalous origin of the left main coronary artery from the right sinus of Valsalva, 765

Aortico-left ventricular tunnel arising from the left aortic sinus, 1657

Detailed anatomy of the normally functioning aortic valve in hearts of normal and increased weight, 454

Sinus rhythm

Catheter mapping during sinus rhythm: relation of local electrogram duration to ventricular tachycardia cycle length, 713

Late, fractionated potentials, 1614
Sinus rhythm mapping in healed
experimental myocardial infarction:
contrasting activation patterns for
inducing ventricular tachycardia versus
fibrillation, 1601

Sleep apnea syndrome

Sleep apnea syndrome and essential hypertension, 1019

Sodium

Role of prostaglandins in the renal handling of a salt load in essential hypertension, 116

ST depression

Different recovery process of ST depression on postexercise

electrocardiograms in women in standing and supine positions, 1474

See also Aortic stenosis

Anatomically corrected malposition of the great arteries: diagnostic difficulties and surgical repair of associated lesions, 1367

Angioplasty for dilatation of complex coronary artery bifurcation stenoses, 1626

Coronary angioplasty: clinical and angiographic follow-up, 673

Coronary risk factors and their pathway of action through coronary raised lesions, coronary stenoses and coronary death: multivariate statistical analysis of an autopsy series: The Oslo Study, 40

Detecting and excluding significant left main coronary artery narrowing by echocardiography, 937

Early detection of restenosis after successful percutaneous transluminal coronary angioplasty by exerciseredistribution thallium scintigraphy, 357

Follow-up after coronary arterial reperfusion with intravenous streptokinase in relation to residual myocardial infarct artery narrowings, 313

Patent ductus arteriosus, atrial septal defect and branch pulmonary artery stenosis: a possible new syndrome, 859

Positive exercise thallium-201 test responses in patients with less than 50% maximal coronary stenosis: angiographic and clinical predictors, 54

Right coronary angiography during left anterior descending angioplasty: collateral visualization as a guide to balloon positioning, 845

Usefulness of Doppler echocardiography in detecting tricuspid valve stenosis, 601

Usefulness of transstenotic coronary pressure gradient measurements during diagnostic catheterization, 910

Streptokinase

Acute myocardial infarction treated with intracoronary streptokinase: a report of the Society for Cardiac Angiography, 871

Coronary arterial occlusion three months after successful thrombolysis and angioplasty at the same site, 580

Follow-up after coronary arterial repertusion with intravenous streptokinase in relation to residual myocardial infarct artery narrowings, 313

Intracoronary thrombolysis 3 to 13 days after acute myocardial infarction for postinfarction angina pectoris, 1453

Intracoronary thrombolytic therapy in acute myocardial infarction: a prospective, randomized, controlled trial, 301

Intravenous versus intracoronary streptokinase in acute myocardial infarction, 309

Percutaneous transluminal coronary angioplasty after intracoronary streptokinase in evolving acute myocardial infarction, 48

Thrombosis complicating balloon angioplasty of left pulmonary artery stenosis after Fontan's procedure: successful treatment with intravenous streptokinase, 610

Strut fracture

Strut fracture and disk embolization of a Björk-Shiley mitral valve prosthesis, 597 ST segment

Exercise-Induced intermittent angina and ST-segment depression, 1427

Factors that determine the direction and magnitude of precordial ST-segment deviations during inferior wall acute myocardial infarction, 883

Hemodynamic determinants of exerciseinduced ST-segment depression in children with valvar aortic stenosis, 1133

Improved accuracy of the exercise electrocardiogram: identification of three-vessel coronary disease in stable angina pectoris by analysis of peak rate-related changes in ST segments, 271

Prognostic significance of precordial STsegment depression during interior acute myocardial infarction, 325

Relation of antianginal efficacy of nifedipine to degree of coronary arterial narrowing and to presence of coronary collateral vessels, 26

Supraventricular arrhythmias

Suppression of arrhythmias within hours after a single oral dose of amiodarone and relation to plasma and myocardial concentrations, 696

supraventricular tachycardia

Arrhythmias induced during termination of supraventricular tachycardia, 412

Catheter atrioventricular junction ablation for recurrent supraventricular tachycardia with nodoventricular fibers, 1227

Diagnostic potential for verapamil in wide QRS complex tachycardia, 1428

Electrophysiologic and antiarrhythmic actions of bepridil: comparison with verapamil and ajmaline for atrioventricular reentrant tachycardia, 1513

Exercise testing in children with Wolff-Parkinson-White syndrome, 1001

Surgical treatment of accessory atrioventricular pathways and symptomatic tachycardia in children and young adults, 1509

Value of preexisting bundle branch block in the electrocardiographic differentiation of supraventricular from ventricular origin of wide QRS tachycardia, 717

Verapamil-induced retrograde conduction block in a concealed atrioventricular bypass tract, 1222

Surgery

Anatomically corrected malposition of the great arteries: diagnostic difficulties and surgical repair of associated lesions, 1367

Aortic aneurysm after patch aortopiasty for coarctation in childhood, 612

Aspirin or dipyridamole individually prevent lipid accumulation in primate vein bypass grafts, 556

Assessment of hemodynamic status in the intensive care unit immediately after closure of ventricular septal defect, 526

Association of false tendons with left ventricular aneurysm, 1425

Cardiac metabolism and coronary hemodynamics before and after bypass surgery for anomalous origin of the left main coronary artery from the pulmonary trunk, 864

Comparison of preoperative, operative and postoperative variables in asymptomatic or minimally symptomatic patients to severely symptomatic patients three years after coronary artery bypass grafting: analysis of 423 patients, 362

Comparison of ventricular function after Senning and Jatene procedures for complete transposition of the great arteries, 530

Constrictive pericarditis as a late complication of meningococcal pericarditis, 1442

Echocardiographic findings before and after liver transplantation, 1373

Fatal bioprosthetic regurgitation immediately after mitral and tricuspid valve replacements with lonescu-Shilley bioprostheses, 590

Illogical use of saphenous veins for aortocoronary bypass grafting, 596 influence of magnesium ion on human ventricular defibrillation after

aortocoronary bypass surgery, 61 Long-term results of open mitral valve reconstruction for mitral stenosis, 731

Operative repair of coarctation of the aorta in infancy: results with and without ventricular septal defect, 1555 Percutaneous transluminal anaioplasty of

left internal mammary artery grafts, 1215

Prediction of improvement in left ventricular function after ventricular aneurysmectomy using Fourier phase and amplitude analysis of radionuclide cardiac blood pool scans, 1308

Radionuclide assessment of ventricular contraction at rest and during exercise following the Fontan procedure for either tricuspid atresia or single ventricle, 1127

Recanalization of a Blalock-Taussig anastomosis eight years after repair of tetralogy of Fallot, 860

Remnant saphenous veins after aortocoronary bypass grafting: analysis of 3,394 centimeters of unused vein from 402 patients, 65

Results of valve reconstruction for mitral regurgitation secondary to mitral valve prolapse, 735

Shock late after implantation of a permanent transvenous cardiac pacemaker, 1241

Simultaneous percutaneous transluminal coronary angioplasty and transcatheter embolization of latrogenic aortocoronary vein fistula, 578

Straddling atrioventricular valve: twodimensional echocardiographic diagnosis, classification and surgical implications, 505

Successful dilatation of a stenotic Blalock-Taussig anastomosis by percutaneous transluminal balloon angioplasty, 861

Surgical treatment of accessory atrioventricular pathways and symptomatic tachycardia in children and young adults, 1509

Thromboels complicating balloon angioplasty of left pulmonary artery stenoels after Fontan's procedure: successful treatment with intravenous streptokinase, 610

Two-dimensional echocardiographic demonstration of multiple needles in the heart, 1245

Use of nifedipine to decrease ischemicreperfusion injury in the surgical setting, 1958.

Ventricular arrhythmias induced by dynamic and structure consists of coronary artery bypass grafting, 948 Symposium: Beta Biockers and Exercise

Acute response to submaximal and maximal exercise consequent to betaadrenergic blockade: implications for the prescription of exercise, 135D

Adaptability of the pulmonary system to changing metabolic requirements, 590

Beta blockade in the compensation for bed-rest cardiovascular deconditioning: physiologic and pharmacologic observations, 114D

Beta blockers and exercise: physiological and blochemical definitions and new concepts, 29D

Can patients with coronary artery disease

receiving beta-blockers obtain a training effect, 155D Cardiorespiratory alterations consequent to endurance exercise training during

to endurance exercise training during chronic beta-adrenergic blockade with atenolol and propranolol, 142D Cardinacoular control during exercise:

Cardiovascular control during exercise: central and reflex neural mechanisms, 34D

Chairman's summary, 27D, 85D, 129D Choice of selective versus nonselective beta blockers: implications for exercise training, 162D

Circulatory response to beta-adrenergic blockade at rest and during exercise, 87D

Clinical implications of the hemodynamic effects of beta blockade, 125D

Effect of beta-adrenergic blockade on biochemical and metabolic response to exercise, 95D

Effect of beta<sub>1</sub>-selective and nonselective beta blockade on blood pressure relative to physical performance in men with systemic hypertension, 79D Effect of selective and nonselective beta-

Effect of selective and nonselective bet adrenoceptor blockade on thermoregulation during prolonged exercise in heat, 74D

Effects and adverse effects of autonomic blockade in physical exercise, 132D

Effects of cardioselective and nonselective beta-adrenergic blockade on the performance on highly trained nuners, 1490

Exercise and the primary prevention of cardiovascular disease, 10D

Exercise training during chronic beta blockade in cardiovascular disease, 110D

Exercise training during long-term betablockade treatment in healthy subjects, 1010

Hemodynamic adaptations to exercise, 42D

Introduction, 1D

Metabolic adaptations to exercise: a review related to potential β-adrenoceptor antagonist effects, 48D Physical activity and health: need to define

the required stimulus, 4D Rationale for beta-adrenergic blocking drugs in cardiomyopathy, 120D

Role of physical activity as a secondary intervention for healed myocardial infarction, 21D

Role of receptor mechanisms in the adaptive response to habitual exercise, 68D

Workshop I: developing the exercise prescription for patients on chronic beta blockade, 167D

Workshop III: pharmacologic differences among beta blockers: implications for exercise training, 170D Workshop II: modification of exercise training adaptations by chronic beta blockade, 169D

Symposium: Current Issues in Antianginal Therapy

Acute electrophysiologic, hemodynamic and left ventricular effects of nifedipine and beta-blocker interactions. Maintenance of global and regional left ventricular wall motion, 21E

Addition of nifedipine to maximal betablocker-nitrate therapy: effects on exercise capacity and global left ventricular performance at rest and

during exercise, 3E Comparison of antianginal efficacy of nifedipine and isosorbide dinitrate in chronic stable angina: a long-term, randomized, double-blind, crossover

Digoxin and nifedipine, 31E

Hemodynamic effects of nifedipline given alone and in combination with atenolol in patients with impaired left ventricular function, 15E

Introduction, 15E

Safety of acute calcium antagonist withdrawal: studies in patients with unstable angina withdrawn from nifedipine, 27E

Symposium on Bepridil: A New Antianginal Agent

Combination propranolol and bepridil therapy in stable angina pectoris, 43C Comparative efficacy of 200, 300 and 400

mg of bepridil for chronic stable angina pectoris, 36C

Comparative electrophysiologic profiles of calcium antagonists with particular reference to bepridil, 14C

Electrophysiologic and antiarrhythmic properties of bepridil, 59C

Evaluation of bepridil for the treatment of angina pectoris: evidence for preservation of left ventricular function, 30C

Hemodynamic actions of bepridli during treatment of stable angina pectoris, 550

Hemodynamic assessment of intravenous bepridil hydrochloride for coronary heart disease, 25C

Hemodynamic effects of intravenous bepridil in patients with normal left ventricular function, 20C

Introduction. Symposium on bepridil: a new antianginal agent, 1C

Long-term efficacy of bepridil in patients with chronic stable angina pectoris: results of a multicenter, placebocontrolled study of extended bepridil use, 50C

Pharmacokinetics and metabolism of bepridil, 8C

Pharmacology of calcium antagonists, 3C Symposium on Calcium-Channel Blockers: Present Status and Future Direction

Basic cellular mechanisms of action of the calcium-channel blockers, 2B

Calcium antagonists for acute ischemic heart disease, 116B

Calcium-channel blockers: effects on cerebral blood flow and potential uses for acute stroke, 144B

Calcium-channel blockers in prophylaxis and treatment of asthma, 202B

Calcium-channel blockers in the treatment of migraine, 139B

Calcium-channel blocking agents for gastrointestinal disorders, 2108

- Calcium-entry blockers, vascular smooth muscle and systemic hypertension, 17B
- Calcium-entry blocking agents in the treatment of systemic hypertension, 102B
- Chest pain and "normal" coronary arteries-role of small coronary arteries, 50B
- Combination therapy with calcium-channel blockers and beta blockers for chronic stable angina pectoris, 69B
- Comparative effects of calcium-channel blocking agents on left ventricular function during acute ischemia in dogs with and without congestive heart failure, 10B
- Dynamic coronary obstruction as a cause of angina pectoris: implications regarding therapy, 61B
- Effects of calcium-channel blockers on myocardial preservation during experimental acute myocardial infarction, 107B
- Effects of calcium-channel blocking agents on left ventricular diastolic function in hypertrophic cardiomyopathy and in coronary artery disease, 172B
- Functional differences in blood vessels determined from studies with calciumchannel blockers: functional changes in forearm resistance vessels of men with primary hypertension, 24B
- Influence of calcium-channel blockers on platelet function and arachidonic acid metabolism, 158B
- Introduction, 1B
- Large vessel coronary vasospasm: diagnosis, natural history and treatment, 41R
- Microvascular spasm as a cause of cardiomyopathies and the calcium blocking agent verapamil as potential primary therapy, 179B
- Modification of experimental atherosclerosis by calcium-channel blockers, 165B
- Pharmacokinetics of calcium-entry blockers, 30B
- Raynaud's phenomenon: pathophysiologic features and treatment with calciumchannel blockers, 154B
- Role of calcium antagonists in cerebral arterial spasm, 149B
- Second-generation calcium antagonists: search for greater selectivity and versatility, 214B
- Slow inward current and cardiac arrhythmias, 89B
- Therapeutic application of calciumchannel antagonists for pulmonary hypertension, 196B
- Use of calcium antagonists in ventricular dysfunction, 81B
- Use of calcium-channel blocking drugs in hypertrophic cardiomyopathy, 185B
- Use of nifedipine to decrease ischemicreperfusion injury in the surgical setting, 125B
- poslum on New Concepts in the Mechanisms and Treatment of Congestive Heart Failure
  - Cardiopulmonary exercise testing for evaluation of chronic cardiac failure,
  - Clinical and hemodynamic experience with enalapril in congestive heart failure 36A
  - Epidemiology of congestive heart failure, 3A
  - Introduction, 1A
  - Neurohumoral mechanisms involved in congestive heart failure, 15A

- New positive inotropic drugs for the treatment of congestive heart failure, 41A
- Pathophysiology of congestive heart failure, 9A
- Potential for altering the natural history of congestive heart failure: need for large clinical trials, 45A
- Role of vasodilators in the treatment of congestive heart failure, 32A

- Electrophysiologic evaluation and follow-up characteristics of patients with recurrent unexplained syncope and presyncope, 703
- ystemic hypertension
  Effect of beta<sub>1</sub>-selective and nonselective beta blockade on blood pressure relative to physical performance in men with systemic hypertension, 79D

- Prolonged electrical systole and QT > QS<sub>2</sub> secondary to coronary artery disease, 915
- Systolic time Intervals
- Effects of training on systolic time intervals at rest and during isometric exercise in men and women 61 to 67 years old, 797
- Serial measurements of systolic time intervals during treatment with hydrochlorothiazide alone and combined with other antihypertensive

# Tachycardia

- Do all pacemakers need both antibradycardia and antitachycardia pacing features? 593
- Focal cardiomyopathy and ectopic atrial tachycardia in Beckwith syndrome, 1234
- Paradoxical delay in accessory pathway conduction during long R-P' tachycardia after interpolated ventricular premature complexes, 1223
- Prospective reimbursement for state-ofthe-art medical practice: the case for invasive electrophysiologic evaluation, 963
- Transvenous catheter ablation of the accessory atrioventricular pathway in the permanent form of junctional reciprocating tachycardia, 1639

# Tea

- Coffee, tea and cholesterol, 577 Technetium-99m
  - Electrocardiographic, enzymatic and scintigraphic criteria of acute myocardial infarction as determined from study of 726 patients (a MILIS study), 1463

# Tetracycline

- Selective absorption of ultraviolet laser energy by human atherosclerotic plaque treated with tetracycline, 1293
- **Tetralogy of Fallot** Calcified right ventricular outflow tract aneurysm after repair of tetralogy of
- Fallot, 611 Local abnormalities of right ventricular depolarization after repair of tetralogy of Fallot: a basis for ventricular
- arrhythmia, 522 Recanalization of a Blalock-Taussig anastomosis eight years after repair of tetralogy of Fallot, 860

# Thailium-201

- See also Scintigraphy
- Assessment of hemodynamic significance of isolated stenoses of the left anterior descending coronary artery using thallium-201 myocardial scintigraphy, 342

- Clinical, angiographic, hemodynamic, perfusional and functional changes after one-vessel left anterior descending coronary angioplasty, 347
- Coronary artery reperfusion in acute myocardial infarction: assessment by pre- and postintervention thallium-201 myocardial perfusion imaging, 889
- Early detection of restenosis after successful percutaneous transluminal coronary angioplasty by exerciseredistribution thallium scintigraphy, 357
- increased thallium lung uptake after exercise in isolated left anterior descending coronary artery disease, 1469
- Positive exercise thallium-201 test responses in patients with less than 50% maximal coronary stenosis: angiographic and clinical predictors, 54
- Potential limitations of quantitative thallium scanning, 215
- Prognosis with chest pain and normal thallium-201 exercise scintigrams, 920 Some unanswered problems with probability analysis: possible impact on
- exercise thallium test use, 240 Thallium-201 exercise scintigraphy and left bundle branch block, 224

- Long-term results of open mitral valve reconstruction for mitral stenosis, 731
- Acute myocardial infarction treated with intracoronary streptokinase: a report of the Society for Cardiac Angiography,
- Coronary arterial occlusion three months after successful thrombolysis and
- angioplasty at the same site, 580 Importance of coronary collaterals for restoration of left ventricular function after intracoronary thrombolysis, 1259
- Intracoronary thrombolysis 3 to 13 days after acute myocardial infarction for postinfarction angina pectoris, 1453 Intraco ary thrombolytic therapy in
- acute myocardial infarction: a prospective, randomized, controlled trial 301
- Intravenous versus intracoronary streptokinase in acute myocardial infarction, 309
- Percutaneous transluminal coronary angioplasty in acute myocardial infarction without prior thrombolytic therapy, 842

- Right ventricular infarction with electrocardiographic anterior left ventricular infarction and thrombosis of the left anterior descending coronary artery, 1220
- Thrombosis complicating balloon angioplasty of left pulmonary artery stenosis after Fontan's procedure: successful treatment with intravenous streptokinase, 610

Selective inhibition of thromboxanerelated platelet function by low-dose aspirin in patients after myocardial infarction, 589

- Percutaneous transluminal coronary angioplasty in acute myocardial infarction without prior thrombolytic therapy, 842
- Shock late after implantation of a permanent transvenous cardiac pacemaker, 1241

Usefulness of high-dose anticoagulants in preventing left ventricular thrombus in acute myocardial infarction, 1491

Effect of peripheral thyroid hormone metabolism on cardiac arrhythmias, 849

**T-lymphocyles** 

T-lymphocyte subsets in idiopathic dilated cardiomyopathy, 755

Tomography
See also Computer methods

Effect of intracoronary nitroglycerin on myocardial blood flow and distribution in pacing-induced angina pectoris: quantitative assessment by single photon emission tomography, 1270

valuation of coronary anatomy using high-speed volumetric computed tomographic scanning, 582

In vivo assessment of left ventricular wall and chamber dynamics during transient myocardial ischemia using cine computed tomography, 560

Left ventricular volume determination using single-photon emission computed tomography, 1185

Septal Q wave in exercise testing: evaluation by single-photon emission computed tomography, 905

position of the great arteries

Accuracy of prospective two-dimensional echocardiographic evaluation of left ventricular outflow tract in complete transposition of the great arteries, 759

Comparison of ventricular function after Senning and Jatene procedures for complete transposition of the great

arteries, 530

Complete transposition of the great arteries; visualization of left and right outflow tract obstruction by oblique subcostal two-dimensional echocardiography, 1140

Morphology of ventricular septal defect in complete transposition of the great

arteries, 1566

Subxiphoid two-dimensional echocardiographic identification of tricuspid valve abnormalities in transposition of the great arteries with ventricular septal defect, 1146

Two-dimensional echocardiographic estimation of right ventricular area change and ejection fraction in infants with systemic right ventricle (transposition of the great arteries or hypoplastic left heart syndrome), 1153

Trauma-induced pseudoaneurysm of the right ventricle: diagnosis by twodimensional echocardiography, 1658

Tricupsid atresia

Radionuclide assessment of ventricular contraction at rest and during exercise following the Fontan procedure for either tricuspid atresia or single ventricle, 1127

Tricuspid regurgitation

Correlation of paradoxical atrial septal motion and an interatrial pressure gradient in severe tricuspid regurgitation, 1431

Tricuspid anular dilatation and failure of tricuspid leaflet coaptation in tricuspid regurgitation, 599

Tricuspid regurgitation during pregnancy: two-dimensional and pulsed Dopple echocardiographic observations, 1059

Tricuspid valve

Mitral and tricuspid valve anular diameter in normal children determined by twodimensional echocardiography, 787

Shock late after implantation of a permanent transvenous cardiac pacemaker, 1241

Subxiphoid two-dimensional echocardiographic identification of tricuspid valve abnormalities in transposition of the great arteries with ventricular septal defect, 1146

Tricuspid anular dilatation and failure of tricuspid leaflet coaptation in tricuspid regurgitation, 599

Usefulness of Doppler echocardiography in detecting tricuspid valve stenosis, 601

erous scierosis

Echocardiographic incidence of cardiac rhabdomyoma in tuberous sclerosis, 1379

Reversible right ventricular outflow tract compression by immunoblastic sarcoma, 239

Two-dimensional echocardiography

Accuracy of prospective two-dimensional echocardiographic evaluation of left ventricular outflow tract in complete transposition of the great arteries, 759

Accuracy of two-dimensional echocardiography in the diagnosis of congenital heart disease, 514

Association of false tendons with left ventricular aneurysm, 1425

Asymmetry in hypertrophic cardiomyopathy: the septal to free wall thickness ratio revisited, 835

Comparison of two-dimensional echocardiographic and angiographic findings in arrhythmogenic right ventricular dysplasia, 1506

Complete transposition of the great arteries: visualization of left and right outflow tract obstruction by oblique subcostal two-dimensional echocardiography, 1140

Contractile properties of the left ventricle with aneurysm, 338

Coronary artery fistula: a pulsed Doppler/ two-dimensional echocardiographic study, 1652

Detecting and excluding significant left main coronary artery narrowing by echocardiography, 937

Dynamic intracavitary left atrial schoes in mitral stenosis, 603

Echocardiographic incidence of cardiac rhabdomyoma in tuberous sclerosis, 1379

Mitral and tricuspid valve anular diameter in normal children determined by twodimensional echocardiography, 787

Myocardial infarct size threshold for twodimensional echocardiographic detection: sensitivity of systolic wall thickening and endocardial motion abnormalities in small versus large infarcts, 551

Noninvasive detection of anomalous origin of the left main coronary artery from the pulmonary trunk by pulsed Doppler echocardiography, 608

Nonpenetrating traumatic ventricular septal defect: two-dimensional echocardiographic and angiographic findings, 1242

Normal cardiac dimensions by magnetic resonance imaging, 1440

Origin of the right coronary artery from the pulmonary trunk: diagnosis by twodimensional echocardiography, 232

Paradoxical deterioration of left ventricular asynergy after administration of nitroglycerin, 677

Parasternal cross-sectional echocardiographic determination of aortic arch situs: a new approach, 1236

Relation between the transmural extent of acute myocardial infarction and associated myocardial contractility two weeks after infarction, 1412

Straddling atrioventricular valve: twodimensional echocardiographic diagnosis, classification and surgical implications, 505

Subxiphoid two-dimensional echocardiographic identification of tricuspid valve abnormalities in transposition of the great arteries with ventricular septal defect, 1146

Trauma-induced pseudoaneurysm of the right ventricle: diagnosis by twodimensional echocardiography, 1658 Tricuspid anular dilatation and failure of

tricuspid leaflet coaptation in tricuspid regurgitation, 599 Tricuspid regurgitation during pregnancy:

two-dimensional and pulsed Doppler echocardiographic observations, 1059 Two-dimensional echocardiographically

guided pericardiocentesis: experience in 117 consecutive patients, 476

Two-dimensional echocardiographic demonstration of multiple needles in the heart, 1245

Two-dimensional echocardiographic estimation of right ventricular area change and ejection fraction in infants with systemic right ventricle (transposition of the great arteries or hypoplastic left heart syndrome), 1153

Two-dimensional echocardiographic localization of residual atrial shunts after the Senning procedure, 1238

Two-dimensional echocardiography in detection of endocardial cushion defect in families, 1649

Usefulness of high-dose anticoagulants in preventing left ventricular thrombus in acute myocardial infarction, 1491

Value of image enhancement and injection of contrast medium for right ventricular volume determination by two-dimensional echocardiography in congenital heart disease, 152

# Univeniricular heart

Angiographic anatomy of hearts with one ventricular chamber: the true single ventricle, 1363 Variable morphology of ventricular septal

defect in double inlet left ventricle. 1560

Immediate hemodynamic effects of urapidil in patients with essential hypertension, 722

Intravenous urokinase in acute myocardial infarction, 878

Concomitant pulsus and U-wave alternans after head trauma, 851

Vagal tone

Postvagal tachycardia, 995

Comparative electrophysiologic effects of adenosine triphosphate and adenosine in the canine heart; influence of atropine, propranolol, vagotomy, dipyridamole and aminophylline, 571

Valve prostheses

Estimation of mechanical stresses on closed cusps of porcine bioprosthetic valves: effects of stiffening, focal calcium and focal thinning, 1091

Strut fracture and disk embolization of a Biörk-Shiley mitral valve prosthesis, 597

Occlusion time and inflation pressure in pulmonary valvuloplasty (LE), 619 Percutaneous balloon valvuloplasty for aortic valve stenosis in infancy, 1655

Vascular load

Effects of age on ventricular-vascular coupling, 1179 Vascular resistance

Effects of age on ventricular-vascular coupling, 1179

Functional differences in blood vessels determined from studies with calciumchannel blockers: functional changes in forearm resistance vessels of men with primary hypertension, 24B

Effect of vasodilators on survival in chronic congestive heart failure, 1110 Physiologic assessment of the inotropic, vasodilator and afterload reducing effects of milrinone in subjects without

cardiac disease, 1204 RO13-6438, a new inotrope-vasodilator: systemic and coronary hemodynamic

effects in congestive heart failure, 1539 Role of vasodilators in the treatment of congestive heart failure, 32A

Sublingual nifedipine: acute effects in severe chronic congestive heart failure secondary to idiopathic dilated cardiomyopathy, 1359

opressin

Acute hemodynamic effect of a vascular antagonist of vasopressin in patients with congestive heart failure, 1043

Response of plasma vasopressin to ethanol in congestive heart failure. 1354

ous capacitance

Isosorbide dinitrate and glyceryl trinitrate: demonstration of cross tolerance in the capacitance vessels, 927

Ventricular arrhythmias

Bretylium: relations between plasma concentrations and pharmacologic actions in high-frequency ventricular arrhythmias, 395

Day-to-day reproducibility of responses to right ventricular programmed electrical stimulation: implications for serial drug testing, 689

Effect of digitalis treatment on survival after acute myocardial infarction, 623

Efficacy of propafenone compared with quinidine in chronic ventricular arrhythmias, 1520

Endocardial activation mapping and endocardial pace-mapping using a balloon apparatus, 1076

Flecainide-induced aggravation of ventricular arrhythmias, 1643

intravenous and oral loading versus oral loading alone with amiodarone for chronic refractory ventricular arrhythmias, 89

Late, fractionated potentials, 1614 Local abnormalities of right ventricular depolarization after repair of tetralogy of Fallot: a basis for ventricular arrhythmia, 522

Multicenter low-dose amiodarone trial for "severe" ventricular arrhythmias (LE),

Suppression of arrhythmias within hours after a single oral dose of amiodarone and relation to plasma and myocardial concentrations, 696

Ventricular arrhythmia induced by programmed ventricular stimulation after acute myocardial infarction, 391

Ventricular arrhythmias induced by dynamic and static exercise in relation to coronary artery bypass grafting, 948 Ventricular defibrillation

influence of magnesium ion on human ventricular defibrillation after aortocoronary bypass surgery, 61 Ventricular fibrillation

Antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with coronary artery disease as assessed by electrophysiologic studies, 1494

Cardiac arrest and sudden death in patients treated with amiodarone for sustained ventricular tachycardia or ventricular fibrillation: risk stratification based on clinical variables, 372

Characterization of ventricular fibrillation during coronary angiography (LE), 249 Development of an endocardial-epicardial

gradient of activation rate during electrically induced, sustained ventricular fibrillation in dogs, 813

Mechanism on the effect of bretylium on the ventricular fibrillation threshold in dogs, 1396

Polymorphic ventricular tachycardia and ventricular fibrillation due to N-acetyl procainamide, 227

Signal-averaged electrocardiographic late potentials in patients with ventricular fibrillation or ventricular tachycardia: correlation with clinical arrhythmia and electrophysiologic study, 1350

Sinus rhythm mapping in healed experimental myocardial infarction: contrasting activation patterns for inducing ventricular tachycardia versus fibrillation, 1601

Usefulness of electrophysiologic testing in evaluation of amiodarone therapy for sustained ventricular tachyarrhythmias associated with coronary heart disease.

Ventricular fibrillation during coronary arteriography (LE), 248

Ventricular function

Comparison of ventricular function after Senning and Jatene procedures for complete transposition of the great arteries, 530

Effect of bradycardia on dispersion of ventricular refractoriness, 1009

Evaluation of begridil for the treatment of angina pectoris: evidence for preservation of left ventricular function, 30C

Hemodynamic benefits of synchronized 1:1 atrial pacing during sustained ventricular tachycardia with severely depressed ventricular function in coronary heart disease, 990

Hemodynamic effects of intravenous bepridil in patients with normal left ventricular function, 20C

Use of calcium antagonists in ventricular dysfunction, 81B

Value and limitations of radionuclide angiography in determining the cause of reduced left ventricular ejection fraction: comparison of idiopathic dilated cardiomyopathy and coronary artery disease, 541

Ventricular outflow

Accuracy of prospective two-dimensional echocardiographic evaluation of left ventricular outflow tract in complete transposition of the great arteries, 759

Calcified right ventricular outflow tract aneurysm after repair of tetralogy of Fallot, 611

Complete transposition of the great arteries: visualization of left and right outflow tract obstruction by oblique subcostal two-dimensional

echocardiography, 1140 Right ventricular outflow obstruction caused by constrictive pericardial disease, 1447

Ventricular premature beats

Chronic lorcainide therapy for symptomatic premature ventricular complexes: efficacy, pharmacokinetics and evidence for norlorcalnide antiarrhythmic effect, 72

Paradoxical delay in accessory pathway conduction during long R-P' tachycardia after interpolated ventricular premature complexes, 1223

To beat or not to beat: arguments for use of the term Ventricular Premature Depolarization, 1113

Ventricular refractoriness

Effect of site of pacing on dispersion of refractoriness, 1339

viricular septal defect

Anatomically corrected malposition of the great arteries: diagnostic difficulties and surgical repair of associated lesions, 1367

Assessment of hemodynamic status in the intensive care unit immediately after closure of ventricular septal defect, 526

Direct reconstruction of pulmonary artery arborization anomaly and intracardiac repair of pulmonary atresia with ventricular septal defect, 1647

Doppler detection of acquired ventricular septal defect, 586

Morphology of ventricular septal defect in complete transposition of the great arteries, 1566

Nonpenetrating traumatic ventricular septal defect: two-dimensional echocardiographic and angiographic findings, 1242

Occlusion of Björk-Shiley aortic valve prosthesis by hypertrophied ventricular septum (LE), 1119

Operative repair of coarctation of the aorta in infancy: results with and without ventricular septal defect, 1555

Small left atrium and change in contour of the ventricular septum in total anomalous pulmonary venous connection: a morphometric analysis of 22 infant hearts, 777

Subxiphoid two-dimensional echocardiographic identification of tricuspid valve abnormalities in transposition of the great arteries with ventricular septal defect, 1146

Trauma-induced pseudoaneurysm of the right ventricle: diagnosis by twodimensional echocardiography, 1658 Variable morphology of ventricular septal

defect in double inlet left ventricle, Ventricular septal rupture during ibuprofen

therapy for pericarditis after acute myocardial infarction, 1631

Ventricular stimulation

Electrophysiologic evaluation and follow-up characteristics of patients with recurrent unexplained syncope and presyncope, 703

Ventricular tachycardia

Antiarrhythmic drug efficacy for ventricular tachyarrhythmias associated with coronary artery disease as

assessed by electrophysiologic studies, 1494

Arrhythmias in ischemic and nonischemic dilated cardiomyopathy: prediction of mortality by ambulatory electrocardiography, 146

Cardiac arrest and sudden death in patients treated with amiodarone for sustained ventricular tachycardia or ventricular fibrillation: risk stratification based on clinical variables, 372

Catheter ablation of incessant ventricular tachycardia refractory to external cardioversions, 1637

Catheter mapping during sinus rhythm: relation of local electrogram duration to ventricular tachycardia cycle length, 713

Chest thump acceleration of ventricular tachycardia (LE), 249

Comparison in the same patient of two programmed ventricular stimulation protocols to induce ventricular tachycardia, 380

Continuous electrical activity during sustained monomorphic ventricular tachycardia. Observations on its dynamic behavior during the arrhythmia, 402

Diagnostic potential for verapamil in wide QRS complex tachycardia, 1428

Ectopic ventricular tachycardia sensitive to calcium antagonists in acute myocardial infarction in dogs, 1085

Effect of electrical activation site on left ventricular performance in ventricular tachycardia patients with coronary heart disease, 84

Flecainide: electrophysiologic and antiarrhythmic properties in refractory ventricular tachycardia, 956

Flecainide: long-term treatment using a reduced dosing schedule, 79

Hemodynamic benefits of synchronized 1:1 atrial pacing during sustained ventricular tachycardia with severely depressed ventricular function in coronary heart disease, 990

Intravenous and oral loading versus oral loading alone with amiodarone for chronic refractory ventricular arrhythmias, 89

arrhythmias, 39 intravenous quinidine: relations among concentration, tachyarrhythmia suppression and electrophysiologic actions with inducible sustained ventricular tachycardia, 92

Late potentials in normal subjects and in patients with ventricular tachycardia unrelated to myocardial infarction, 384

Folymorphic ventricular tachycardia and ventricular fibrillation due to N-acetyl procainamide, 227

Polymorphous ventricular tachycardia provoked by lidocaine, 592

Quantification of differences in frequency content of signal-averaged electrocardiograms in patients with compared to those without sustained ventricular tachycardia, 1500

Relation of late potentials to site of origin of ventricular tachycardia associated with coronary heart disease, 985

Results of late programmed electrical stimulation and long-term electrophysiologic effects of amiodarone therapy in patients with refractory ventricular tachycardia, 375

Signal-averaged electrocardiographic late potentials in patients with ventricular fibrillation or ventricular tachycardia: correlation with clinical arrhythmia and electrophysiologic study, 1350 Sinus rhythm mapping in healed experimental myocardisi infarction: contrasting activation patterns for inducing ventricular tachycardia versus fibrillation, 1601

Subendocardial resection for sustained ventricular tachycardia in the early period after acute myocardial infarction, 380

Usefulness of electrophysiologic testing in evaluation of amiodarone therapy for sustained ventricular tachyarrhythmias associated with coronary heart disease, 367

Value of Holter monitoring in identifying risk for sustained ventricular arrhythmia recurrence on amiodarone, 709

Value of preexisting bundle branch block in the electrocardiographic differentiation of supraventricular from ventricular origin of wide QRS tachycardia, 717

Ventricular activation in normal sinus rhythm: abnormalities with recurrent sustained tachycardia and a history of myocardial infarction, 974

Ventricular tachycardia in children without heart disease, 1328

Ventricular volume

Comparison of ventricular function after Senning and Jatene procedures for complete transposition of the great arteries, 530

End-systolic left ventricular pressuredimension shift during acute relief of volume overload in the conscious dog, 1102

Ventricular wall

Analysis of phase-angle histograms from equilibrium radionuclide studies: correlation with semiquantitative grading of wall motion, 535

Asymmetry in hypertrophic cardiomyopathy: the septal to free wall thickness ratio revisited, 635

Effect of weight loss on cardiac chamber size, wall thickness and left ventricular function in morbid obesity, 783

function in morbid obesity, 783 Intravenous urokinase in acute myocardial infarction, 878

In vivo assessment of left ventricular wall and chamber dynamics during transient myocardial ischemia using cine computed tomography, 560

Magnetic resonance imaging in hypertrophic cardiomyopathy, 1121

Mycardial infarct size threshold for twodimensional echocardiographic detection: sensitivity of systolic wall thickening and endocardial motion abnormalities in small versus large infarcts, 551

Normal cardiac dimensions by magnetic resonance imaging, 1440

Occluding clot in the left main coronary artery with survival long enough to develop massive left ventricular wall necrosis, 1218

Value and limitations of radionuclide angiography in determining the cause of reduced left ventricular ejection fraction: comparison of diopathic dilated cardiomyopathy and coronary artery disease, 541

Ventriculography

Intracoronary thrombolytic therapy in acute myocardial infarction: a prospective, randomized, controlled trial, 301

Relation of coronary artery disease and left ventricular systolic dysfunction to left ventricular end-diastolic pressure after left ventriculography, 1822

Verapami

Calcium antagonists for acute ischemic heart disease, 116B

Calcium-channel blockers in prophylaxis and treatment of asthma, 2028 Calcium-channel blocking agents for

gastrointestinal disorders, 2108 Clearance-based oral drug interaction between verapamil and metoprolol and comparison with atenolol, 1628

Clinical and hemodynamic evaluation of propranolol in combination with verapamil, nifedipine and diltiazem in exertional angina pectoris: a placebocontrolled, double-blind, randomized, crossover study, 680

Combination therapy with calcium-channel blockers and beta blockers for chronic stable angina pectoris, 69B

Diagnostic potential for verapamil in wide QRS complex tachycardia, 1428 Effects of calcium-channel blocking

agents on left ventricular diastolic function in hypertrophic cardiomyopathy and in coronary artery disease, 1728

Effects of verapamil in preventing early postinfarction angina and reinfarction, 900

Electrophysiologic and antiarrhythmic actions of bepridil: comparison with verapamil and ajmaline for atroventricular reentrant tachycardia, 1513

Influence of calcium-channel blockers on platelet function and arachidonic acid metabolism, 158B

Microvascular spasm as a cause of cardiomyopathies and the calciumblocking agent verapamil as potential primary therapy, 179B

Modification of experimental atherosclerosis by calcium-channel blockers, 165B

Propranolol-verapamil versus propranololnifedipine in severe angina pectoris of effort: a randomized, double-blind, crossover study, 281

Second-generation calcium antagonists: search for greater selectivity and versatility, 214B

Therapeutic application of calciumchannel antagonists for pulmonary hypertension, 196B

Use of calcium antagonists in ventricular dysfunction, 81B

Use of calcium-channel blocking drugs in hypertrophic cardiomyopathy, 1858 Vasodilator synchronized retroperfusion: quantitative assessment of flowfunction relation in acutely ischemic

canine myocardium, 1417

# Warfarin

Usefulness of high-dose anticoagulants in preventing left ventricular thrombus in acute myocardial infarction, 1491

Wenckebach periodicity

Wenckebach periodicity with apparent 1:2 conduction over the atrioventricular node: the problem of interpretation, 1429

Wolff-Parkinson-White syndrome

Exercise testing in children with Wolff-Parkinson-White syndrome, 1001 Slow inward current and cardiac

arrhythmias, 89B

Study of Wolff-Parkinson-White syndrome by transesophageal pacing and assessment of long-term amiodarone therapy, 852 Abben R. 910 Abdollah H. 402 Abdulali SA, 450 Abela GS, 1389 Abinader EG, 621 Abrams LD, 1657 Adams J. 865 Agarwal JB, 669, 1601 Agarwal KC, 519 Aharon A, 1192 Ahumada GG, 601 Akhtar M. 717 Alexander JA, 1438 Alexander S, 735 Alferness C. 199 Alford BA, 612 Alker KJ, 566 Allen GS, 149B Allen HD, 1162 Allen RH, 1647 Allen WM, 439 Alfred EN, 731 Aimendral JM, 703 Almouist A. 807 Alpert JS, 20C, 50C Alpert MA, 783 Ambos HD, 1500 Ameisen O, 271 Ammirati A, 1140 Amodeo C, 722 Amsterdam E. 167D Amuchestegui M, 1032 Anderson JL, 471, 1550 Anderson RH, 862, 1560 Anderson RL, 149D Anderson S. 1539 Anderson WD, 1485 Antillon JR 519 Antman EM, 3E, 1303 Antonelli G. 603 Arbogast B, 1119 Arciniegas JG, 48 Areskog NH, 132D, 167D Aretz T, 1584 Armstrong MA, 577 Arvan S, 338 Atkinson JB, 952 Atlas SA, 122 Attar M. 301 Aueron FM, 188 Averill DB, 657 Avolio AP, 1179

Baardman T. 1313 Badillo P, 338 Bagger JP, 864 Bailey KR, 1282 Baim DS, 1204 Baker BJ, 545, 1520 Baky S, 214B Balady GJ, 37 Baliga BG, 450 Ball RM, 1242 Ballerini L, 1140 Balwierczak J, 3C Bandura A. 635 Bar FW. 224 Barbour DJ, 609, 1220 Bardy GH, 1223, 1506 Bargeron LM Jr, 1363 Barlow JB, 501 Barry WH, 910 Bartelings MM, 1566 Barth CW III, 1218, 1229 Bartholomew M, 471 Bass JL, 826, 1236, 1379, 1649 Bass TA, 1359, 1431 Bates ER, 188 Batsford WP, 689 Battaglia J. 896 Battler A. 588 Baumann FG, 847 Bazo LC. 330 Reguman G.I. 188 Becher H. 878 Beckers C, 889 Beeder C, 614 Beelen A, 1313 Beerman LB, 861, 1373 Belhassen B, 571, 1637 Beller GA, 920 Bellocci F, 391 Belot J-P, 1102 Bemis CE, 857 Benassi A. 1319 Bender HW Jr. 1555 Benditt DG 807 Benet LZ, 8C, 184 Benhorin J, 1200 Benotti JR, 20C Benson DW Jr. 807 Berdeaux A, 1417 Berger HJ, 1032 Berger WE III, 251 Bergman G. 1589 Berman DS, 883 Berne RM, 85D, 170D Bernini W 589 Berra K. 251 Berry JM, 1236 Besozzi M, 1298 Bharati S, 194 Biamino G, 313 Biasco G. 603 Bical O. 1102 Bicoff JP, 842 Bierman FZ, 759 Bigger JT Jr. 623 Bilitch M. 619 Bilsker MS, 1433 Bing RJ, 1596 Birkui P, 830 Blackburn H. 167D Blanchet F. 748 Blevins RD, 89 **Block M, 582** Block PC, 347, 1469 Block PJ, 937 Blomqvist CG, 267 Blouin RA, 30B Blumlein S, 165B Boden WE, 1631 Boerboom LE, 556 Bogart DB, 1241 Bois MA, 941 Boland MJ, 1242 Boldrini R. 1140 Bolger A, 614 Bolli R. 1609 Boltwood CM, 677 Bonchek LI, 556 Bonow RO, 61B, 69B, 172B, 185B Borer JS, 25C, 271, 1545 Borow KM, 790, 1168, 1204 Bos E. 362

Bos RJ, 1313

Bott-Silverman C, 657 Botvinick EH, 1121, 1440 Boucek RJ Jr, 1555 Boucher CA, 30C, 54, 347, 541, 1469 Boudoulas H, 915 Boughner DR, 242 Bourassa MG, 941 Bourdarias JP, 1417 Bove AA, 248, 582 Boyd DP, 560 Braat SH, 224 Brady PM, 20C Brammell HL, 169D Brandt PWT, 770 Brasseur LA, 889 Braunwald E. 566, 1204, Breningstall GN, 1379 Brennan FJ, 1428 Bresnahan D. 335 Brewer HB Jr, 1282 Bricker JT, 1001 Brinker JA, 1453 Bristow MR, 120D Brooks-Brunn J, 309 Brower RW, 362, 1313 Brown JW, 859 Brown KA, 54 Brugada P, 224, 380, 402, 412, 1113 Bruggemann T, 313 Brunner HR, 1043 Bruzzone CL 801 Brynjolf I, 164 Bueno MC, 330 Bulkley BH, 1453 Bullaboy CA, 611 Burger A, 849 Burger BM, 232, 759 Burger W, 1596 Burggraf GW, 103 Burke BA, 210 Burket MW, 592 **Burns RJ, 1270** Bursztyn M, 1445 Bush CA, 915 Bussien J-P, 1043 **Butany J, 1609** Butman SM, 277 Buxton AE, 703, 709, 713, 985 Byrd BF III, 1121, 1440

Caillet D, 1102 Cain ME, 1500 Caldwell JH, 645, 1185 Caldwell RL, 859 Califf L, 1478 Califf RM, 318, 325, 621, 1478 Callahan JA, 476 Callahan MJ, 476 Cammarano AA, 1231 Cammarosano C, 1240 Campbell S, 585, 1589 Campeau L, 941 Cannon RO III, 50B, 61B. 1609 Capasso JM, 179B Cappola PR, 519 Carl LV, 239 Cariquist JF, 1550 Carlyle PF, 423

Cerqueira M. 1185 Chaffee V, 1632 Chandra R, 777 Charlap S. 43C Charuzi Y, 614 Chase KA, 1623 Chatterjee K, 726, 1121. 1539 Chawla SK, 138 Chemnitius JM, 1596 Chen CC, 1245 Chesler DA. 347 Chesler F. 50C Cheymol G, 696 Chiang BN, 1245 Childers RW, 1168 Chin AJ, 759, 1146, 1238 Chin K. 677 Chipman CW, 526 Choong CY-P, 428, 1027 Christensen DM, 30C Christensen NJ, 164 Christlieb IY, 125B Chu DA 801 Chung KJ, 1328 Cianflone K. 291 Clark RE. 125B Clarke RH. 1192 Class RN, 968 Clayden AD, 450 Clement DL, 1423 Cobb FR, 318 Cobb LA, 645 Cody RJ, 36A, 122, 146, 726 Coglitore S. 1634 Cohen AS, 1645, 1646 Cohen JL, 1393 Cohen M, 1054 Cohn JN, 1A, 1C, 1D, 125D, 169D, 423, 867 Cohn LA, 731 Cohn LH, 731 Cohn PF, 223 Cokkinos DV, 1437 Col J. 889 Colan SD, 790, 1153 Colardyn FA, 1423 Colavita PG, 813, 1227 Coleman RE, 318 Colli AM, 1367 Collignon P, 580 Collins JJ Jr. 731 Collins RH, 1241 Collins SM, 551 Collins VR, 423 Colombo A, 277 Coltorti F, 1223 Colvin EV, 1647 Colvin SB, 847 Come PC, 239, 586, 599,

1204 Come SE, 239

Commin P, 830

Condorelli M, 116, 1639

Carpenter MA, 612

Cashman PMM, 1534

Cassidy DM, 703, 713, 985

Castaneda AR, 526, 759,

Cashion WR, 301

1146, 1238

Castell DO, 210B

Castellanos A, 1344 Castillo CA, 1344

Castronovo FP Jr. 171

Conetta DA, 1359, 1431 Connors LH, 1646 Conti CR, 1B, 41B, 1179. 1389, 1431 Cook EF, 744 Cook L. 1066 Cook SA, 1308 Cooke DA, 1623 Cooper TB, 48 Coplin B, 9E Corbett JR, 281 Corley N, 48 Coto H, 384 Cournel P. 696 Cowley MJ, 1424 Craddock GB, 920 Craige E, 205 Crampton RS, 61 Crawford MH, 43C Crea F. 900, 1389 Crean P. 900 Criley JM, 199 Critelli G. 1639 Croft CH, 281, 849 Crosby IK, 61 Crowley DC, 1133 Crozatier B, 1102 Cueto-Garcia L, 606 Cuocolo A, 116 Curran D, 1539 Currie PJ, 342

D'Alonzo GE, 159 Dalv K. 1589 Daly PA, 1539 Dammann JF, 612 Danford DA, 608 Danielson GK, 505, 1447, 1509 Danilowicz D, 860 Dantzker DR, 159 David PR, 941 Davies G, 900 Davis JC, 372 Davison R. 181, 335 Day PJ, 432 Deal BJ, 1146 Deen PB. 560 Deanfield J. 522, 900 de Buitleir M, 15E DeBusk RF, 251, 499, 635 de Castro CM, 58 De Caterina R, 589 De Coster PM, 889 de Feyter PJ, 357, 362 De Giovanni JV, 1657 de Leval M, 1367 Del Torso S. 1127 Dempsey JA, 59D, 170D den Dulk K. 412, 593 Denef B, 1571 Denes P. 391, 1005 Deng Z, 1222 Denker S, 717 Dennis CA, 499 Denton TA, 1525 De Simone A, 116 De Simone G. 1140 de Soyza N, 545, 1520 deTarnowsky J, 1076 Detry J-MR, 889 Deuvaert F, 1425 Devereux RB, 1545

Dibdin JD, 1229 Dibianco R, 36C, 43C, 50C Dicarlo LA Jr. 372 Dick M, 1133 Diethelm E. 1363 Dinh H. 1520 Disegni E, 1649 Disesa VJ. 731 Di Sessa TG, 610 Distante A, 1319 Dodge D, 1354 Dodge HT, 169D, 878 Doherty JE, 545 Doherty JU, 703, 709, 713 Doi YL, 168 Dombek SJ, 1241 Dominguez MD, 330 Donaldson RF, 1192 Donato L. 589 Dongas J, 717 Dougherty AH, 1664 Downs J, 296 Driscoll D.J. 1232 Dubois C, 580 Duff HJ, 92, 395 Dumoulin M, 1571 Dwyer EM Jr. 613 Dyer A, 1625

Dyrda I, 941

Earnest JB, 1241 Edwards JE, 138 Edwards WD, 505, 606 Ehsani AA, 797 Einzig S, 1236 Ekelund L-G, 167D Elayda MA, 58 Eldar M, 588 Eliasson K, 79D Elkayam U, 1393 Ellenbogen KA, 1227 Ellestad M, 167D Ellis FH Jr. 735 Ellis SG. 1412 Emura M. 1259 Endo M. 662 Engel TR, 1339 Englert M, 1425 Epstein SE, 1B, 10B, 50B, 61B, 69B, 185B Escorsin M. 830 Escoubet B. 696 Esterbrooks DJ, 263 Estes NAM, 956 Euler DE, 1070, 1396 Evans-Bell T, 372 Ewart CK, 635 Ewels CJ, 673 Ewy GA, 135D, 142D, 149D, 169D Ezekowitz MD, 495 Ezri MD, 1005

Factor SM, 179B Faitel K, 89 Falcone RA, 703 Falk RH, 1645, 1646 Fanna JI, 1076 Fanta CH, 202B Farcot JC, 1417 Faris WE, 135D Farmer D, 230, 560 Farnham DJ, 43C Farshidi A, 594 Fauchet M, 830 Fein F, 179B Feld Q, 14C Feldman RL, 652, 844, 845, 1216, 1389 Feldman T, 1168 Fenech A. 1389 Fenyvesi T, 1429 Ferguson D, 963 Fernandez GC, 1059 Ferrans VJ, 1609 Ferrara RP, 229 Ferrario CM, 657 Ferrick K.I. 623 Filabozzi P. 589 Fillipchuk NG, 1243 Finberg S, 1019 Finkelstein SM, 423 Floretti P, 1313 Firth BG, 1622 Fischer AE, 1500 Fischer DR, 861, 1373 Fischer EH. 1241 Fishbein MC, 439 Fisher J, 25C Flatley M, 744 Fleiss JL, 623 Fletcher BD, 1158 Fletcher GF, 110D, 167D Fletcher PJ, 428, 1027 Flinn CJ, 1162, 1402 Flores BT, 709 Flowers D. 79 Flowers NC, 384, 1247. 1407 Follansbee WP, 127 Fonda F, 1427 Forman MB, 952 Foschi A, 842 Foult J-M, 748 Fowler MB, 120D, 170D Fraker TD Jr, 592 Franciosa JA, 1520 Francis GS, 15A Franz I-W, 169D Frederiksen JW, 1076 Freedman RA, 1350 Freedom RM, 234 Fregosi RF, 590 Freis FD 107 1015 Freund BJ, 135D, 142D, 1490 Friart A, 1425 Fricker FJ, 861, 1373 Friedman DM, 1652 Friedman GD, 577 Friedman PL, 910 Friedman Wf, 610, 616 Friehling TD, 1339 Frishman WH, 43C Frisk-Holmberg M, 170D Froelicher V, 155D, 170D Frohlich ED, 722, 1023 Frumin H. 89 Fukagawa K, 585 Fulton DR, 1328 Fulton KL. 281

Galloto FM Jr, 777 Gallagher JJ, 1223, 1506, 1639 Gamble WH, 462 Gang ES, 1222, 1525 Ganz P, 3E, 910 Ganz W, 883 Garan H, 956 García CL, 330 García E, 58

Furberg CD, 45A, 1110

Furiasse JG, 249

Fuster V, 1054

Garcia OL, 1323 Garcia-Del-Castillo H, 597 Garfein OB, 613 Garnic JD, 910 Garson A Jr. 1001 Gartner JC, 1373 Gavish A. 1200 Gazzetti P. 589 Geiger UKM, 1175 Co iser EA, 1431 Gelband H, 1402 Gelmers HJ, 139B, 144B Genest J. 291 Gensini GG, 871 George B, 1215 Gerbes AL. 1119 German LD, 1223, 1227,

1506 Gersh B.J. 1509 Gerstenblith G, 27E Gertz MA, 1645, 1646 Geyer RP, 830 Giannessi D. 589 Giannico S, 1140 Gibson RS, 920 Gibson TC, 1584 Gilbert FM 471 Gilbert MR, 1227 Gilday D, 1270 Gillette PC, 1001 Gillis AM, 1350 Gilmour RF Jr. 89B Ginsburg R, 1293 Girod DA, 859 1566

Gittenberger-de Groot AC. Giudicelli JF, 1417 Gjorup T, 164 ssman E, 856 Glickman M, 495 Go RT, 1308 Godtfredsen J. 164 Gold HK, 1463 Goldbaum TS, 578 Goldberg HL, 25C, 271 Goldberg SJ, 1162 Goldman L. 744 Goldsmith SR, 1354 Goldstein RA, 1664 Goldstein S, 1158 Goldwater DJ, 114D Gonzalez MD, 852 Gordon EP, 101D Gordon NF, 74D, 169D Gorgels APM, 224 Gornick CC, 807 Gottfert G, 33 Gottlieb SO, 27E, 1453 Goy JJ, 1043 Grady AE, 1424 Graham TP Jr, 1555 Grande P, 1478 **Grant P, 1657** Green M, 1270 Green SJ, 1063 Greenberg E, 963 Greenberg JM, 541 Greenberg M, 1625 Greenspan AM, 367, 1494 Gregg RE, 1282 Griebenow R, 1120 Griffin JC, 1009 Griffith LSC, 375, 956 Grogan EW, 703 Grose R, 1625 Grossman W, 1204 Guccione P, 1140 Guehler J, 807 Guillen RH, 852

Gunay II, 556 Guntheroth WG, 1231 Gutgesell HP, 514, 608, 612, 787 Guzman PA, 1453

Haavisto MV, 1175 Haen E. 1119 Haffty BG, 168 Hagberg JM, 797 Hagler DJ, 505 Hahne H-J, 152 Haidet K, 1383 Hakki A-H, 857, 1287 Hall MH, 1063 Hall RJ, 58 Halle A, 25C Hallstrom AP, 645 Hamann SR, 30B Hamdan BA, 1425 Hamer AW, 990 Hamid MS, 1091 Hammerman H, 566 Hammill SC, 1509 Hammon JW Jr, 1555 Hand JW, 1407 Hand RC, 1247, 1407 Hanson P, 1298 Harbrecht JJ. 263 Hardin NJ 1584 Hargrove WC, 980 Harken AH, 980 Harp G, 1185 Harper RW, 342, 1628 Harrell FE Jr, 621 Harris PJ, 428, 1027 Harrison DC, 27D, 29D. 101D, 114D Harrison PM, 1628

Harrison DC, 27D, 29D, 101D, 114D Harrison PM, 1628 Hartman J, 1435 Hartwell TD, 1463 Hartzell AA, 135D, 142D, 149D Har-Zahav Y, 588 Haskell WL, 4D, 101D, 129D, 180D, 251

129D, 169D, 251 Hastir F, 580 Haufe M, 98 Havelda CJ, 1247 Hayashi H, 1097 Heaf JG. 1530 Hecker BR, 61 Heikkila J, 296 Heine DL, 956 Heintzen PH, 152 Helfant RH, 669, 1601 Heigeland A, 40 Henochowicz S, 1239 Henry PD, 125B Henschke Cl, 1412 Hernandez JS, 330 Herre JM, 227 Hess RG, 48 Hetrick GA, 135D Heupler FA Jr. 657 Hewitt BF, 101D Heyndrickx GR, 1423 Higashikubo R, 1550 Higginbotham MB, 318 Higgins CB, 230, 480, 560,

Higher Cb, 234, 400, 560, 1121, 1440 Hilgard J, 1005 Hill JA, 652, 844, 1216 Hill NE, 896 Hillis LD, 116B, 281, 1622 Hindman NB, 1485 Hirasawa K, 1027 Hjermann I, 40 Hlatky MA, 325, 621 Ho SW-C, 258 Ho SY, 865 Hoagland PM, 744 Hochreiter C, 1545 Hodgson JM. 188 Hoeg JM, 1282 Hofbauer KG, 1043 Hofman A, 639 Holman BL, 3E, 1303 Holme I, 40 Holmes DR Jr, 248, 1509 Holmes J, 146 Homma S, 240 Hopkins J. 286 Hör G. 1048 Horan LG, 1247, 1407 Horgan JH, 620 Hornung RS, 1534 Horowitz LN, 367, 974, 1494 Horowitz SF, 1054 Horwitz D, 418 Hoshino S, 530 Houle S, 1270 Houston D, 1019 Hsiung MC, 1245 Hsu L, 1277 Huestis W, 1293 Huffines D. 514 Hugenholtz PG, 357, 362. 1313 Huhta JC, 514, 608, 787

Idanpaan-Helikkila U, 185B Ideker RE, 813, 1485, 1614 Iha D, 755 Ilia R, 571 Iliceto S, 603 Imai Y, 530 Inada M, 168 Ishida M, 1259 Ishikawa T, 770 Iskandrian AS, 857, 1287 Isaner JM, 1192 Itai T, 1474 Ivanov J, 1270 Iwasaka T, 168

Huikuri HV, 948

Humen DP, 680

Hurwitz RA, 859

Hylander B, 79D

Hutton BF, 428, 1027

Hunter C, 860 Hurley BF, 797

Jacob AS, 622 Jacobstein MD, 1158 Jaffe AS, 1463 Jahrmarker H, 98 Jaillon P. 696 Janicki JS, 22A Jedeikin R, 612 Jennings RB, 107B Jennings RB Jr. 611 Jensen D, 155D Jeresaty RM, 138 Jewitt DE, 585, 1589 Jilka SM, 142D Jimenez AA, 330 Johannessen K-A, 1491 Johnson DH, 611 Johnston DL, 680 Johnston L, 1270 Jones DL, 821

Jones RI, 1534 Josephson MA, 81B, 286 Josephson ME, 703, 709, 713, 974, 980, 985 Jost S, 28 Joyner MJ, 135D, 142D, 149D

Kadota K. 905 Kafka H. 103 Kaijser L, 79D Kaiser P. 79D, 169D Kalff V 342 1127 Kallok MJ, 821 Kaltenbach M, 26, 1048 Kaltiala KS, 1175 Kambara H, 905 Kanarek DJ, 30C Kane-Marsch S, 1287 Kannel WB, 249, 1332 Kaplan KJ, 181, 335 Kaplan SM.: 101D Kaplinsky E, 1649 Kappagoda T, 1277 Kapsner S, 1632 Kapur S, 1234 Kardon MB, 1023 Karlsson J, 48D, 170D Karpawich PP, 519 Kates RE. 72 Kato N, 1474 Katz AM, 2B Katz D. 619 Katz RJ, 43C, 50C Kawai C, 905 Kawakubo K, 1474 Kay HR, 367, 1494 Kazmier F.J. 1447 Keane JF, 1328 Keefe DL, 72 Kelbaek H. 164 Kelly DL, 783 Kelly DT, 428, 1027 Kelly JG, 162D, 170D Kelly JL, 777 Kelly MJ, 342, 1127 Kennedy HL, 133, 229,

Kennedy JW, 871 Kent KM, 673 Kerber RE, 551 Kerelakes DJ, 1215 Keren A, 1350 Kerin NZ 89 Kersemakers JGM, 593 Kessler KM, 1433, 1664 Khatri IM. 1015 Kienzle MG, 703 Kieso R, 551 Kiess MC, 30C, 1469 Kimball B, 1270 Kimbiris D, 765, 857 King DH, 608, 787 King J, 1658 King TC, 1659 Kinney JL, 1019 Kinzer SM, 142D Kirby WMM, 1231 Kirkman PM, 236 Kissebah AH, 556 Kisslo J. 1506 Klatsky AL, 577 Klein GJ, 821 Klein LW, 669 Klein MS, 301 Klepzig H Jr, 1048 Kligfield P, 146, 271, 1545 Kloner RA, 566, 1412 Knight R, 1628 Kober G, 26 Kobrin I, 722, 1023 Kochsiek K, 33 Koech D. 755 Koren G. 1210 Korhonen UR, 948 Kosek J, 1293 Koslowski J. 3E Kostis JB, 43C Kostuk W.I. 680 Kotler MN, 1435 Kowey PR, 1339 Koyanagi H, 1097 Koyanagi S, 551 Krajcer Z, 1437 Kramer BL, 1037 Kramer H, 1545 Kramer-Fox R, 1545 Krappe J, 1643 Krauss XH, 639 Kremers M. 267 Krikler DM, 15E, 1513 Krishnaswami V. 127 Kron IL. 61, 612 Kron J. 1445 Kruyssen DACM, 639 Kubo SH, 122, 146, 726 Kuehl KS, 1234 Kulbertus HE, 580 Kulik TJ, 210 Kunis RL, 613 Kunkel B. 1048 Kurosawa H, 530 Kusukawa R. 1255 Kutsche LM, 1438 Kveselis DA, 1133 Kwiterovich P Jr. 291 Kyle MC, 107 Kyle RA, 606, 1645, 1646

L'Abbate A, 589, 1319 Labovitz AJ, 133, 229, 445 Laddu A, 1287 Lagier G, 696 Lake CL, 61 Laks H, 610 Lam C. 1019 Lambert CR, 652, 844 Lang P, 526 Lang RM, 1168 Lange PE, 152 Laniado S, 571, 1637 Lanzer P, 1121 Laplace M, 1102 Laragh JH, 122 Larosa JC, 1459 Larrousse-Perez E, 597 Lathrop DA, 3C Latson LA. 514 Lavergne A, 830 Lavine SJ, 127 Lawless CE, 249 Lawrinson WE, 1239 Lawson WE, 223 Leachman RD, 1437 Leclercq J-F, 696 Lee KL, 325, 621 Lee Y-C. 851 LeFree MT, 188 Leggett S, 1485 LeGrand V, 188 Lehmann MH, 248, 717 Leier CV, 915 Leja FS, 1070 Lejemtel TH, 41A Lense L, 223 Leon MB, 50B, 61B, 69B

Leonard D. 726 Leren P, 40 Lesoway R, 680 Lester WM, 590, 596 Lev M. 194 Levin DC, 910 Levin RL 856 Levine S. 673 Levine TB 32A Levinson P. 1015 Lew PS, 159 Lew AS, 614, 883 Lew H, 251 Lewis AB, 143 Lewis JM, 301 Lewis RP, 915 **Lewis SE, 1463** Lewis W, 1240 Liang C, 9E Liebau G. 33 Light A. 335 Lim J. 631 Lim YL, 342, 347 Lima JAC, 739 Lima SD, 739 Limacher MC, 1059 Lin AE. 1576 Linder BJ, 797 Linderer T, 313 Lindsay J Jr, 622, 1239 Links JM, 84 Lipscomb K, 267 Lipsick J. 1240 Lipton MJ, 230, 560, 1121 Littmann L, 1429 Liu P. 1270, 1469 LoCicero J III, 1076 Lock JE, 210, 826 Loeb HS, 249 Loeb JM, 1076 Lois JF, 610 Loop FD, 1308 Loperfido F, 391 Lorente P. 830 Lucas RV Jr. 826 Luceri RM, 1344 Luck JC, 1009 Ludbrook PA, 601 Luengo CM, 330 Lund G. 826 Lurie PR. 143 Lutz JR. 471 Luzza F. 1634

Macdonald RG, 845, 1216 Machac J, 1054 MacIntyre WJ, 1308 MacLean WAH, 48 MacMillan JP, 631 Maddahi J, 883 Maffucci RJ, 395 Maher MB, 1282 Mahmud R, 717 Mahony L, 859 Maison-Blanche P. 696 Makler PT Jr, 177, 215 Malatack JJ, 1373 Maldonado C, 384 Malloy CR, 1243 Malone P, 372 Mancini DM, 41A Mancini GBJ, 188, 535 Mandel WJ, 990, 1222, 1525 Manga P, 1658 Mann DE, 1009 Manyari DE, 92, 927 Manzoli U, 391

Marcelle P. 580 Marcelletti C, 1140 Marchlinski FE, 703, 709, 713, 980, 985 Marcus ML, 551 Maresh CM, 263 Marino B. 1140 Mark D 621 Markham J, 1500 Maron BJ, 185B, 835 Marsh HB, 578 Martin HF, 1242 Marx GR, 1162 Mas IJ, 1218 Maseri A, 900 Mason JW, 1350 Massie BM, 1037 Massumi GA, 58 Materne P. 580 Mathews RA, 861, 1373 Mathey DG, 878 Mathur VS, 58 Matlib MA, 3C Matloff JM, 439 Matoba Y. 1259 Matsuda M, 1255 Matsuda Y. 585, 1255 Mattila KJ, 1175 Maul F-D, 1048 Maxwell DD, 578 Maynard C, 871 Mazzari M, 391 McAllister RG Jr. 30B McAnulty JH. 1445 McCabe CH, 37 McCarthy DM, 177, 215 McComish MJ, 258 McCormack J, 1402 McCue JE, 20C McDaniel HG, 932 McGregor M, 217 McKee KS, 127 McKenna WJ, 522, 1513 McKinnis RA, 318, 621 McLaran C. 1509 McLaughlin PR, 1270 McLean AJ, 1628 Mcleod A, 170D McManus BM, 1609 McNamara DG, 514, 1001 McNamara M, 1121 McNamara PM, 1332 McPherson CA, 689 McVey P, 1001 Mead RH, 72 Meade J, 545 Meese R. 849 Mehigan J, 1293 Mehta JL, 158B Melin JA, 889 Menasche P. 696, 830 Mendoza I.I. 1344 Menlove RL, 471 Meno F. 1383 Mentzer RM 61

Merab JP, 623

Metz MZ, 1596

Michaelis LL, 1076

Michelassi C, 589

Michels VV, 1232

Michie DD, 43C

Mickle P. 680

Miller HI, 1637

Michelson EL, 43C

Midgley FM, 777, 1234

Miller AB, 1359, 1431

Miller FA Jr. 476, 1232

MILIS Study Group, 1463

Messerli FH, 722, 1023

Miller JM, 980 Miller NH, 251, 635 Miller SW, 171, 1584 Milliken JA, 103 Mindich BP, 1054 Minor ST, 1009 Mirvis DM, 1614 Mitchell JH, 34D, 169D Mitchell LB, 92 Miura D, 79 Miyamoto T, 585 Miyazaki T, 1085 Moene RJ, 1566 Mohiuddin SM, 43C Moise A, 941 Mok W. 1293 Monda V. 1639 Mongiardo R. 391 Montenero AS, 391 Montgomery MA, 1241 Moody ML, 1623 Mookherjee S, 896 Moorehead C, 1133 Morady F, 372 Moran JM, 1076 Moreno LMG, 330 Morgan DE, 1428 Morganroth J, 367, 1287 Mori H, 1085 Moritani K. 1255 Morris KG, 318 Morton MJ. 1445 Moscarelli F 1319 Moses IW 25C Moss A.I. 249 Mostow ND, 622 Mueller H, 1625 Muesing RA, 1459 Mukharji J, 267 Mullen GM, 842 Muller JE. 1463 Multiple Risk Factor Intervention Trial Research Group, 1, 16 Murayama M. 1474 Murdock DK, 249 Murgo JP, 1179 Murphy JH, 541 Murphy ML, 545, 1520 Murphy-Chutorian D, 1293 Murtra-Ferre M. 597 Mustafa M, 1239 Myerburg RJ, 1344, 1433

Naccarella FF, 1601 Naccarelli GV. 1664 Nademanee K, 14C, 214B Nagle F, 1298 Nakajima T, 1474 Nakamura Y, 1085 Nakanishi T, 662 Nakan S 239 Nakata S, 1097 Nakazawa M, 530, 662 Narahara KA, 55C Nasser WK, 843 Natter L, 797 Naughton J, 21D, 167D Neches WH, 861, 1373 Nelson JG, 133, 445 Nestico PF, 857 Nesto RW, 3E, 1303 Neufeld HN, 588 Neuhaus K-L, 1655 Neumann A, 790, 1168, 1204

Myers J, 155D

Myler RK, 1215

Neustain HR 143 Nguyen NX, 1433 Nichols DA, 1442 Nichols WW, 652, 1179 Nickelsen T, 1048 Nicod P. 849, 1043 Nielsen AP, 1009 Nielsen TT, 864 Niemann JT, 199 Nikki P. 296 Niles N, 1545 Nishimura RA, 248, 476, 1447 Niskanen RA, 199 Nitenberg A, 748 Niwa K, 662 Nohara R. 905 Nolan SP, 61, 612 Noll B. 1643 Noonan PK, 184 Nordrehaug JE, 1491 Norwood WI, 759, 1146, 1238 Notargiacomo A, 1015 Nussberger J, 1043

Oates JA, 395 Oberman A, 10D, 169D O'Callaghan WG, 1227 Ockene IS, 20C O'Donnell JK, 1439 O'Gallagher D, 79 Ogawa H, 1255 Ogawa S, 1085 Oliambo HP, 755 Okada RD, 54, 347, 541, 1469 Okin PM, 271 Okuda H. 530 Oldershaw P, 862 Olinger GN, 556, 1119 Olson HG, 277 O'Meara ME, 1059 O'Neill WW, 188 Ong LY, 1063 Onnasch DGW, 152 Ono S. 1474 Opie L, 167D Onia LH, 95D Oppenheimer-Dakker A. 1566 Oreto G, 1634 O'Rourke MF, 1179 Orr CM, 1626 Osbakken M, 54 Osborn MJ, 1509 Oseran DS, 1222, 1525 Osuna PP, 330

Pachinger O, 1264 Pacifico AD, 1363, 1647 Packer DL, 1223, 1227 Packer M. 196B Padmanabhan VT, 1063 Pagano S, 249 Palakurthy P. 384 Palmeri ST, 318, 1478 Palombo C, 1319 Pamelia FX, 920 Pandian NG, 551 Pandullo C, 1427 Papapietro SE, 48 Parameswaran R, 1435 Parikh K, 1393 Park J, 55C Park SC, 861, 1373 Parker C, 1463

Parker J, 167D Parker M. 181, 335 Parker R. 1210 Parker VE. 21E Parkey RW, 1463 Parmiey WW, 1E, 9A. 165B, 1539 Pasquini L, 1140 Pasternac A, 941 Pasternack PF, 847 Patel DJ, 418 Patrignani P, 116, 589 Patrono C, 589 Patterson RE, 10B Peck WW. 535 Pelleg A, 571 Pellizzon OA, 852 Pembrook-Rogers D, 703 Penkoske PA, 735, 1560 Pege AJ, 613 Pepin EB, 142D Pepine CJ, 652, 844, 1179, 1216 Percy RF, 1431 Perez JE, 601 Perioff JK, 1576 Perry JM, 952 Perticone F, 1639 Peshock RM, 1243 Peter RH, 1442 Peter T. 883, 990, 1222. 1525 Peters J. 98 Petitti DB, 577 Pflugfelder PW, 242 Picano E, 1319 Pickoff AS, 1402 Pierpont MEM, 1649 Pinkerton CA, 843, 1626 Piontek M, 14C Pistole M, 1239 Piters KM, 277 Pitt A, 342 Pitts DE, 309 Pivotti F. 1427 Phynica A, 696, 830 Pizzarello RA, 1063 Platia EV. 375, 958 Pc sak WA, 501 dak MJ, 485 Pohost GM, 54, 347, 541, 1469 Poirier J-M, 696 Polak JF, 1303 Pope CF, 495 Popp RL, 114D, 937 Porter C-BJ, 1001, 1509 Ports T. 230 Powell WJ Jr, 1246 Pratt CM, 301 Prida XE, 122 Pries F, 152 Probst P, 1264 Profitt D, 1293 Proudfit WL, 631 Pryor DB, 325, 621 Prystowsky EN, 59C, 995 Przybylek J, 335 Puga FJ, 505 Pveritz RE, 739

Quay S, 1293

Raabe DS, 1463 Rackley CE, 932 Rae AP, 367, 1494 Raftery EB, 1534 Rolaio SA 1175 Rakita L. 622 Ramanaden I, 1277 Ramirez ML, 1197 Rapoport S, 495 nen J, 296 **Rath S, 588** Reddy PS, 127, 462, 1383 Reed G, 860 Reeder GS, 476 Reeves WC, 1066 Rehr RB, 1243 Reiber JHC, 357 Reichek N. 618 Reid PR, 84, 375, 956 Reimer KA, 107B Remme WJ, 639 Rennert G. 1629 Rheuban KS, 612 Ribner H, 335 Ricciardelli B, 116 Rice MJ, 505 Rich S. 159 Rickman FD, 301 Riemenschneider TA, 1158 Riley MF, 239, 599 Ring JC, 210 Ringertz H, 560 Ritchie JL, 645, 1185 Ritman EL, 582 Rizzon P 603 Roberts R, 301, 1463 Roberts WC, 65, 236, 244, 247, 432, 454, 485, 503, 590, 596, 609, 868, 870, 1115, 1117, 1218, 1220, 1229, 1449, 1451, 1661, 1663 Robertson D, 395 Robertson JH, 1506 Robertson TL, 1463 Robinson BF, 24B, 102B Rocchini AP, 1133 Rodeheffer RJ, 154B Roden DM, 395 Rodriguez ER, 1609 Rogers WJ, 932 Roinitzky LM, 623 Rosati RA, 325 Rosborough JP, 199 Rosch J, 1445 Rosenblum R, 1664 Rosenfeld LE, 689 Rosenquist GC, 777 Rosenthal A, 1133 Rosenthal M. 1222 Rosenthal T. 1445 Rosing DR, 1B, 50B, 61B, 69B 185B 673 Ross AM, 1459 Rossall RE, 1277 Rotmensch H, 367 Roubin GS, 428, 1027 **Rowe RD, 234** Rowell L., 169D Rowland E, 15E, 522. 1513 Rubenfire M, 89 Rubin HS, 301 Rubin SA, 990 Rubler S. 801 Ruckman RN, 777, 1234

**Rude RE. 1463** 

Rahimtoola SH, 1393

Rahko PS, 462

Raichlen JS, 84 Raimondl EC, 852

Baizner AF, 301

Rupprath G, 1655 Ruskin JN, 956 Russell RO Jr, 932 Rutherford JD, 1463 Rutkowski M, 1652 Rutman H, 726 Ryan TJ, 37 Ryanvy JA, 826

Sabbah HN, 1091 Sacca L, 116 Sadaniantz A, 1631 Saeed M, 1596 Saffitz JE, 1659 Sagiv M, 1298 Salto Y, 1259 Sakamoto S. 1474 Saksena S 983 Sakurai K, 1085 Salerni R. 462 Saltin B, 42D, 169D Saltz-Rennert H, 1629 Samuels DA, 301 Sanchez-Castillo AS, 330 Sanders SP. 232, 759. 1146, 1153, 1238 Sanderson JE, 755 Sandler H, 114D, 170D Sandor T. 1412 Santarelli P. 391 Santiago S. 1019 Seoudi N. 1344 Sarma ISM 619 Sarma RJ, 619 Satulio G, 1634 Saulino PF, 1220 Saunders R, 1287 Sauve MJ, 372 Savin WM, 101D, 167D Sawin HS, 43C Scanion PJ, 249, 1070, 1396 Scardi S. 1427 Schaefer S, 1622 Schall SF. 915 Schamroth L, 1634 Schanzenbacher P. 33 Schattenberg TT, 476 Scheinbaum M, 1539 Scheinman MM, 194, 372 Scherillo M, 1639 Schlavone WA, 1439 Schiller NB. 1121, 1440 Schlesinger Z, 620 Schlesselman SE, 1459 Schmid JR, 807 Schmidt PE, 309 Schmidt SB, 1459 Schneider JF, 1332 Schocken DD, 1485 Schoen F.J. 566 Schofer J, 878 Schroder R. 313 Schultz J. 797 Schulz W. 26 Schwab M, 14C Schwartz A, 3C Schwartz J, 1119 Schwartz JB, 31E Sciarovsky S, 249 Scott LP, 777 Scully WE, 859 Sealey JE, 122 Seals DR, 797 Seelaus PA, 669 Segal BL, 367, 857 Seiffert PA, 152

Selvester RH, 1485 Serruys PW, 357, 362 Seward JB, 476, 505, 606 Shah KJ, 1657 Shah PK, 883 Shah PM, 677 Shapiro EP, 1453 Shapiro W, 36C, 55C Shapiro WA, 194 Sharkey SW, 1632 Sharom M, 900 Shaver JA, 462 Shechter JA, 1339 Sheehan FH, 878 Sheikh MU, 1218 Shelley WJ, 423 Shemesh Y, 588 Shemin RJ, 731 Shen WF 428 1027 Shepherd JT, 87D, 170D Sherron P. 1323 Shieh SM. 1245 Shreiner DP, 127 Shrivastava S, 1236 Shub C, 476 Shukla PK, 1218 Sievers R, 165B, 560 Silove ED, 1657 Silver MA, 454 Simon SB, 188 Simonton C, 726 Simoons ML, 357, 1313 Simson MB, 985 Singh BN, 14C, 81B, 214B. 286 Singh S, 1402 Sirowatka J, 920 Sketch MH, 263 Skinner M, 1645, 1646 Skorton DJ, 551 Slack JD, 843, 1626 Slama R, 696 Slutsky RA, 535 Smallhorn JF, 234 Smith CR. 154B Smith D. 205 Smith DR, 450 Smith EO, 495, 787 Smith ER, 927 Smith HC, 248, 582, 1447 Smith W, 1389 Smith WM, 3A, 813, 1614 Smitherman TC, 849 Smulyan H, 896 Snider AR, 1133 Sniderman A, 217, 291 Sobel BE, 1463, 1500 Soderholm-Difatte V, 1350 Sodums MT, 223 Sokoloff NM, 387, 1494 Solberg LA, 40 Soler-Soler J. 597 Somberg JC, 79 Somerville J, 1367 Song SL, 619 Soni J, 717 Sonnenblick EH, 41A, 179B Sorensen SG, 471 Sorino M, 603 Sostman HD, 495, 1032 Soto B, 1363 Soufer R. 1032 Soulen RL, 480 Soward A, 342 Sowers JR 112

Spaccavento L, 114D

Spann JF, 50C

Speir E, 1609

Warner RA, 896

Spielman SR, 367. 974. Spodick DH, 168, 619, 1119, 1664 Spragg J, 927 Sprecher DL, 1282 Sridharan MR, 1407 Sriram R. 842 Stadius ML, 1185 Standke R, 1048 Stanley AWH Jr, 48 Stark DD, 480, 1121 Stark S, 594 Steck J, 1287 Stein PD, 1091 Steingart RM, 240 Stern N, 112 Stern S, 1200 Stertzer SH. 1215 Stevenson WG, 226 Stolfi A. 1402 Stone PH, 1463 Storm CJ, 639 Strain J, 1625 Stratton JR, 1185 Strauss HW, 54, 541, 1469 Strong JP, 40 Strother RT, 135D Stryjer D, 620 Sugawara M, 1097 Suglura T, 168 Sugrue DD, 1509 Sullivan M. 155D Sung PK, 1245 Surawicz B, 968 Sutherland D. 1445 Sutton FJ, 851 Suzuki K, 1259 Suzuki Y, 905 Swaiman KF, 1379 Swain JL, 813

Tabakin BS, 1328
Taber M, 181
Taeymans Y, 941
Tajik AJ, 476, 505, 606
Takahashi M, 143, 1259
Takahashi Y, 662
Takanashi Y, 530
Takao A, 530, 662
Takatani S, 1308
Takkunen JT, 948
Talano JV, 335
Tamaki N, 905

Szlachcic J, 1037

Tamaki S, 905 Tamari I, 25C Tarner D, 1323 Taylor CB, 251, 635 Taylor RR, 258 Teagarden JR, 181 Tei C, 677 Temesvari A, 1429 Temesy-Armos PN, 592 Tenczer J, 1429 Teng B, 291 ten Katen HJ, 362 Teo KK, 620, 1277 Terry BE, 783 Thadani U, 36C, 43C Theisen F. 98 Theisen K, 98 Thenabadu PN, 545 Théroux P. 941 Thiene G, 865 Thies WR, 1363 Thom TJ, 45A Thomas HE Jr, 1332 Thompson JA, 227 Tibbits PA, 244 Tijssen JGP, 357 Tilsner V, 878 Timmis GC, 871 Tobler HG, 807 Todd CA, 142D, 149D Toomey K, 1234 Topic N, 1037 Tordjman K, 1445 Torizuka K. 905 Torkan B. 1393 Torres V. 79 Torres-Arraut E, 1323 Tortolani AJ, 1063 Tortoledo FA, 301 Traweek M, 1001 Treasure T. 865 Trimarco B, 116 Trobaugh GB, 645 Trowitzsch E. 1153 Tubau J, 1037 Tuck ML, 112 Turi ZG, 1463 Turini G. 1043 Tzivoni D, 1200

Underwood DA, 631, 1308 Unoki T, 585 Untereker WJ, 974 Upward JW, 1589 Urguhart J, 10B Valsanen I, 296 Valentine RP, 309 Vandenbossche J-L. 1425 van den Brand M, 357, 362 Van Der Hauwaert LG. 1571 Vanderwonde JC, 125B Vandormael M. 580 Van Hoogenhuyze DCA, 639 Vanhoutte PM, 17B Van Hove E. 309 Van Mierop LHS, 1438 Van Reet RE, 301 Van Tassel JW, 1626 van Wylick ARJM, 593 Varghese PJ, 1234 Vassallo JA 713 985 Veltri EP, 375 Venables AW, 1127 Ventura HO, 722, 1023 Verani MS, 301 Vered 7, 588 Vestergaard B, 164 Vesterlung T, 864 Vetrovec GW, 21E, 1424 Vijayaraghavan G, 677 Vincent RN, 526 Viguerat CE, 1539 Virmani R. 952 Vita NA, 1032 Vitanen A, 296 Vogel RA, 188 Vohringer H, 313 Volpe M, 116 Von Der Lippe G, 1491 von Leitner E-R, 313 Vrobel TR, 622

Waeber B, 1043
Wagner GS, 325, 1478, 1485
Wahr D, 230
Waldecker B, 412
Walker C, 744
Waller BF, 65
Wallis JB, 25C
Wanderman K, 1629
Wang DJ, 1245
Wang T, 395
Wang Y-S, 194
Warbick-Cerone A, 1270
Ward D, 862
Ware JA, 1059

Wacholder S, 291

Warnes CA, 236 Wasserman AG, 1459 Watkins E Jr, 735 Watson DO, 920 Watson RM, 50B, 61B Waxman HL, 709, 974 Weaver DD, 859 Webb CR, 367, 1494 Weber JR, 618 Weber KT, 22A Weber L. 1393 Weber MA, 1119 Wedemeyer AL, 861 Wehr M 1643 Wei J. 1245 Weiner BH, 20C Weiner DA, 37 Weiner G, 1119 Weinstein GS, 249 Weintraub WS, 669, 1601 Weisel RD, 1270 Weiss AT, 883 Weiss JL, 739 Weissfeld L, 40 Weitzman S, 1629 Weizenberg A, 968 Weliky I, 55C Wellenc HJJ, 224, 380, 402, 412, 593, 1113 Wellington K, 9E Wenink ACG, 1566 Wessel A, 152 Weyman AE, 1584 Weyne AE, 1423 Wheelan KR, 1622 Whelton PK, 221 White HD, 3E, 1303 White RD, 1478, 1485 Whitesell L. 1066 Whitson C. 1076 Widmann M. 1485 Wiener I. 226 Wiens RD 229 Wightkin WT, 618 Wijns W. 357 Willerson JT, 116B, 1463 William DL, 1185 Williams AJ, 1019 Williams GA, 133, 229, 445 Williams JG, 309 Williams MA, 263 Williams OD, 40

Williams RG, 610, 759

Williams RS, 68D, 167D

Wilmore JH, 135D, 142D. 149D, 167D Windhorst DM, 133 Winkle RA, 72 Winniford MD, 116B, 281, 1622 Winston SA, 372 Wisenberg G, 242 Wohlgelernter D, 1032 Woldow AB, 1435 Wolfe CL, 1622 Wolff GS, 1323 Wong M, 1197 Wood DL, 606, 1509 Wood MA, 1066 Wooley CF, 1107 Woosley RL, 395 Worley SJ, 813 Worsham C, 232 Wyndham CRC, 1009 Wynne J, 3E, 1303, 1412 Wyse DG, 92

Yacobi A, 395
Yaginuma T, 1179
Yamaguchi M, 1609
Yamazaki H, 1085
Yanowitz FG, 471
Yasuno M, 1259
Yeager SB, 619, 759
Yeatman LA Jr, 610
Yee E, 230
Yiannikas J, 1308
Yoshino F, 585
Young JB, 301, 1059
Yuan Z, 122
Yusuf S, 45A, 1110

Zager L, 1298
Zaher CA, 990
Zaman L, 1344
Zangl W, 1264
Zaret BL, 495, 1032
Zech LA, 1282
Zehender M, 412
Zellner SR, 43C
Ziellnes KP, 234
Zipes DP, 89B, 995
Zitelli BJ, 1373
Zouloueche S, 748
Zuberbuhler JR, 861, 1373, 1560
Zusman RM, 30C



Volume 55/Copyright © 1985 Technical Publishing, A Division of

Dun-Donnelley Publishing Corporation, a Company of The Dun & Bradstreet Corporation 875 Third Avenue, New York, New York 10022

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage retrieval system, without written permission of the copyright owner.

Printed in the United States of America

